

KYG[®]

Jewelry Tools

**PRODUCT
CATALOGUE
2026**

KYG MACHINERY Ltd.

广州市开远机械实业有限公司

SHOWROOM → PHOTOS



Sales Center & Showroom



Sales Center & Showroom

→ WORKSHOP



Vacuum Pressure Casting Machine



Wax Injector



Fiber Laser Marking Machine



Laser Spot Welding Machine



Digital Burnout Furnace



Dapping Punch With Square Block



Engraver Block



Graphite Crucible

Company Profile 公司简介

广州市开远机械实业有限公司（原金元首饰设备公司）成立于1988年，位于广州市番禺区。三十多年来，公司专注于高品质首饰加工设备的研发与制造，秉承“诚信、互惠、重德、开拓”的企业理念，持续引进德国、日本、瑞士等地的先进技术，已发展成为集研发、生产、加工、销售于一体大型首饰器材制造企业。

技术领先，品质保障

凭借丰富的行业经验与强大的研发能力，我们不断创新设备工艺，优化产品结构，致力于为客户提供高效、稳定、精准的首饰制造解决方案。我们的设备广泛应用于珠宝首饰制造的各个环节，深受市场认可。

国际合作，服务全球

公司与全球多个国家和地区的客户建立了长期稳定的合作关系，产品远销东南亚、中东、欧洲、美洲等地区。优质的产品、可靠的服务、良好的信誉，使我们在业内赢得了广泛赞誉。

立足品质，服务至上

我们始终坚持“以人为本、以诚取信、以精求进、质量至上”的经营方针，以优质的产品与“五心级”服务(用心、精心、细心、贴心、安心)，不断满足客户多样化、个性化的需求，携手共创美好未来。

KYG Machinery Ltd., founded in 1988 and headquartered in Panyu, Guangzhou, has dedicated over 30 years to researching and manufacturing high-quality jewelry processing equipment. Guided by our core values of integrity, mutual benefit, virtue, and pioneering spirit, we continuously introduce advanced technologies from Germany, Japan, and Switzerland—evolving into a large-scale enterprise that integrates research and development, production, processing, and sales.

Advanced Technology & Quality Assurance


Backed by extensive industry experience and strong research and development capabilities, we constantly innovate production techniques and optimize product designs to deliver efficient, stable, and precise jewelry manufacturing solutions. Our equipment is widely employed throughout every stage of jewelry production, consistently earning high praise and strong recognition in the market.

Global Collaboration & Worldwide Service

Through long-term partnerships with customers across Asia, the Middle East, Europe, and the Americas, our products have established a robust global presence. Our commitment to quality, reliability, and exceptional service has garnered widespread acclaim within the industry.

Our Commitment: The 5D Service

We adhere to a philosophy that puts people first, builds trust through sincerity, pursues excellence, and prioritizes quality. With our premium products and unique “5D Service” — Dedicated, Diligent, Detailed, Devoted, and Dependable — we consistently meet diverse and personalized customer needs. We warmly welcome opportunities for collaboration and look forward to working with you.



目录

有刷打磨机	Brushed Polishing Motor	01
无刷打磨机	Brushed Polishing Motor	03
吊机	Hanging Motor	04
吊机配件	Accessories	05
小夹头/大夹头	Handpiece	06
吊机配件	Accessories	07
灯具	Lamps	08
雕刻机	Engraving Machine	09
微镶机	Microscope	12
雕刻机配件	Carving Machine Accessories	15
镶石座	Engraver Block	16
微镶配件	Micro Accessories	17
微镶刀	Gravers	18
车花机	Faceting Machine	19
钨钢打砂棒	Garbide Tools	20
喷砂机	Sandblaster	21
玻璃砂/空压机	Glass Sand/Air Compressor	22
无油静音空气压缩机	Mute Oil-Free Air Compressor	23
珠宝秤	Electronic Balance	25
吸石机	Micro Wax Setting Machine	30
测钻石笔	Diamond Tester	31
钻石筛、数石器	Diamond Sieves/ Diamond Counter	32
配石工具	Stone Tools	33
PE塑料自封袋	PE Plastic Self-Sealing Bag	34
镊子/焊夹	Tweezer/Soldering Tweezers	35
切工镜	Loupe For Cutting	37
放大镜	Magnifier	38
珍珠钻孔机	Pearl Drilling Machine	39
戒指扩大器	Ring Stretcher	40
研磨抛光机	Wet Type Polishing Tumbler	41
震动抛光机	Vibratory Tumbler	42
离心机	Centrifugal Grinding Machine	43
干式滚筒光饰机	Dry Barrel Polishing Machine	44
滚桶抛光机	Rotary Tumblers	45
抛光材料	Magnetic Tumbler	47
磁力机	Magnetic Tumbler	48
磁力抛光机	Magnetic Tumbler	51
碰焊机	Sparkle Welder	53
拉线凳	Wire Drawing Bench	54
蒸汽清洗机	Steam Cleaners	55
工业型超声波清洗机	Ultrasonic Cleaner	57

DE系列超声波清洗机	DE Series Ultrasonic	61
	Cleaning Machine	
超声波清洗机(数显)	Digital Display Functional	62
	Ultrasonic Cleaning Machine	
超声波清洗机(PS系列)	PS Series Ultrasonic	63
	Cleaning Machine	
超声波清洗机(DK系列)	DK series ultrasonic	64
	cleaning machine	
除蜡水	Wax Removar	65
脉冲电金机	Ractifier	66
电金机	Rectifier	67
电镀工具	Electroplating Tools	68
电镀铑水	Rhodium Solution	69
黄金电镀水	Gold Plating Solution	70
压模机	Vulcanizer	71
压模框	Mold Frame	72
压膜胶	Mould Rubber	73
首饰专用水溶性蜡	Water-Soluble Wax	74
	For Jewelry	
赞荣牌系列注蜡机	Wax Injector	75
注蜡机	Wax Injector	76
焊蜡机	Wax Welder	78
蜡片	Wax Flake	79
蜡珠	Wax Bead	80
数控铜炉	Digital Burnout Furnace	81
双层旋转电铜炉	Double-Decker Rotary	83
	Eletric Furnace	
真空石膏搅拌机	Vacuum Gypsum Mixer	84
石膏清洗机	Gypsum Cleaning Machine	85
贵金属分析仪	Precious Metal Analyzer	86
石膏粉	Investment Powder	87
钢盅	Stainless Steel Flask	89
石墨垫	Graphite Gasket	90
油槽	Trough Mould	91
坩埚钳	Crucible Tong	92
戒指雕刻机	Ring Engraver	93
熔金炉	Electric Melting Furnace	94
感应加热电源系列	Induction Heater Series	95
倾倒式熔炼炉	Dumping Melting Furnace	96
中频熔金机	Gold Melting Furnace	97
倒模机	Vacuum Pressure Casting	
	Machine	98

熔金机	Gold Melting Furnace	99
真空铸锭机	Vacuum Bullion Casting Machine	101
连续铸造机	Continuous Casting Machie	102
真空泵	Vacuum Pump	103
迷你连体倒模机	Mini Vacuum Investing &Casting	
	Machine	104
连体倒模机	Vacuum Investing &Casting	
	Machine	105
迷你抽真空机	Mini Vacuum Investing Machine	106
真空罩/布袋	Vacuum Bell Jar/Cloth Bag	107
中央吸尘机	Central Dust Collector	108
静音双重过滤打磨机	Polishing Machine	109
吸尘打磨机	Polishing Machine	110
光纤激光打标机	Fiber Laser Marking Machine	111
激光点焊机	Laser Spot Welding Machine	112
压片压线机	Precision Sheet And Wire Rolling	
	Mill	115
拉线机	Drawing Machine	123
焊管机	Tube Welding Machine	124
压片机	Electric Rolling Mill	125
手摇压片压线机	Manual Rolling Mill	127
手动整形机	Manual Shaping Machine	129
缩口机	Tube Necking Machine	130
手指套	Finger Guards	131
TSK工具	TSK Tools	132
手镯棒	Bracelet Mandrel	133
戒指圈	Ring Size	134
钢丝打砂针	Mounted matt Brush	135
TSK量具	Measuring Tool	136
戒指尺	Ring Stick	137
TSK工具	TSK Tools	139
锯弓	Saw Frame	140
电子卡尺	Digital Caliper	141
锤子	Hammer	143
锯弓/锯条	Saw Bow/Sawblades	145
钳子	Pliers	146
水口剪钳	Sprue Pliers	147
钳子	Pliers	149
剪刀	Scissors	150
四方窝砧	Square Dapping Block	151
套装窝珠作冲头	Dapping Punches	152
微镶/执模台	Micro Setting Table/QC Table	153

AB胶水	Araldite Rapid	155
洗银水	Silver Cleaner	156
钨钢拉线板	Tungsten Steel Drawplate	157
天花板钨钢拉线板	Tungsten Steel Drawplate	159
玛瑙刀/锉刀	Agate Burnisher/Needle Files	160
瑞士锉刀	Swiss Needle Files	161
车针锣咀	Steel Burs	163
钨钢针锣咀	Tungsten Steel Burs	164
钨钢旋转锉	Tungsten Carbide Rotary Files	165
硼砂、粉类	Borax Powder/Flux Powder	166
打磨布轮	Polishing Buffs	167
绒碟	Split Lap	168
4C毛刷轮	Brush Wheel	169
2C毛刷轮	Brush Wheel	170
毛刷轮	Brush Wheel	171
小毛扫	Bristle Brush	172
打磨轮	Mounted Brushes	173
有柄硅胶胶轮	Silicone Points	174
抛光硅胶磨头	Polishing Silica Gel	
	Grinding Head	175
橡胶结合剂抛光磨片	Rubber Polishers	177
硅胶结合剂抛光磨片	Silicone Polishers	178
硅胶结合剂抛光磨头	Silicone Polishers	180
RLD橡胶金刚石抛光器	RLD Rubber Diamond Polisher	182
陶瓷结合剂磨头	Mounted Sanding Polisher	183
擦银棒(指甲锉)	Silver Polishing Stick	184
打磨蜡	Polishing Compound	185
法国抛光蜡	Polishing Solutions	186
雕刻蜡	Carving War	187
雕蜡刀	Carving Knife	188
水焊机	Oxyhydrogen Water Welding	
	Machine	189
焊接工具	Welding Tools	190
熔金坩	Ceramic Bowl	193
石墨坩	Graphite Crucible	194
石英白金锅	Ceramic Shiled	198
铸造铜粒	Casting Copper	199
贺利氏补口	HERAEUS Alloy	200
装首饰盘	Jewelry Tray	201



有刷打磨机 Brushed Polishing Motor



KYG0001 marathon 打磨机 M3 Champion-H37L1-SFP27

- ◆最高转速: 35000转/分钟
Maximum Speed: 35000rpm
- ◆最大扭矩: 3.2N.cm
Maximum Torque
- ◆马达: H37L1/M33ES
Motor: H37L1/M33ES
- ◆前转&后转开关/开&合脚踏开关
Forward-Backward Switch/on-Off pedal Switch
- ◆机身尺寸: 155x120x78mm
Motor Size
- ◆包装尺寸: 250x240x120mm
Packing Size
- ◆输出功率: 70W/220V
Output Power
- ◆有刷控制器
Brush Controller
- ◆重量: 1.7kg
Weight



KYG0002 marathon 打磨机 NEW N7-SH37LN-FS60

- ◆最高转速: 45000转/分钟
Maximum Speed: 45000rpm
- ◆扭矩: 4.5N.cm
Torque
- ◆脚踏: 开关式
Pedal
- ◆包装尺寸: 290x280x120mm
Packing Size
- ◆输出功率: 70W/220V
Output Power: 70W/220V
- ◆手柄: 单卡
Handle: Single Card
- ◆重量: 2kg
Weight



KYG0003 精密摩打机-204 Micromotor-Strong 204

- ◆最高转速: 35000转/分钟
Maximum Speed: 35000rpm
- ◆最大扭矩: 2.8N.cm
Maximum Torque
- ◆ON/OFF开关脚踏
ON/OFF Switch Pedal
- ◆自动过载保护功能
Automatic Overload Protection Function
- ◆机身尺寸: 150x105x85mm
Motor Size
- ◆包装尺寸: 320x200x120mm
Packing Size
- ◆输出功率: 65W/220V
Output Power: 65W/220V
- ◆正/反转切换
Forward/Reverse Switching
- ◆重量: 2kg
Weight



KYG0004 精密摩打机 RENHE 119/119S

- ◆最高转速: 35000转/分钟
Maximum Speed: 35000rpm
- ◆最大扭矩: 2.8N.cm
Maximum Torque
- ◆手动/脚踏无级调整功能(选配ON/OFF开关脚踏)
Manual/Pedal Stepless Adjustment Function(ON/OFF Switch Pedal)
- ◆自动过载保护功能
Automatic Overload Protection Function
- ◆机身尺寸: 101x104x85mm
Motor Size
- ◆包装尺寸: 245x210x90mm
Packing Size
- ◆输出功率: 65W/220V
Output Power: 65W/220V
- ◆重量: 1.89kg
Weight

有刷打磨机 Brushed Polishing Motor



KYG0005 精密摩打机-206 Micromotor-Strong 206

- ◆最高转速: 45000转/分钟
Maximum Speed: 45000rpm
- ◆最大扭矩: 4.5N.cm
Maximum Torque
- ◆可正反转,可手动/脚踏控制速度
With Reverse Function, Auto or Manual (Step for Control)
- ◆机身尺寸: 190x128x102mm
Motor Size
- ◆包装尺寸: 253x200x220mm
Packing Size
- ◆输出功率: 80W/220V
Output power: 80W/220V
- ◆重量: 3.3kg
Weight



KYG0006 有刷打磨机 ESCORT-3

- ◆最高转速: 45000转/分钟
Maximum Speed: 45000rpm
- ◆最大扭矩: 4.0N.cm
Maximum Torque
- ◆可选择手动/脚踏控制
Manual/Pedal Control Can Be Selected.
- ◆标配ON/OFF开关脚踏(选配无级调速脚踏)
Standard ON/OFF Switch Pedal (Stepless Speed Regulation Pedal is Optional)
- ◆正/反转切换
Forward/Reverse Switching
- ◆自动过载保护功能
Automatic Overload Protection Function
- ◆故障提示功能
Fault Prompt Function
- ◆机身尺寸Motor Size: 115x146x70mm
- ◆包装尺寸Packing Size: 258x258x140mm
- ◆输出功率: 75W/220V
Output Power: 75W/220V
- ◆数码显示转速
Digital Display Speed
- ◆重量: 2.12kg
Weight



KYG0007 有刷打磨机 marathon-4

- ◆最高转速: 45000转/分钟
Maximum Speed: 45000rpm
- ◆手柄: 单卡
Handle: Single Card
- ◆机身尺寸: 100x155x78mm
Motor Size
- ◆包装尺寸: 223x240x108mm
Packing Size
- ◆扭矩: 3.9N.cm
Torque
- ◆脚踏: 开关式
Pedal: Switch Type
- ◆重量: 1.75kg
Weight



KYG0008 有刷打磨机 STRONG230

- ◆材质: ABS塑料+金属
Material: abs + Stainless Steel
- ◆转速: 0~45000转/分
Rotary Speed: 0~45000 Rpm
- ◆夹头尺寸: 2.35mm
Bur Size: 2.35mm
- ◆功率: 65W
Power: 65w
- ◆输入电压: 110V 或者 220V
Voltage: 110~220v 50/60hz
- ◆输出电压: 0~32V
Output: 0~32v
- ◆机身size: 160x130x80mm
- ◆包装size: 244x207x98mm
- ◆weight: 1.81kg
- ◆套装包含
Package Included
- 1个控制箱
1x Control box
- 1个手柄
1x Handpiece
- 1个手柄支架
1x Handpiece Holder
- 1对备用碳刷
1x Carbon Brush
- 1把扳手
1x Wrench
- 1个脚踏
1x Foot Pedal
- 1本说明书
1X User Manual

特点: ◆噪音和振动小 (舒适)
◆速度控制旋钮 (操作简便)
◆可以向左和向右旋转

Feature: Low Noise And Vibration (comfortable)
Ventilation Design For Long Use
Speed Control Knob (easy To Operate)



无刷打磨机 Brushless Polishing Motor



KYG0009 高速打磨机 High speed polishing motor

PRIME 926

- ◆无碳刷马达 Brushless Motor
- ◆输出功率: 250W Output Power: 250W
- ◆手动/脚踏无级调速功能 Manual/pedal Stepless Speed Regulation Function
- ◆高/低速切换功能(4万转/6万转切换) High/low Speed Switching Function (40,000 rpm/60,000 rpm Switching)
- ◆自动过载保护功能 Automatic Overload Protection Function
- ◆故障提示功能 Fault Prompt Function
- ◆正/反转切换 Forward/Reverse Switching
- ◆机身尺寸Size: 240x140x110mm
- ◆最高转速: 60000转/分钟 Maximum Speed: 60000 rpm
- ◆最大扭矩: 9.2N.cm Maximum Torque
- ◆超大液晶显示屏 Large LCD Display
- ◆重量: 4.5kg Weight
- ◆包装尺寸 Size: 302x260x140mm



KYG0010 高速打磨机 High speed polishing motor

PRIME 407

- ◆无碳刷马达 Brushless Motor
- ◆输出功率: 230W Output Power: 230W
- ◆手动/脚踏无级调速功能 Manual/pedal Stepless Speed Regulation Function
- ◆自动过载保护功能 Automatic Overload Protection Function
- ◆故障提示功能 Fault Prompt Function
- ◆正/反转切换 Forward/Reverse Switching
- ◆机身尺寸Motor Size: 210x160x99mm
- ◆包装尺寸Packing Size: 305x260x135mm
- ◆最高转速: 50000转/分钟 Maximum Speed: 50000rpm
- ◆最大扭矩: 8.0N.cm Maximum Torque
- ◆重量Weight: 4kg



KYG0011 高速打磨机 High speed polishing motor

SHIYUAN 407B

- ◆最高转速: 50000转/分钟 Maximum Speed: 50000rpm
- ◆最大扭矩: 8.0N.cm Maximum Torque
- ◆可选择手动/脚踏控制 Manual/pedal Control Can Be Selected.
- ◆标配ON/OFF开关脚踏(选配无级调速脚踏) Standard ON/OFF Switch Pedal (Stepless Speed Regulation Pedal Is Optional)
- ◆正/反转切换 Forward/Reverse Switching
- ◆自动过载保护功能 Automatic Overload Protection Function
- ◆故障提示功能 Fault Prompt Function
- ◆机身尺寸Motor Size: 210x160x99mm
- ◆包装尺寸Packing Size: 305x260x135mm
- ◆输出功率: 230W Output Power: 230W
- ◆数码显示转速 Digital Display Speed
- ◆无碳马达 Carbonless Motor
- ◆重量Weight: 4kg



KYG0012 高速打磨机 High speed polishing motor

M-850

- ◆最高转速: 60000转/分钟 Maximum Speed: 60,000 rpm.
- ◆扭矩: 9.0N.cm Torque
- ◆手柄为双卡设计, 稳定性好, 夹紧力大, 同心度高。 The Handle Is Double-Card Design, With Good Stability, Large Clamping Force And High Concentricity.
- ◆功率大, 转速高, 噪音低, 振动小, 使用寿命长。 High Power, High Rotating Speed, Low Noise, Small Vibration And Long Service Life.
- ◆机身尺寸Motor Size: 160x290x100mm
- ◆包装尺寸Packing Size: 305x375x145mm
- ◆输出功率: 250W Output Power: 250W
- ◆脚踏可调速 Pedal Adjustable Speed.
- ◆重量Weight: 3.8kg

吊机 Hanging Motor



KYG0013 KKD吊机

KINGKEDA Motor
转速Speed: 22,000RPM
包装尺寸Packing Size: 396x250x120mm
重量Weight: 2.8kg



KYG0016 SR吊机

SR Motor
转速Speed: 18,000RPM
包装尺寸Packing Size: 470x300x110mm
重量Weight: 3.4kg



KYG0019 意大利款吊机

Italy Motor
The Tip of Diameter: $\phi 4\text{mm}/\phi 6\text{mm}$
Rated Voltage: 110V/220V
Rated Frequency: 50/60Hz
Rated Input Power: 200W
No Load Speed: 500-20000r/mi



KYG0014 金力达吊机

KKD Motor
转速Speed: 22,000RPM
包装尺寸Packing Size: 380x240x120mm
重量Weight: 3kg



KYG0017 黑八角吊机

Black Motor
The Tip of Diameter: $\phi 4\text{mm}/\phi 6\text{mm}$
Rated Voltage: 110V/220V
Rated Frequency: 50/60Hz
Rated Input Power: 200W
No Load Speed: 500-20000r/mi



KYG0020 低速锤打吊机

Lx Motor
转速Speed: 5,000RPM
包装尺寸Packing Size: 460x310x110mm
重量Weight: 3.2kg



KYG0015 金科达吊机(新款)

Foredom Motor(New)
转速Speed: 22,000RPM
包装尺寸Packing Size: 460x310x110mm
重量Weight: 3.2kg



KYG0018 保利达吊机

Pflingst Motor
转速Speed: 22,000RPM
包装尺寸Packing Size: 390x250x130mm
重量Weight: 2.9kg



KYG0021 飞力王吊机

Winner Motor
转速Speed: 24,000RPM
包装尺寸Packing Size: 460x310x110mm
重量Weight: 3.2kg



吊机配件 Accessories



KYG0022 铁脚踏
Foot Pedal
尺寸Size: 140x83x75mm
重量Weight: 762g



KYG0023 塑料脚踏
Foot Pedal
尺寸Size: 115x180x60mm
重量Weight: 404g



KYG0024 陶瓷板脚踏芯
Rheostat PFINGST Foot Pedal
尺寸Size: 70x120x20mm
重量Weight: 249g



KYG0025 意大利吊机轴
Italy Inner Shaft
长度Length: 970mm
重量Weight: 386g



KYG0026 金科达内轴
Foredom Inner Shaft
长度Length: 970mm
重量Weight: 94g




KYG0027 金科达内轴/外套
Foredom Outer/Inner Shaft
内喉长度: 970mm
Inside Throat Length
外喉长度: 900mm
Outside Throat Length
重量Weight: 268g




KYG0028 保利达内轴
Pflingst Inner Shaft
长度Length: 970mm
重量Weight: 87g




KYG0029 保利达外套/内轴
Pflingst Outer/Inner Shaft
内喉长度: 970mm
Inside Throat Length
外喉长度: 900mm
Outside Throat Length
重量Weight: 251g



KYG0030 金科达SR碳刷
SR Carbon Brush
长度Length: 9.22 x 6.24 x 17mm
重量Weight: 3.2g



KYG0031 金科达摩打碳刷
Foredom Carbon Brush
长度Length: 5.5 x 5.9 x 18mm
重量Weight: 3.2g



KYG0032 保利达摩打碳刷
Pflingst Carbon Brush
长度Length: 5.5 x 5.9 x 16.5mm
重量Weight: 3g



KYG0033 世新碳刷
Strong Carbon Brush



KYG0034 金科达转子(轴承/铜套)
Foredom Armature



KYG0035 世洋转子
Marathon Armature



KYG0036 世新转子
Strong Armature



KYG0037 高速轴承
Bearing



KYG0038 转换器
Converter

小夹头/大夹头 Handpiece



KYG0039 T/30小夹头
T/30 Handpiece
Size: ϕ 21.7mm L: 140mm
包装尺寸Packing Size: 35 x 24 x 163mm
总重量Weight: 128g



KYG0040 T/30小夹头(新款)
T/30 Handpiece(New)
Size: ϕ 21.5mm L: 140mm
包装尺寸Packing Size: 35 x 24 x 163mm
总重量Weight: 130g



KYG0041 欧式T/30小夹头(开口)
T/30 Handpiece
Size: ϕ 21.7mm L: 138mm
包装尺寸Packing Size: 35 x 24 x 163mm
总重量Weight: 118g



KYG0042 T/38小夹头
T/38 Handpiece
Size: ϕ 17mm L: 168mm
包装尺寸Packing Size: 32.3 x 23.4 x 171mm
总重量Weight: 158.8g



KYG0043 欧式T/38小夹头(开口)
T/38 Handpiece
Size: ϕ 17mm L: 167mm
包装尺寸Packing Size: 32.3 x 23.4 x 171mm
总重量Weight: 149g



KYG0044 意大利款小夹头(欧式)
Italy Handpiece
夹嘴直径Size: ϕ 0/1/1.5/2.35/3(mm)
Size: ϕ 16 x 120mm
包装尺寸Packing Size: 30 x 20 x 132mm
总重量Weight: 80.6g



KYG0045 T39小头
T39 Handpiece
Size: ϕ 17mm L: 142mm
总重量Weight: 130g
包装尺寸Packing Size: 27.5x27.5x145mm




KYG0046 T40小头
T40 Handpiece
Size: ϕ 15mm L: 165mm
总重量Weight: 130g



KYG0047 T60小头
T60 Handpiece
Size: ϕ 15mm L: 250mm
总重量Weight: 110g



KYG0048 低速振动头
Hammer Handpiece
Size: ϕ 17.6mm L: 160mm
总重量Weight: 107g



KYG0049 金色大夹头
Golden Handpiece
Size: ϕ 25.6mm L: 140mm
包装尺寸Packing Size: 27.6 x 27.6 x 187mm
总重量Weight: 203.4g



KYG0050 金科达大夹头
Foredom Handpiece
Size: ϕ 25.4mm L: 135mm
包装尺寸Packing Size: 39.3 x 38.7 x 220mm
总重量Weight: 245.6g



吊机配件 Accessories



KYG0056 玉石鉴定手电筒 Jade Appraisal Flashlight Size: ϕ 28.5mm L146mm Weight:266.6g 包装size:84 $\times$ 176 $\times$ 33mm




KYG0057 玉石鉴定手电筒 Jade Appraisal Flashlight Size: ϕ 25mm L130mm Weight:142g 包装size:35 $\times$ 35 $\times$ 135mm




KYG0058 玉石鉴定手电筒 Jade Appraisal Flashlight Size: ϕ 25mm L130mm Weight:56g 包装size:35 $\times$ 35 $\times$ 135mm

灯具 Lamps



KYG0059 绿色台灯 Table-Stand Lamp(green) Weight:830g



KYG0060 黑色台灯 Table-Stand Lamp(Black) Weight:870g 包装size:390x195x88mm




KYG0061 夹式LED工作台 Clip-On LED Workbench 灯色温可调3000K/4750K/6500K, 亮度2400LM 电压DC27.5V 光源234pcsLED 功率24W 包装size:720x240x120mm Weight:2.73kg



KYG0062 德国欧斯朗双管台灯 OSRAM Diamond Lamp 2 Tubes 机身Weight: 4.43kg 机身包装Packing Size 190*160*680mm 4pcs/ Carton Total Weight: 19kg Packing Size: 400*330*700mm



KYG0063 德国欧斯朗双管台灯 OSRAM Diamond Lamp 2 Tubes 机身Weight: 10kg 机身包装Packing Size 190*160*680mm 4pcs/ Carton Total Weight: 21.2kg Packing Size: 480*310*710mm



KYG0064 LED钻石台灯 LED Diamond Desk Lamp Weight:1.34kg 包装尺寸Packing Size: 440x190x80mm



雕刻机 Engraving Machine



KYG0065 双头雕刻机

Graver Max Double-Ended

功率 Power Supply	100W
电压 Voltage	100-240V
手柄工作速度 Handpiece Working Speed	0-1500 RPM
气压调节范围 Range of Pressure Regulation	0-60 PSI
机身尺寸 Dimension	26.5*21*19.5(CM)
包装尺寸 Shipping Dimension	32*28*25(CM)
包装重量 Shipping Weight	7.7KG



KYG0066 单头雕刻机

Graver Max Single-Ended

功率 Power Supply	60W
电压 Voltage	100-240V
手柄工作速度 Handpiece Working Speed	0-1500 RPM
气压调节范围 Range of Pressure Regulation	0-60 PSI
机身尺寸 Dimension	23*23*22(CM)
包装尺寸 Shipping Dimension	31*28*31(CM)
包装重量 Shipping Weight	6.8KG

雕刻机 Engraving Machine



KYG0069 双头气动雕刻机(G01)

Double-Ended Graver max

电源 Power Supply	220V 50Hz /110v 60Hz
手柄工作速度 Handpiece Working Speed	400-8000 RPM
气压调节范围 Range of Pressure Regulation	0-60 PSI
机身尺寸 Dimension	29*13*21(CM)
包装尺寸 Shipping Dimension	33*36*36(CM)
包装重量 Shipping Weight	9KG



KYG0070 单头气动雕刻机(G02)

Single-Ended Graver max

电源 Power Supply	220V 50Hz /110v 60Hz
手柄工作速度 Handpiece Working Speed	400-8000 RPM
气压调节范围 Range of Pressure Regulation	0-45 PSI
机身尺寸 Dimension	27*14*22.5(CM)
包装尺寸 Shipping Dimension	30*30*33(CM)
包装重量 Shipping Weight	7KG

KYG0067 艺术雕刻机(无须气泵加压)



功率 Power	100W/220V
机身尺寸 Dimension	22*12*18(CM)
包装尺寸 Shipping Dimension	45.5*34*19(CM)
包装重量 Shipping Weight	4.6kg



KYG0068 单头雕刻机(AGM01)

Engraving Machine

功率 Power Supply	60W
电压 Voltage	90-250V
手柄工作速度 Handpiece Working Speed	0-4000 RPM
气压调节范围 Range of Pressure Regulation	0-60 PSI
机身尺寸 Dimension	25.5*13.5*21(CM)
包装尺寸 Shipping Dimension	30*30*33(CM)
包装重量 Shipping Weight	5.5KG

KYG0067S 艺术雕刻器(NEW)



KYG0071 双控雕刻机(G03)

Double-Ended Graver max

电源 Power Supply	220V 50Hz /110v 60Hz
手柄工作速度 Handpiece Working Speed	400-8000 RPM
气压调节范围 Range of Pressure Regulation	脚控0-60 PSI 手控0-30PSI
机身尺寸 Dimension	29.2*15*20.6(CM)
包装尺寸 Shipping Dimension	39*22*26(CM)
包装重量 Shipping Weight	11KG



KYG0072 磨刀机(GM01)

Grinding Machine

功率 Power	150W
电压 Voltage	110V-220V
速度 Speed	400-900 RPM
磨盘粒度 Diamond Wheel Grit	240, 600, 1200 grit
机身尺寸 Dimension	29*15.2*18.7(CM)
角度器 Angle Dual	90° ,105° ,120° ,任意角度盘Any Angle Dual
包装重量 Shipping Dimension	55* 26*32(CM) 12.3KG

雕刻机 Engraving Machine



KYG0073

Specifications

Item No: HH-AG01
Item Name: Air-Graver
Handpiece Working Speed: 0-12000RPM
Range of Pressure Regulation: 0-1MPA
Dimension: 19*15*9CM
Machine Shipping Dimension: 35.3*25.5*11CM
Gross Weight: 2.2KG



KYG0074

Specifications

Item No: HH-AT01
Item Name: Artgraver
Power: 100W
Voltage: 100-240V
Speed: 0-100%
Dimension: 22*12*18CM
Shipping Dimension: 45.5*34*19CM
Shipping Weight: 4.6KG



KYG0075

Specifications

Item No: HH-AT02
Item Name: Artgraver II
Power: 160W
Voltage: 100-240V
Graver Speed: 0-100%
Micromotor Speed: 0-35000RPM
Dimension: 22*12*18CM
Shipping Dimension: 45.5*34*19CM
Shipping Weight: 5KG



KYG0076

Specifications

Item No: HH-AT03
Item Name: Artgraver III
Power: 160W
Voltage: 100-240V
Graver Speed: 0-100%
Micromotor Speed: 0-35000RPM
Dimension: 22*15.3*18CM
Shipping Dimension: 45.5*34*25CM
Shipping Weight: 6KG



KYG0077

Specifications

Item No: HH-R01
Item Name: R-Graver
Power: 100W
Voltage: 100-240V
Power: 800W
Handpiece Working Speed: 0-100%
Handpiece Working Power: 0-100%
Micromotor Speed: 0~35000RPM
Hot Gun Temperature: 300T
Machine Dimension: 21*16.5*12CM
Shipping Dimension: 40*31.5*16CM
Gross Weight: 5KG



KYG0078

Specifications

Item No: HH-ART01
Item Name: Artgraver
Power: 100W
Voltage: 100-240V
Speed: 0-100%
Dimension: 28*14.5*19CM
Shipping Dimension: 33*30*33CM
Shipping Weight: 6.5KG

微镶机 Microscope



KYG0079

Specifications

Item No: HH-MH01A
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real Angle of View: 45°
Working Distance: 100MM, 165MM with 0.5X
Shipping Dimension: 49*37*36CM
Gross Weight: 11.5KG



KYG0080

Specifications

Item No: HH-MH02A
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real Angle of View: 45°
Working Distance: 100mm, 165mm with 0.5X
Shipping Dimension: 45*31*33.5CM
Gross Weight: 12KG



KYG0081

Specifications

Item No: HH-MH05A
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real Angle of View: 45°
Working Distance: 100mm, 165mm with 0.5X
Shipping Dimension: 45*24*37.5CM
Weight: 6.9KG



KYG0082

Specifications

Item No: HH-MH01B
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real angle of view: 45°
Working Distance: 100MM, 165MM with 0.5X
Screen: 10.1 INCH
Shipping Dimension: 49*37*36CM
Gross Weight: 12.2KG



KYG0083

Specifications

Item No: HH-MH05B
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real Angle of View: 45°
Working Distance: 100mm, 165mm with 0.5X
Screen: 10.1 INCH
Shipping Dimension: 45*24*37.5CM
Weight: 8.1KG



KYG0084

Specifications

Item No: HH-MS01B
Item Name: Microscope
Magnification: 7X-45X
Eyepiece: WF10X
Lenses: 0.5X
Real Angle of View: 45°
Working Distance: 100MM, 165MM with 0.5X
Screen: 10.1 INCH
Shipping dimension: 48*50*24CM
Gross Weight: 10KG



微镶机 Microscope



KYG0085 SOPTOP微镶机
Microscope

型号: SZM-1
Model: SZM-1
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective Lens: 0.7x~4.5x zoom Continuously.
包装尺寸: 360x320x280mm
Packing Size
重量: 11.6kg
Weight



KYG0086 SOPTOP微镶机(弹簧支架)
Acrobat Microscope Stand

型号: SZM-2
Model: SZM-2
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective lens: 0.7x~4.5x zoom continuously.
包装尺寸: 510x510x220mm
Packing size
重量: 8kg
Weight



KYG0087 SOPTOP微镶机(高清)
Microscope

型号: SZM-3
Model: SZM-3
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective lens: 0.7x~4.5x zoom continuously.
包装尺寸: 420x370x322mm
Packing size
重量: 11.6kg
Weight




KYG0088 SOPTOP微镶机(弹簧支架)(高清)
Acrobat Microscope

型号: SZMN-4
Model: SZMN-4
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective lens: 0.7x~4.5x zoom continuously.
包装尺寸: 510x510x220mm
Packing size
重量: 8kg
Weight



KYG0089 OKA微镶机
Microscope

型号: XTL-2600
Model: XTL-2600
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective lens: 0.7x~4.5x zoom continuously.
包装尺寸: 500x350x175mm
Packing size
头部: 1个
Head: One
重量: 18kg
Weight



KYG0090 OKA微镶机
Microscope

型号: JW-101
Model: JW-101
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective lens: 0.7x~4.5x zoom continuously.
包装尺寸: 620x315x250mm
Packing size
头部: 1个
Head: One
重量: 20kg
Weight

微镶机 Microscope



KYG0091 OKA体视显微镜
Microscope

型号: XTL-2400
Model: XTL-2400
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 2x~4x
Objective Lens: 2x~4x
包装尺寸: 450x420x380mm(一箱装2个)
Packing Size
重量: 5kg/台
Weight



KYG0092 体视显微镜
Microscope

型号: ST60N-DS
Model: ST60N-DS
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 2x~4x
Objective Lens: 2x~4x
包装尺寸: 420x370x322mm
Packing Size
重量: 11.6kg
Weight



KYG0093 TI系列体视显微镜
Microscope

型号: SZM-7045
Model: SZM-7045
目镜: WF10x/20mm
Eyepiece: WF10x/20mm
物镜: 0.7x~4.5x连续变倍
Objective Lens: 0.7x~4.5x zoom continuously.
包装尺寸: 200x255x322mm
Packing Size
重量: 11.6kg
Weight



KYG0094 体视显微镜
Microscope

【总放大倍数】7X-45X/7X-90X
【连续变倍比】1:6.5
【目镜】高眼点广角WF10X/20mm;
广角WF20X/10mm(大于90X配)
【观察镜筒】铰链三目, 45度倾斜, 瞳间距55-75mm;
【物镜】连续变倍物镜: 0.7X-4.5;
【屈光度】双目视度调节范围±6;
【支架】双杆万向支架(WX型);
【底座】大底座(V型), 200X245mm;
【上照明】无(赠LED环灯一套5500色温, 亮度可调)
【下照明】无【视场直径】直径5mm-直径30mm;
【调焦机构】XTWZ支架
【包装】泡沫+纸箱;
【其它】配环形灯接口; 自带TV接口;
【选配】广角目镜20X; 加大物镜2X; 加大物镜0.5X



KYG0095 LED聚光环形灯
LED Ring Light Source

56颗LED高亮灯珠
56 LED Highlight Lamp Beads
内径(Inner Diameter): 60mm
包装Size: 73*20*53cm 50个/箱
Weight: 16.5kg



KYG0096 LED聚光环形灯
LED Ring Light Source

144颗LED高亮灯珠
144 LED Highlight Lamp Beads
内径(Inner diameter): 60mm
包装size: 73*20*53cm 50个/箱
Weight: 16.5kg



KYG0097 LED聚光环形灯
LED Ring Light Source

144颗LED高亮灯珠
144 LED Highlight Lamp Beads
内径(Inner diameter): 60.5mm
包装size: 58*20*53cm 50个/箱
Weight: 12kg



KYG0098 LED聚光环形灯
LED Ring Light Source

56颗LED高亮灯珠
56 LED Highlight Lamp Beads
内径(Inner Diameter): 63mm
包装size: 58*20*53cm 50个/箱
Weight: 12kg



雕刻机配件 Garver Machine Accessories



#901

KYG0099 气动雕刻手柄
Handpiece For Graver
Made in USA



#610

KYG0100 气动雕刻手柄
Handpiece For Graver
Made in USA



#537

#310

KYG0101 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0102 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0103 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0104 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0105 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0106 气动雕刻手柄
Handpiece For Graver
Made in China



KYG0107 电刻笔
Electric Engraver
Made in China



KYG0108 木柄微镶戒指套
Wood Handle Ring Holder Set
US Size:2#-13#/13-22mm



KYG0109 铝柄微镶戒指套
Aluminum Handle Ring Holder Set
US Size:2#-13#/13-22mm




KYG0110 活动调节固定戒指套
ID Ring Holder(Black)
US Size:2#-13#/13-22mm



KYG0111 微镶固定戒指套
Inside Ring Holder For Vise



KYG0112 手批戒指夹
Univeral Parts Holder
重量Weight:0.8kg




KYG0113 实心半球戒指夹
Solid Hemisphere Ring Clip
重量Weight:1.5kg



KYG0114 实心微镶球(旧款)
Engraver Block
尺寸Size: $\phi 78 \times 85\text{mm}$
重量Weight:1.2kg



KYG0115 实心微镶球(新款)
Engraver Block
尺寸Size: $\phi 78 \times 95\text{mm}$
US Size:2#-13#/13-22mm
重量Weight:1.25kg



KYG0116 实心微镶球
Engraver Block
尺寸Size: $\phi 78 \times 92\text{mm}$
重量Weight:1.26kg



KYG0117 小型镶石座
Mini Engraver Block
尺寸Size:80 × 140mm
重量Weight:1kg



KYG0118 小型万能镶石座
Mini Engraver Block
尺寸Size:75 × 80mm
重量Weight:1.75kg



KYG0119 小型万能镶石座
Mini Engraver Block
尺寸Size:97 × 115mm
重量Weight:3kg



KYG0120 高精密万能镶石座
Hight-Precision Engraver Block
尺寸Size:78 × 83mm
重量Weight:10kg



KYG0121 高精密万能镶石座
Hight-Precision Engraver Block
尺寸Size:146 × 190mm
重量Weight:10kg



KYG0122 高精密万能镶石座
Hight-Precision Engraver Block
尺寸Size:193 × 145mm
重量Weight:11kg



微镶配件 Micro Accessories




KYG0123 铝合金戒指夹
Aluminum Ring Clamp




KYG0124 活动戒指夹
Movable Ring Clamp
重量Weight:2.4kg




KYG0125 活动戒指夹-镶钻套装
Movable Ring Clamp-Diamond Set
重量Weight:3.3kg



KYG0126 台面定位铁
Optional Mounting Adapter
重量Weight:1.5kg




KYG0127 台塞固定铁
Bench Pin Kit
重量Weight:1.95kg




KYG0128 配件定位铁
Fixed Mounting Plate
Weight:280g




KYG0129 组合型承铁
Combined Block Shelf
铁厚度Iron thickness:5mm
重量Weight:3.7kg



KYG0130 简易型承铁
Large Block Shelf
铁厚度Iron thickness:5mm
重量Weight:2.65kg



KYG0131 大号火漆球5"
Large Sealing Wax Ball 5"
重量Weight:2.3kg



KYG0132 中号火漆球4"
Medium Sealing Wax Ball 4"
重量Weight:1.8kg



KYG0133 小号火漆球3"
Small Wax Ball 3"
尺寸Size: ϕ 80mm
重量Weight:330g+90g



KYG0134 实心球
Wax Ball Sealing
重量Weight:1045g

※ 以上数据为手工测量 存在误差



KYG0135 骆驼牌火漆
Sealing Wax
镶石,车花用,500g/Box
Used For Stone
Setting & Engraving



KYG0136 KYG火漆
KYG Sealing Wax
镶石,车花用,5Kg/Box
Used For Stone
Setting & Engraving



KYG0137 热熔胶
Hot Melt Adhesive
温度Temperature:71-93℃
227g/bag



KYG0138 不锈钢筛
Stainless Sieve
No. ϕ 7/8/10/12/14/18/20
25/30cm

微镶刀 Gravers

KYG0139
LO0401
平边刻刀
Flat Edge



HSS L=65MM
LO0401 2/4/6/8/10/12/14/16/18/20/24
A=mm 0.2/0.4/0.6/0.8/1.0/1.2/1.4/1.6/1.8/2.0/2.4

KYG0140
LO0403
刀刃型刻刀
Onglette



HSS L=65MM
LO0403 5/0/4/0/3/0/2/0/0/1/2/3/4/5/6/7/8
A=mm 1.16/1.24/1.35/1.45/1.58/1.78/1.94/2.16/2.54/2.74/2.94/3.14/3.36


KYG0141
钨钢双头平铲刀
Double Flat Graver



L=88MM
No1: 4# No2: 6#
A=mm No1: 0.4 No2: 0.6




KYG0142 钨钢雕刻铲刀
Tungsten Steel Carving Shovel



KYG0143 钨钢雕刻铲刀
Tungsten Steel Carving Shovel
型号: 60度/90度/120度
size: 2.32x2.34x54mm



KYG0144 微镶刀胶手柄
Plastic Handle
尺寸Size: ϕ 31.5 x 12 x 72.5mm
Weight:34g



KYG0145 手柄
Wooden Handle
Weight:28g



KYG0146 圆手柄
(TSK3038)
Round Wooden
Handle Big
尺寸Size: ϕ 36 x 42mm



KYG0147 短冬菇木
(TSK3019)
Mushroom Wooden
Handle Short
尺寸Size: ϕ 32 x ϕ 13.5 x 46mm



KYG0148 磨菇木柄
(TSK3009)
Mushroom Wooden
Handle Long
尺寸Size: ϕ 34 x ϕ 14 x 46mm



车花机 Faceting Machine



夹座
Collets


KYG0149 方柱车花机
Faceting Machine Square Frame
Size: 200 × 400 × 650mm
Weight: 68kg

铜夹具
Brass Collets For Ring

KYG0150
抛光带
Plastic belt

夹座
Collets

KYG0151 圆柱车花机
Faceting Machine Cylinder Frame
Size: 200 × 400 × 660mm
Weight: 68kg



KYG0152 钻石车花刀
Diamond Tools
No.90-180°



KYG0153 钻石车花刀
Diamond Tools
No.0.5-1.0mm



KYG0154 钻石车花刀
Diamond Tools
No.0.5-4.0mm



KYG0155 钻石车花刀
Diamond Tools
No.0.5-4.0mm



KYG0156A
圆头手批刀
Flywheel
2mm*90° -180°
3mm*90° -180°



KYG0156B
迷你手批刀
Mini Flywheel
2mm*90° -180°
3mm*90° -180°



KYG0156C
通杆手批刀
Mini Flywheel
2mm*90° -180°
3mm*90° -180°



KYG0156D
PCD手批刀
PCD Flywheel
2mm*90° -180°



KYG0156E
手动打点刀
Point tool
钉珠 打圈
Point Circle



KYG0157A
方头手批刀
Flywheel
尖刀V-shape
3mm*90° -170°



KYG0157B
方头手批刀
Flywheel
平刀Flat
1/2/3/4mm*180°



KYG0157C
方头手批刀
Flywheel
外R刀CV
1/2/3/4mm



KYG0158A
CNC数控刀具
CNC Diamond Tool
中心倒角刀
Chamfering Tool
D6*45° D16*45°



KYG0158B
CNC数控刀具
CNC Diamond Tool
龙鳞刀
Half Circle
D2.0-3.0mm



KYG0158C
CNC数控刀具
CNC Diamond Tool
底侧刀铣刀
Side and endMilling
D2.0-8.0mm



KYG0158D
CNC数控刀具
CNC Diamond Tool
鱼眼刀
Lining Tool
D1.5-3.0mm



KYG0158E
CNC数控刀具
CNC Diamond Tool
平底打圈刀
Flat Circle Tool
D1.0-6.0mm



KYG0159A
CNC雕刻刀
Line Tool
30° *D0.2-1.0mm



KYG0159B
CNC 钉珠刀
Point Tool
D0.2-2.0mm



KYG0159C
CNC 吸珠刀
CC Ball Tool
D0.5-1.5mm



KYG0159D
CNC 打圈刀
Circle Tool
D0.5-6.0mm



KYG0160
CNC 平衡刀
Side Cutting(Angle)
120° -180° *D15



KYG0161
CNC 镜面刀
Mirror Finishing Tool
D16-D30*180°

钨钢打砂棒 Carbide Tools



KYG0162 钻石推丝针
Wire Pushing Needle



KYG0165
钻石拉丝针(贝壳丝底针)
Wire Drawing Needle
(Shell Wire Bottom Needle)
直径7.5mm
厚度3.5mm 9颗



KYG0163 钻石拉丝针(6颗)
Wire Drawing Needle




KYG0166
钻石拉丝棒(小狼牙棒)
Wire Drawing Needle
(Shell Thread Bottom Needle)
磨头直径4mm 长度8mm
5排共30粒砂



KYG0164 钻石拉丝针(7颗)
Wire Drawing Needle



KYG0167
金刚石打砂棒
Diamond Sanding Rod
磨头直径6.35mm长度7.55mm
8排共40粒砂



KYG0168
18/36面钨钢打砂隆棒
Tungsten Carbide
Facet Burr
(18/36 Facets)

KYG0169
18/36面钨钢打砂隆棒
Tungsten Carbide
Facet Burr
(18/36 Facets)

KYG0170
钨钢拉丝棒
Wire Drawing Needle

KYG0171
钨钢拉丝棒
Wire Drawing Needle

KYG0172
钨钢拉丝棒
Wire Drawing Needle




KYG0173 气动钉砂笔
Pneumatic Hammer Handpiece
尺寸Size: $\phi 15 \times 136$ mm
包装Size: 101 × 154 × 40mm
Weight: 220g



KYG0174 304不锈钢气动钉砂笔
Pneumatic Hammer Handpiece
尺寸Size: $\phi 15 \times 130$ mm
包装Size: 101 × 154 × 40mm
Weight: 321g



KYG0175 钉砂针
Diamond Point
NO.4/8/16/32 sides
尺寸Size: $\phi 3.5 \times 42$ mm



KYG0176 滚砂棒
Sand Rolling Needle
126粒砂
Size: $\phi 12 \times 210$ mm



KYG0177 超声波拉七彩仪
Pull Colorful Needle




KYG0178 批花支架
Faceting Clamp
尺寸Size: 20 × 25 × 55mm
重量Weight: 16kg


手镯铜套
50-67mm
38-49mm
戒指铜套
14-24mm



喷砂机 Sandblaster



KYG0179 304不锈钢壳喷砂机
Wet Sandblaster
Size: 470 × 380 × 670mm
304 Stainless Steel Shell
Weight: 15kg



KYG0180 304不锈钢壳喷砂机
Dry Sandblaster
Size: 470 × 380 × 670mm
304 Stainless Steel Shell
Weight: 15kg




KYG0181 小型水喷砂机
Wet Sandblaster Small
Size: 420 × 310 × 530mm
Weight: 7kg



KYG0182 大号喷砂机
Large Sandblaster
Size: 560 × 470 × 650mm
Weight: 13kg



KYG0183 水喷砂机(增压型)
Wet Sandblaster(Supercharged)
Size: 480 × 630 × 1230mm
Weight: 29kg



KYG0184 304不锈钢壳喷砂机
304 Stainless Steel Shell Sandblaster
No1: 干喷 Dry Sand blaster
No2: 水喷 Wet Sand blaster
Size: 500 × 400 × 1200mm
Weight: 17kg



KYG0185 笔喷砂机
Sandblaster
机身尺寸(Dimension): 420 × 460 × 300mm
包装尺寸(Size): 480 × 330 × 470mm
Weight: 15kg



KYG0186 笔喷砂机
Sandblaster
机身尺寸(Dimension): 440 × 450 × 340mm
包装尺寸(Size): 510 × 490 × 380mm
Weight: 17kg



KYG0187 笔喷砂机
Sandblaster
机身尺寸(Dimension): 450 × 270 × 350mm
包装尺寸(Size): 490 × 350 × 410mm
Weight: 10kg

玻璃砂/空压机 Glass Sand /Air Compressor



KYG0188 干喷砂机
Dry-Sandblaster
机身尺寸(Dimension):
410 × 300 × 360mm
包装尺寸(Size): 450 × 330 × 390mm
Weight: 7kg



KYG0189 玻璃砂
Glass Sand
20/30/40/60/80/100/120/
150/180/220/280/320#



KYG0190 钻石金刚砂
Diamond Sand
25/30# 30/35# 35/40# 40/45#
45/50# 50/60# 60/70# 70/80#
80/100# 100/120# 120/140#
140/170# 170/200# 200/230#
230/270# 270/325# 325/400#

KYG0191 无油静音空压机
Oil-Free Silent Air Compressor



型号 Model	功率 W Power	排量 L/min Displacement	储气罐 L Air tank	净量 N.W.(KG)	外形尺寸 Verall Dimensions(LxWxHcm)	备注 Remarks
550W-30L	550W	40	30	17.5	56x26x51	全铜线 All Copper Wire
750W-30L	750W	60	30	19	56x26x54	
1100W-40L	1100W	100	40	30	71x33x67	
1500W-40L	1500W	140	40	32	71x33x67	
2*750W-50L	1500W	120	50	34	69x30x55	
2*1100W-60L	2200W	200	60	51	82x37x67	
2*1500W-60L	3000W	280	60	55	82x37x67	
3*750W-65L	2250W	180	65	52	92x37x59	
4*750W-120L	3000W	240	120	82.5	127x48x82	
3*1100W-100L	3300W	300	100	90	120x48x87	
3*1500W-100L	4500W	420	100	94	120x48x87	
4*1100W-160L	4400W	400	160	116	144x55x99	
4*1500W-160L	6000W	560	160	132	144x55x99	

无油静音空气压缩机 Mute Oil-Free Air Compressor



KYG0192 无油静音空气压缩机(W-601)
Mute Oil-Free Air Compressor

电源	Power Supply	AC 220 ± 10% 50 ± 1 Hz
输入功率	Power	650W
排气量	Exhaust Volume	65L @ 0.4MPa
最大压力	Max Presure	0.8MPa
运转噪音	Noise	≤ 60dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	24L
外形尺寸	Overall Dimension	41x41x63 (cm)



KYG0193 无油静音空气压缩机(W-602)
Mute Oil-Free Air Compressor

电源	Power Supply	AC220 ± 10% 50 ± 1 Hz
输入功率	Power	850W
排气量	Exhaust Volume	85L @ 0.4MPa
最大压力	Max Presure	0.8MPa
运转噪音	Noise	≤ 62dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	35L
外形尺寸	Overall Dimension	46x46x65 (cm)



KYG0194 无油静音空气压缩机(W-602A)
Mute Oil-Free Air Compressor

电源	Power Supply	AC 220 ± 110% 50 ± 1 Hz
输入功率	Power	1000W
排气量	Exhaust Volume	100L @ 0.4MPa
最大压力	Max Presure	0.8Mpa
运转噪音	Noise	≤ 65dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	50L
外形尺寸	Overall Dimension	46x46x70 (cm)



KYG0195 无油静音空气压缩机(W-603)
Mute Oil-Free Air Compressor

电源	Power Supply	AC 220 ± 10% 50 ± 1 Hz
输入功率	Power	1500W
排气量	Exhaust Volume	130L @ 0.4MPa
最大压力	Max Presure	0.8Mpa
运转噪音	Noise	≤ 66dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	70L
外形尺寸	Overall Dimension	46x46x82 (cm)

无油静音空气压缩机 Mute Oil-Free Air Compressor



KYG0196 无油静音空气压缩机(W-603A)
Mute Oil-Free Air Compressor

电源	Power Supply	AC 220 ± 10% 50 ± 1 Hz
输入功率	Power	1300W
排气量	Exhaust Volume	130L @ 0.4MPa
最大压力	Max Presure	0.8 Mpa
运转噪音	Noise	≤ 66dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	65L
外形尺寸	Overall Dimension	85x33x65 (cm)



KYG0198 无油静音空气压缩机(W-608)
Mute Oil-Free Air Compressor

电源	Power Supply	AC220 ± 10% 50 ± 1 Hz
输入功率	Power	3000W
排气量	Exhaust Volume	260L @ 0.4MPa
最大压力	Max Presure	0.8 Mpa
运转噪音	Noise	≤ 70dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	110L
外形尺寸	Overall Dimension	85x41x70 (cm)



KYG0197 无油静音空气压缩机(W-604)
Mute Oil-Free Air Compressor

电源	Power Supply	AC220 ± 10% 50 ± 1 H2
输入功率	Power	1700W
排气量	Exhaust Volume	170L @ 0.4MPa
最大压力	Max Presure	0.8MPa
运转噪音	Noise	≤ 68dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	80L
外形尺寸	Overall Dimension	85x36x68(cm)



KYG0199 无油静音空气压缩机(W-610)
Mute Oil-Free Air Compressor

电源	Power Supply	AC220 ± 10% 50 ± 1 Hz
输入功率	Power	4500W
排气量	Exhaust Volume	390L @ 0.4MPa
最大压力	Max Presure	0.8 Mpa
运转噪音	Noise	≤ 73dB
开/停压力	On/off Presure	0.5/0.8 Mpa
工作环境温度	Environment Temperature	5~40° C
连续工作时间	Continuous Operating Time	不限 NO LIMIT
储气罐容积	Air Tank Volume	145L
外形尺寸	Overall Dimension	110x41x70 (cm)




珠宝秤 Electronic Balance



KYG0200 日本GS电子秤
SHINKO Electronic Balance
Size: 190 × 250 × 850mm
Made in Japan

型号 Model	量程 Maximum Load	精度 Readability
CB703	140g/700ct	0.001g/0.001ct
GS323	320g	0.001g
GS623	620g	0.001g
GS822	820g	0.001g
GJ622	620g	0.01g
GS1202	1200g	0.01g
GS2202	2200g	0.01g
GS3202	3200g	0.01g
GS4202	4200g	0.01g
GS6202	6200g	0.01g
GS8202	8200g	0.01g




KYG0201 瑞士电子秤
METTLER Electronic Balance
Made in Switzerland

型号 Model	量程/精度 MaximumLoad/Readability	校正方式 Correction Mode
JE703C	700ct/0.001ct 140g/0.1mg	内校 First Proof
JE703CE	700ct/0.001ct 140g/0.1mg	外校 External Correction
JE1103C	1100ct/0.001ct 220g/0.1mg	内校 First Proof
JE1103CE	1100ct/0.001ct 220g/0.1mg	外校 External Correction
称盘: 90mm 重量: 7kg		

型号 Model	量程/精度 MaximumLoad/Readability	校正方式 Correction Mode
JE203G	220g/0.001g	内校 First Proof
JE303G	320g/0.001g	
JE503G	520g/0.001g	
JE203GE	220g/0.001g	外校 External Correction
JE303GE	320g/0.001g	
JE503GE	520g/0.001g	
称盘: 120mm 重量: 7kg		

型号 Model	量程/精度 MaximumLoad/Readability
JE2002G	2200g/0.01g
JE3002G	2200g/0.01g
JE5002G	3200g/0.01g
JE2002GE	3200g/0.01g
JE3002GE	5200g/0.01g
JE5002GE	5200g/0.01g
称盘: 180*180mm 重量: 6kg	



KYG0202 德国赛多利斯 钻石黄金电子秤
SARTORIUS Carat Balance
Made in Germany

型号 Model	量程/精度 Maximum Load/Readability
GL124	120g/0.1mg 600ct/0.001ct
GL224	220g/0.1mg 1100ct/0.001ct
GL323	320g/0.001g
GL623	620g/0.001g
603i	600ct/0.001ct
1103i	1100ct/0.001ct

珠宝秤 Electronic Balance



KYG0203
型号: BD5-DJ-A

单位: g/ct/oz/ozt/dwt/tola/lb/tmr
量程: 300g/0.01g, 500g/0.01g, 600g/0.01g,
1kg/0.01g, 1.2kg/0.01g
秤体尺寸: 270*170*80mm. 秤面尺寸: 120mm
外包装尺寸: 58cm*35cm* 45cm
秤体颜色: 米白
电源: 6w 蓄电池+适配器 12v/1ah
包装: 6台箱, 17.5kg, 纸盒包装
特性: 高精度传感器
超强抗过载功能可选省电模式
采用LCD液晶显示, 蓝色背光(可选)
操作温度: 1060 摄氏度

Unit: g/ct/oz/ozt/dwt/tola/lb/tmr.
Measuring Range: 300g/0.01g, 500g/0.01g, 600g/0.01g,
1kg/0.01g, 1.2kg/0.01g.
Seed Size: 270*170*80mm.
Scale Size: 120mm.
Outer Packing Box Size: 58cm*35cm* 45cm
Scale Body Color: Off-white
Power Supply: 6w Battery+adapter 12v/1ah
Packed In 6 Boxes, 17.5kg, Packed In Cartons.
Features: High-precision Sensor
Super Anti-overload Function With Optional Power Saving Mode.
Using Lcd Liquid Crystal Display, Blue Backlight (optional)
Operating Temperature: 1060 Degrees Celsius



KYG0204
型号: BDS-DJ-B

单位: g/ct/oz/ozt/dwt/tola/lb/tmr
量程: 1.5kg/0.001g, 2kg/0.01g, 3kg/0.01g,
5kg/0.01g
秤体尺寸: 270*170*80mm
秤面尺寸: 155mm*146mm
秤体颜色: 米白
电源: 6v 蓄电池+适配器 12v/1ah
包装: 2台一箱, 15kg, 纸盒包装
特性: 高精度传感器
超强抗过载功能可选省电模式
采用LCD液晶显示, 蓝色背光(可选)
操作温度: 10-60 摄氏度

Unit: g/ct/oz/ozt/dwt/tola/lb/tmr.
Measuring Range: 1.5kg/0.001g, 2kg/0.01g, 3kg/0.01g,
5kg/0.01g.
Scale Size: 270*170*80mm
Scale Surface Size: 155mm*146mm
Scale Body Color: Off-white
Power Supply: 6v Battery+adapter 12v/1ah
Packing: 2 Pcs In A Box, 15kg, Packed In Cartons.
Features: High-precision Sensor
Super Anti-overload Function With Optional Power Saving Mode.
Using Lcd Liquid Crystal Display, Blue Backlight (optional)
Operating Temperature: 10-60 Degrees Celsius



KYG0205
型号: BDS-PN-A

单位: g/ct/oz/ozt/dwt/tola/b/tmr
量程: 300g/0.01g, 500g/0.01g, 600g/0.01g,
1kg/0.01g, 1.2kg/0.01g
秤体尺寸: 270*170* 80mm
秤面尺寸: 130mm
秤体颜色: 白色
电源: 6v 蓄电池+适配器 12v/1ah
包装: 2台一箱
Features: 高精度传感器
超强抗过载功能可选省电模式
采用LCD液晶显示, 蓝色背光(可选)
操作温度: 10-60摄氏度

Unit: g/ct/oz/ozt/dwt/tola/b/tmr.
Measuring Range: 300g/0.01g, 500g/0.01g, 600g/0.01g,
1kg/0.01g, 1.2kg/0.01g.
Scale Size: 270*170* 80mm
Scale Surface Size: 130mm
Scale Body Color: White
Power Supply: 6v Battery+adapter 12v/1ah
Packing: 2 Pcs Per Box
Features: High-precision Sensor
Super Anti-overload Function With Optional Power Saving Mode.
Using Lcd Liquid Crystal Display, Blue Backlight (optional)
Operating Temperature: 10-60 Degrees Celsius



KYG0206
型号: BDS-DJ-A

单位: g/ct/oz/ozt/dwt/tola/lb/tmr
量程: 220g/0.001g, 320g/0.001g, 520g/0.001g
秤体尺寸: 270*170*80mm
秤面尺寸: 120mm
外包装尺寸: 58cm*35cm* 45cm
秤体颜色: 米白
电源: 6v 蓄电池+适配器 12v/1ah
包装: 2台一箱, 15kg, 纸盒包装
特性: 高精度传感器
超强抗过载功能可选 省电模式
采用LCD液晶显示, 蓝色背光(可选)
操作温度: 10-60 摄氏度

Unit: g/ct/oz/ozt/dwt/tola/lb/tmr.
Measuring Range: 220g/0.001g, 320g/0.001g, 520g/0.001g.
Scale Body Size: 270*170*80mm
Scale Surface Size: 120mm.
Outer Packing Box Size: 58cm*35cm* 45cm
Scale Body Color: Off-white
Power Supply: 6v Battery+adapter 12v/1ah
Packing: 2 Pcs In A Box, 15kg, Packed In Cartons.
Features: High-precision Sensor
Super Anti-overload Function With Optional Power Saving Mode.
Using Lcd Liquid Crystal Display, Blue Backlight (optional)
Operating Temperature: 10-60 Degrees Celsius



电子秤 Electronic Scales




PTT系列

PTY系列

KYG0207 普力斯特电子秤
PTY/PTT Electronic Balance

型号 Model	量程 Maximum load	精度 Readability
PTT-A300	300g	0.01g
PTT-A600	600g	
PTT-A1000	1000g	
PTY-B320	320g	
PTY-B620	620g	
PTY-B1200	1200g	
PTY-B2200	2200g	
PTY-B3200	3200g	
PTY-A220	220g	0.001g
PTY-A320	320g	
PTX-JA210	210g	



KYG0208
斯图克勒电子秤
STUCCLER ILMVAC

闪耀SHINE系列
SHINE series

型号 Model	量程 Maximum load	精度 Readability
SH-R10Q	100g	0.001g
SH-R20Q	200g	0.001g
SH-R30Q	300g	0.001g
SH-R30B	300g	0.01g
SH-R50B	500g	0.01g
SH-R60B	600g	0.01g
SH-R100B	1000g	0.01g
SH-R150B	1500g	0.01g
SH-R200B	2000g	0.01g
SE-R300B	3000g	0.01g

运筹JD珠宝系列
Operation JD jewelry series

型号 Model	量程 Maximum load	精度 Readability
JD-R12W	120g/600ct	0.0001g
JD-R22W	220g/1100ct	0.0001g
JD-R22Q	220g/1100ct	0.001g
JD-R32W	320g/1600ct	0.0001g
JD-R32Q	320g/1600ct	0.001g
JD-R52Q	520g/2600ct	0.001g
JD-R62Q	620g/3100ct	0.001g
JD-R102Q	1020g/5100ct	0.001g
JD-R152Q	1520g/7600ct	0.001g
JD-R202Q	2020g/10100ct	0.001g




KYG0209 电子秤
Electronic Balance
Size:190×250×260mm
HH-320g/620g/1200g/0.01g




KYG0210 OHS珠宝秤
OHS Electronic Balance
Size:190×250×260mm
TS-320g/620g/1200g/2200g/0.01g

珠宝秤 Pocket Scale




KYG0211 TANITA
1479J电子秤
TANITA Pocket Scale
Made in Japan
NO1.120g/0.1g
NO2.200g/0.01g



KYG0212 TANITA
1230 100克拉钻石磅
Diamond Scale
NO.100ct/0.01ct
包装Size:190×100×45mm
Weight:336g
Made In Japan



KYG0213 TANITA
1210N100克拉秤
Diamond Scale
NO.20g/0.002g 100ct/0.01ct
包装Size:125×160×48mm
Weight:390g
Made In Japan



KYG0214 TANITA
KP-601 克拉秤(双显示屏)
Diamond Carat Scale
NO.100g/0.002g 500ct/0.01ct
包装Size:225×280×105mm
Weight:1.25kg
Made In Japan




KYG0215
克拉秤
Diamond Scale
50g/250ct/0.01ct
包装Size:162×115×33mm
Weight:220g



KYG0216
手掌秤
Pocket Scale
NO1.200g/0.01g
NO2.500g/0.1g
包装Size:125×82×25mm
Weight:142g



KYG0217
GHL手掌秤
Pocket Scale
NO1.200g/0.01g
NO2.500g/0.1g
包装Size:280×252×34mm
Weight:213g



KYG0218
手掌秤
Pocket Scale
No1.500g/0.01g
No2.1000g/0.1g
No3.2000g/0.1g
包装Size:160×130×31mm
Weight:252.3g



KYG0219 电子黄金&铂金检测仪
Digital Gold & Platinum Tester
包装Size:约300*250*75mm
Weight:约1.2KG

GEMORO AURACLE PRO凭借其卓越的功能及品质，黄金和铂金测试技术变得更加完美！
测试8K到24K(8K、10K、14K、18K、22K和24K)所有颜色的黄金，精度提高20%。
◆简单易用，在几秒内提供准确的结果，同时显示K值和黄金百分比；
◆黄金测试：8K-24K；
◆铂金测试：显示相应的内容；数字LCD显示屏可同时显示K值和黄金比例；可同时使用14K和18K黄金测试片进行校准；简单的步骤即可识别非黄金或有镀层的黄金》只需用测试探头触碰黄金或铂金即可得到结果；测试探头提供约上千次的使用频率；
◆电源：9V电池或100V-240V AC适配器；
◆包括：机身、笔探头、说明书、电池、AC适配器。



珠宝秤 Pocket Scale



KYG0220 德国手掌秤

Model name: G-202
Capacity: 200g or 250g
Readability: 0.01g or 0.1g
Weighing Units: Grams, Ounces, Troy Ounces, Pennyweights, Carats, Grains
Dimensions: Overall: 163 x 74 x 23mm
Calibration: x 100g (included)
Power: 12 x AAA Batteries (Sold Separate)
USB-C Power Port
Warranty: 1 Year Limited Warranty



KYG0221

Model name: BDS-FS
Units: g, oz, ct, dwt, gn, ozt
Capacity: 100g/0.01g, 200g/0.01g, 500g/0.1g
Scale Size: 112*73*15mm
Carton Size: 47cm*28.5cm*16.5cm
Scale Color: Black
Power: 2* Aaa (included)
Packing: 50pcs/carton, 7.3kg, Color Box
Features: Lcd Display With Blue Backlight
60 Seconds Automatic Off (optional)



KYG0222

Model name: BDS-Notebook-I
Units: g, oz, gn, ct, dwt, tola, tl
Capacity: 200g/0.01g, 300g/0.01g, 500g/0.01g, 1kg/0.1g, 2kg/0.1g
Scale Size: 165*104*23mm
Carton Size: 67cm*31cm*22cm
Scale Color: Black
Power: 2*aaa (Included)
Packing: 50pcs/ Carton, 16.7kg, Color Box
Features: High Precision Sensor
Strong Anti-overload Function
With Lcd Display, Blue Backlight (optional)
Stainless Steel Weighing Platform



KYG0223

Model name: BDS-Notebook-II
Units: g, kg, tl, ct, oz, gn, lb
Capacity: 200g/0.01g, 300g/0.01g, 500g/0.01g, 1kg/0.1g, 2kg/0.1g
Scale Size: 166*111*22mm
Carton Size: 69.5cm*30.3cm*22.2cm
Scale Color: Black, White
Power: 2*aaa Battery Included
Packing: 50pcs/ Carton, 18.5kg, Color Box
Features: Overload Function
Keys: PCS, ON/OFF, MODE, TARE



KYG0224

Model name: BDS-FBS
Units: g, o, ozt, dwt, gn, ct, tl
Capacity: 50g/0.001g, 100g/0.001g, 100g/0.002g
Scale Size: 132.1*94*58.4mm
Platform Size: 68.6mm
Scale Color: White
Power: x4*aaa Alkaline Batteries Or 6v 100ma Adapter (not Include)
Packing: 41*36*26cm 12pcs 4.2kg
Features: with German Import High Precision Sensor
Lcd Display, Backlight (Optional), linearity: +2d
Repeatability: +2d, Stabilization Time: 2-5 Seconds



KYG0225

Model name: BDS-DM3
Units: g, oz, gn, ct, dwt, tola, pcs
Capacity: 2kg/0.1g, 3kg/0.1g, 500g/0.01g, 300g/0.01g
Scale Size: 160*125*38mm
Carton Size:
Scale Color: Black
Power: 3* Aa Batteries Or Ac Adapter (Not Include)
Packing: 30pcs/ Carton, Color Box. 67*47.5*18.5cm 22kg
Features: High-Precision Straining Resistance Sensor
Auto Zero And Auto Off (after 60 Seconds Of Inactivity) Functions
Blue Backlight Lcd Display. (White, Green, Yellow Option)
Big Stainless Steel Platform
Big Transparent Weighing Bowl

吸石机 Micro Wax Setting Machine



KYG0226 不锈钢碟(称钻石)
Stainless Steel Disc
Size: $\phi 60 \times 17$ mm
Weight: 14g



KYG0227 耳环枪
Ear Piercing Pistol
包装尺寸(Packing size):
175 x 135 x 50 mm
Weight: 300g



KYG0228 GS电子秤插头
Electronic Scale Plug
Weight: 390g



KYG0229 试金石
Touchstone
Size: 100 x 50 x 10mm
Weight: 100g



KYG0230 抗氧化纸
Anti-Oxidation Paper
适用于银饰品
Size: 25x26mm



KYG0231 蜡镶恒温加热板
Heater For Wax Setting
适用于银饰品
Size: 120x100x20mm
Weight: 760g 最高温度约120度
排石 尺寸约0.8mm到3.0mm



KYG0232 调温吸石机
Thermal Micro Wax Setting Machine
10W+200W/220V
Weight: 1.8kg




KYG0233 吸石机
Micro Wax Setting Machine
10W/220V/1.3kg



KYG0234 吸石器(2管)
Aquarium Air Pump
功率5W/220V
Weight: 730g
包装Size: L115xW80xH215mm



测钻石笔 Diamond Tester




KYG0235 测钻石笔
Diamond Tester
包装Size:182 × 57 × 32mm
Weight:153g

KYG0236 测莫桑石笔
Moissanite Diamond Tester
包装Size:182 × 57 × 34mm
Weight:146.6g

KYG0237 测钻石笔
Diamond Tester
包装Size:171 × 51 × 29mm
Weight:116.6g

KYG0238 测钻石笔
Diamond Tester
包装Size:165 × 50 × 25mm
Weight:160.8g



KYG0239 测石笔
Diamond Tester
包装Size:85 × 55 × 15mm

KYG0240 莫桑石笔
Moissanite Diamond Tester
Preidium PMT11
包装Size:200 × 85 × 53mm
Weight:159.2g

KYG0241 测钻石笔
Diamond Tester
Preidium PDMT-A
包装Size:200 × 85 × 53mm
Weight:159.2g

KYG0242 测钻石笔
Diamond Tester
Preidium PMUT11检测仪
检测对象: 钻石、莫桑石、仿钻
包装Size:200 × 85 × 53mm
Weight:177.5g



KYG0243 测钻石笔
Diamond Tester
16种宝石测量仪
Preidium PGT 11
Size:90 × 125 × 68mm
包装Size:195 × 110 × 95mm
Weight:472g



KYG0244 测钻石笔
Diamond Tester
莫桑石和钻石 READER-1
Size:16.6x7x3.6cm
Weight:105g



KYG0245 测钻石笔
Diamond Tester
Dj、Ia、Ib型合成IIa、IIb/
CVD/HPHT 钻石
Size:12.6x7.6x6.5cm
Weight:153g



KYG0246 测钻石笔
Diamond Tester
检测对象: 天然钻石、莫桑钻、
合成CVD/HPHT钻石
Size:17.75x5.7x3cm
Weight:160g



KYG0247 钻石检测仪
Preidium Screener II(SDS II)
Size:13x10x6.5cm
Weight:210g



KYG0248 意大利启亚
CEIA PD140N金属探测仪
Metal Detector
Size:35.5x8x4cm
Packing Size:43x22x11cm
Weight:2kg




KYG0249 美国盖瑞特
Garrett superscannerV
金属探测器 Metal Detector
Size:41x8x4cm
Packing Size:52x9.5x5.5cm
Weight:660g



KYG0250 金属探测仪
Metal Detector
Size:340x80x55mm Weight:680g
包装盒Size:415x260x110mm
Packing Size:450x270x530mm
5套/箱 毛重G.W:7.3kg
Made in China

钻石筛、数石器 Diamond Sieves/Diamond Counter

KYG0251 双层钻石筛
Diamond Sieves-Double Layers
No.1 φ 48mm 65片
No.2 φ 66mm 65片
No.3 φ 80mm 75片



Diamond Sieves

65片一套规格对照表 75片一套规格对照表
编号:000000-14.0 孔号:0.6mm-3.3mm 编号:000000.5-14.0 孔号:0.55mm-3.3mm

筛片编号	孔直径 (mm)	筛片编号	孔直径 (mm)	筛片编号	孔直径 (mm)	筛片编号	孔直径 (mm)
00000	0.6	6.25	1.75	00000.5	0.55	5	1.55
00000.5	0.65	6.5	1.8		0.575	5.25	1.575
0000	0.7	6.75	1.85	000000	0.6	5.5	1.6
0000.5	0.75	7.0	1.9		0.625	5.75	1.65
0000	0.8	7.25	1.95	00000.5	0.65	6	1.7
000.5	0.85	7.5	2.0		0.675	6.25	1.75
000	0.9	7.75	2.05	00000	0.7	6.5	1.8
00.5	0.95	8.0	2.1		0.725	6.75	1.85
00	1.0	8.25	2.15	0000.5	0.76	7.0	1.9
10.5	1.05	8.5	2.2		0.775	7.25	1.95
0	1.1	8.75	2.25	0000	0.8	7.5	2.0
00.5	1.125	9.0	2.3		0.825	7.75	2.05
1	1.15	9.25	2.35	000.5	0.85	8.0	2.1
1.25	1.175	9.5	2.4		0.875	8.25	2.15
1.5	1.2	9.75	2.45	000	0.9	8.5	2.2
1.75	1.225	10.0	2.5		0.925	8.75	2.25
2	1.25	10.25	2.55	00.5	0.95	9.0	2.3
2.25	1.275	10.5	2.6		0.975	9.25	2.35
2.5	1.3	10.75	2.65	00	1.0	9.5	2.4
2.75	1.325	11.0	2.7	0.5	1.05	9.75	2.45
3	1.35	11.25	2.75	0	1.1	10.0	2.5
3.25	1.375	11.5	2.8	00.5	1.125	10.25	2.55
3.5	1.4	11.75	2.85	1	1.15	10.5	2.6
3.75	1.425	12	2.9	1.25	1.175	10.75	2.65
4	1.45	12.25	2.95	1.5	1.2	11.0	2.7
4.25	1.475	12.5	3.0	1.75	1.225	11.25	2.75
4.5	1.5	12.75	3.05	2	1.25	11.5	2.8
4.75	1.525	13.0	3.1	2.25	1.275	11.75	2.85
5	1.55	13.25	3.15	2.5	1.3	12	2.9
5.25	1.575	13.5	3.2	2.75	1.325	12.25	2.95
5.5	1.6	13.75	3.25	3	1.35	12.5	3.0
5.75	1.65	14.0	3.3	3.25	1.375	12.75	3.05
6	1.7			3.5	1.4	13.0	3.1
				3.75	1.425	13.25	3.15
				4	1.45	13.5	3.2
				4.25	1.475	13.75	3.25
				4.5	1.5	14.0	3.3
				4.75	1.523		



KYG0252 筛片支架
Bracket

KYG0253 钻石计数器
Diamond Counter




- ◆精度: 99.9%-99.99% (视钻石大小及形状而定)
Accuracy: 99.9%-99.99% (Depending On The Size And Shape Of The Diamond)
- ◆计算速度: 每分钟3000颗。
Calculation Speed: 3000 Capsules Per Minute.
- ◆单次最大计算量: 250克拉。
Maximum Single Calculation: 250 Carats.
- ◆大小范围: 0.5 - 3mm。
Size Range: 0.5-3mm.
- ◆用户可以选择并设定需要计算的钻石数目。
Users Can Select And Set The Number Of Diamonds To Be Calculated.
- ◆机身重量: 5公斤
Body Weight: 5kg
- ◆电源: 110伏或220伏, 不可自由转换。
Power Supply: 110v Or 220v. Not Freely Convertible.
必须采用稳定电压电源或使用稳压器。
A Stable Voltage Power Supply Or A Voltage Regulator Must Be Used.
- ◆输入频率: 50-60赫兹, 不可自由转换。
Input Frequency: 50-60 Hz, Not Freely Convertible.
- ◆功率: 最高20瓦
Power: Up To 20 Watts
- ◆使用环境: 仅限室内。
Use Environment: Indoor Only.
- ◆配置电源线参数应为10A, 250V, 3 wires 18 AWG
Configuration Power Cord Parameters Should Be 10a, 250v, 3 Wires 18 Awg.
- ◆过电压类型: 2类
Overvoltage Type: Class 2




配石工具 Stone Tools



KYG0254 白纸板
White Card Board
No.1 33×21cm/700g
No.2 42×27cm/1280g
No.3 49×32cm/1810g
No.4 55×43cm/2710g



KYG0255 小石铲(超薄)
Stone Shovel (Thin)
Size:48×35×10mm




KYG0256 大石铲(超薄)
Stone Shovel (Thin)
Size:60×44×17mm




KYG0257 套装检测工具
Set of Inspection Tools
No.255×320×50mm
Weight: 2kg



KYG0258 石盘(绒盘)
Jewellery Trays
No.350×240×20mm
Weight: 290g



KYG0259 宝石爪(4爪)
Gem Holder—4 Prong
A Size: ϕ 12×114mm
B Size: ϕ 12×65mm



KYG0260 钻石4C展示牌(亚克力板)
Size:200×300×5mm
净重Weight: 0.552kg/个




KYG0261 钻石4C展示牌(亚克力板)
Size:200×300×5mm
净重Weight: 0.552kg/个




KYG0262 钻石4C展示牌(皮套)
Size:235×315×20mm
净重Weight: 0.95kg/个

PE塑料自封袋 PE Plastic Self-Sealing Bag



KYG0263



KYG0264

常规库存规格如下:

规格(Size)	厚度(Thickness)	规格(Size)	厚度(Thickness)
4×6cm	0.06mm/6c	12×17cm	0.06mm/6c
5×7cm	0.06mm/6c	13×19cm	0.06mm/6c
6×9cm	0.06mm/6c	15×20cm	0.06mm/6c
7×10cm	0.06mm/6c	16×24cm	0.06mm/6c
8×12cm	0.06mm/6c	18×26cm	0.06mm/6c
9×13cm	0.06mm/6c	20×30cm	0.06mm/6c
10×15cm	0.06mm/6c		

支持定制尺寸



镊子 Tweezer



KYG0265 镶石AA夹
(AA Tweezer)
Size:126mm



KYG0266 瑞士镶石AA夹
(Swiss AA Tweezer)
Size:128mm



KYG0267 瑞士钻石镊子
(Swiss Tweezer-XF)
Size:158mm

XF



KYG0268 瑞士钻石镊子
(Swiss Tweezer-M1)
Size:158mm

M1



KYG0269 瑞士钻石镊子
(Swiss Tweezer-M)
Size:158mm

M




KYG0270 瑞士钻石镊子
(Swiss Tweezer-F)
Size:158mm

F



KYG0271 瑞士钻石镊子
(Swiss Tweezer-F1)
Size:158mm

F1



KYG0272 瑞士钻石镊子
(Swiss Tweezer-XF)
Size:158mm

XF




KYG0273 瑞士钻石镊子
(Swiss Tweezer-M)
Size:158mm

M



KYG0274 瑞士钻石镊子
(Swiss Tweezer-M1)
Size:158mm

M1



KYG0275 有坑钻石镊子
(Swiss Diamond Tweezer with lock)
NO.M 10.9mm/XL 11.8mm/XXL 12.4mm
Size:158mm

MR1

镊子/焊夹 Tweezer/Soldering Tweezers



KYG0276
ST-18AA夹
Size:W11×L157mm

ST-18



KYG0283 不锈钢焊夹
Soldering Tweezer
Size:5"/127mm



KYG0277
ST-16AA夹
Size:W9.7×L133mm

ST-16



KYG0284 不锈钢焊夹
Soldering Tweezer
Size:6.5"/165mm



KYG0278
ST-12AA夹
Size:W8.5×L113mm

ST-12



KYG0285 不锈钢焊夹
Soldering Tweezer
Size:8"/200mm



KYG0279
ST-11AA夹
Size:W7.8×L135mm

ST-11



KYG0286 不锈钢焊夹
Soldering Tweezer
Size:10"/254mm



KYG0280
ST-10AA夹
Size:W9.3×L120mm

ST-10



KYG0287 直咀反弹夹
Selflock Tweezer-Straight
Size:160mm



KYG0281 尖咀葫芦夹
Cross Locking Tweezer
Size:140mm



KYG0288 曲咀反弹夹
Selflock Tweezer-Curved
Size:160mm



KYG0282 不锈钢扣链夹
Stainless Chain Tweezer
Size:160mm



KYG0289 万向反弹夹
Universal Rebound Clip
重量Weight:350g

A尖嘴

B弯嘴



F



F1



XF



M



M1



MR1




切工镜 Loupe For Cutting



KYG0290
八心八箭钻石切工镜
Loupe For Cutting
Size: ϕ 25 H:66mm
Weight:46g



KYG0291
八心八箭钻石切工镜
Loupe For Cutting
Size: ϕ 36 H:68mm



KYG0292 钻石腰码镜
Diamond Waist Size Loupe
Size: ϕ 42 H:68mm
Weight:122g



KYG0293 钻石腰码镜
Diamond Waist Size Loupe
Size:20 $\times$ 57.6 $\times$ 90mm
Weight:90g




KYG0294
弧形放大镜
Loupe
14X $\times$ 11mm
Weight:9.2g



KYG0295 弧形放大镜
Loupe
10X $\times$ 18mm



KYG0296 弧形放大镜
Loupe
10X $\times$ 21mm
15X $\times$ 21mm
20X $\times$ 21mm



KYG0297
10倍六角形放大镜
Loupe
10X $\times$ 20.5mm




KYG0298
三只脚放大镜
Loupe
10X $\times$ 18mm
10X $\times$ 25mm
Weight:34g



KYG0299
10倍折叠形放大镜
Loupe
10X $\times$ 21mm
Weight:106g



KYG0300
10倍折叠形放大镜
Loupe
10X $\times$ 18mm



KYG0301
LED弧形放大镜
LED Loupe
10X $\times$ 21mm
10X $\times$ 22mm



KYG0302 偏光镜
Polariscope
 ϕ 34.5mm H88mm
包装尺寸:49 $\times$ 38 $\times$ 134mm
Weight:127.5g



KYG0303 火彩观测仪
Fire Color Observer
上 ϕ 10cm 下 ϕ 13cm
总高度17cm
包装尺寸: 22.5 $\times$ 15 $\times$ 15.5cm
Weight:1.6kg



KYG0304
光栅式宝石分光镜
Grating Spectroscope
 ϕ 13.8 $\times$ 54mm
Weight:11.6g



KYG0305
棱镜式宝石分光镜
Grating Spectroscope
 ϕ 22 $\times$ 130mm
Weight:102g

放大镜 Magnifier



KYG0306 头戴放大镜(套装)
Binocular Magnifier
No:1.2x/1.8x/2.5x/3.5x
包装Size:290 $\times$ 215 $\times$ 70mm
Weight:520g
Made In China



KYG0307 头戴放大镜(套装)
Binocular Magnifier
No:1.5x/2.0x/2.5x/3.5x
包装Size:256 $\times$ 205 $\times$ 55mm
Weight:353g
Made In China




KYG0308 头戴放大镜(单镜片)
Binocular Magnifier
No:DA5/2.5x DA7/2.75x DA10/3.5x
包装Size:255 $\times$ 205 $\times$ 55mm
Weight:274g
Made In USA



KYG0309 LED放大镜台灯
LED Magnifier Lamp
电压(Voltage): 220V AC/110V AC
功率(Power): 12W(照明10W)
放大倍数(Magnify):10X
Weight:1.1kg
包装尺寸(Packing size): 17 $\times$ 15 $\times$ 27.2cm



KYG0310 LED放大镜台灯
LED Magnifier Lamp
Weight:1.2kg Magnify:8x
镜片尺寸(Lens size): 90mm、25mm
包装尺寸(Packing size): 39 $\times$ 17 $\times$ 12cm



KYG0311 LED放大镜台灯
LED Magnifier Lamp
Weight:2.94kg Magnify:10x
镜片尺寸(Lens size): 115mm
包装尺寸(Packing size): 30 $\times$ 16 $\times$ 39cm



KYG0312 钻石腰码镜
Diamond Girdle Microscope
机身尺寸(Dimension):
190 $\times$ 130 $\times$ 180mm
包装尺寸(Packing Size):
290 $\times$ 230 $\times$ 170mm
Weight:1.4kg




KYG0313 钻石腰码镜
Diamond Girdle Microscope
机身尺寸(Dimension):
260 $\times$ 170 $\times$ 300mm
包装尺寸(Packing size):
310 $\times$ 220 $\times$ 280 mm
Weight:4.0kg



KYG0314 UV紫外荧光灯
UV Ultraviolet Lamp
Size:220mm $\times$ 190 $\times$ 110mm
供电: 220V
光源: 365NM 253.7NM
材质: 金属外壳
重量Weight:3kg



珍珠钻孔机 Pearl Drilling Machine



KYG0315 珍珠钨钢打孔针
Pearl Tungsten Steel
Piercing Needle
0.6/0.7/0.8/0.9/1.0/1.2




KYG0316 珍珠钻孔机
Pearl Drilling Machine
功率: 480W/220V
Size: 235 × 110 × 110mm
Weight: 5.7kg



KYG0317 珍珠钻孔机
Pearl Drilling Machine
Size: 240 × 110 × 120mm
Weight: 4kg



KYG0318 珍珠钻孔机
Pearl Drilling Machine
机身尺寸Size: 235 × 110 × 100mm
钻孔范围: 4-35mm
转速: 500-1500转
Weight: 6.5kg



KYG0319 多功能切割机
Multifunctional Cutting Machine
空载转速No-Load Speed: 6800RPM
额定电压Rated Voltage: 110V-220V
切割能力Cutting Ability: 金属切割Metal cutting
额定功率Rated Power: 360W
产品净重Product Net Weight: 5.6kg



KYG0320 超声波执模机
超声波打磨超光亮及补砂孔机
Ultrasonic Porosity Remover
Size: 290 × 85 × 140mm
包装尺寸Packing Size: 340 × 160 × 200mm
重量Weight: 3.4kg



KYG0321 气动剪钳
Pneumatic Cutting Pliers
尺寸Size: 200 × 125 × 580mm
重量Weight: 29kg



KYG0322 电动戒指扩大器
Electronic Ring Stretcher
No. 750W/220V
Size: 450 × 200 × 500mm
Weight: 40.5kg




KYG0323 戒指扩大器
(TSK 6004)
Enlarge for Stone Set Rings,
17 Rollers for Different Sizes
Size: 188 × 92 × 97mm


戒指扩大器 Ring Stretcher



KYG0324 戒指扩大器
Ring Stretcher
Weight: 12kg
机身尺寸(Dimension):
135 × 190 × 370mm
包装尺寸(Packing Size):
270 × 270 × 440mm




KYG0325 戒指扩大器
Ring Stretcher
Weight: 12kg
机身尺寸(Dimension):
130 × 185 × 370mm
包装尺寸(Packing Size):
405 × 235 × 195mm



KYG0326 戒指扩大器
Ring Stretcher
Weight: 8kg
机身尺寸(Dimension):
115 × 185 × 300mm
包装尺寸(Packing Size):
185 × 230 × 400mm




KYG0327 戒指扩大器
Ring Stretcher
Weight: 9kg
机身尺寸(Dimension):
115 × 185 × 370mm
包装尺寸(Packing Size):
185 × 230 × 400mm



KYG0328 韩式单杆戒指扩大器
Ring Stretcher
机身尺寸(Dimension):
140 × 125 × 280mm
Weight: 3.5kg




KYG0329 气压单杆戒指扩大器
Ring Stretcher
机身尺寸(Dimension):
225 × 240 × 420mm
Weight: 4kg



KYG0330 手镯扩大器(阶梯式)
Bracelet Stretcher
机身尺寸(Dimension):
160 × 150 × 300mm
Weight: 6kg
可调范围(Adjustable Extent):
52-70mm




KYG0331 手镯扩大器(阶梯式)
Bracelet Stretcher
机身尺寸(Dimension):
180 × 123 × 320mm
Weight: 10.8kg
可调范围(Adjustable Extent):
52-70mm



KYG0332 手镯扩大器
Bracelet Stretcher
机身尺寸(Dimension): 135 × 190 × 260mm
包装尺寸(Packing Size): 190 × 290 × 330mm
Weight: 16 kg
可调范围(Adjustable extent): 41-72mm



KYG0333 戒指扩大器
Ring Stretcher
Enlarge Sizer: 6-46, 8-48, 10-50, 12-52,
14-54, 16-56, 18-58, 20-60, 22-62, 24-64,
26-66, 28-68, 30-70, 32-72
Dimension: 185 × 130 × 235mm
Shipping Dimension: 350 × 188 × 240mm
Shipping Weight: 14KG



KYG0334 戒指扩大器
Ring Stretcher
机身尺寸(Dimension):
45 × 95 × 330mm
包装尺寸(Packing Size):
130 × 185 × 370mm
Weight: 1.2kg



研磨抛光机 Wet Type Polishing Tumbler



KYG0335
单桶/双桶/三桶研磨抛光机
Wet Type Polishing Tumbler(Single/Double/Triple)


特点

- 1、高耐磨合金间隙结构。
- 2、循环水装置节省资源，提高回收率。
- 3、操作维护简便，加工效果好，光洁度高。
- 4、干式、湿式自由搭配，工艺配套完美。

Characteristic

- 1.High Wear-resistant Alloy Gap Structure.
- 2.The Circulating Water Device Saves Resources And Improves The Recovery Rate.
- 3.Simple Operation And Maintenance, Good Processing Effect And High Finish.
- 4.Dry, Wet Free Collocation, Perfect Process Matching.

型号 Model	容积 Volume	工作容 Working Capacity	电压 Voltage	功率 Power	外形尺寸(L×W×H) Overall Dimension	打包后重量 Weight
VA18/1	18L	14L	220V/50-60HZ	0.75KW	690×850×1440mm	150KG
V18/2	2×18L	2×14L	220V/50-60HZ	2×0.75KW	1170×850×1440mm	280KG
VA18/3	3×18L	3×14L	220V/50-60HZ	3×0.75KW	1680×850×1440mm	410KG
VA36/1	36L	28L	380V/50-60HZ	2.20KW	880×780×1450mm	210KG
VA36/2	2×36L	2×28L	380V/50-60HZ	2×2.20KW	1480×780×1450mm	380KG
VA36/3	3×36L	3×28L	380V/50-60HZ	3×2.20KW	2120×780×1450mm	540KG



KYG0336
振动抛光机
Vibrating Polishing Machine


特点

- 1、天然橡胶弹簧，耐疲劳，噪音低。
- 2、循环水装置节省资源，提高回收率。
- 3、变频调幅，加工效果好。
- 4、研磨工艺配套性能强。

Characteristic

- 1.Natural Rubber Spring, Fatigue Resistance, Low Noise.
- 2.The Circulating Water Device Saves Resources And Improves The Recovery Rate.
- 3.Frequency Conversion Amplitude Modulation, Good Processing Effect.
- 4.the Grinding Process Has Strong Supporting Performance.

型号 Model	容积 Volume	工作容 Working Capacity	电压 Voltage	功率 Power	外形尺寸(L×W×H) Outline Dimension	重量 Weight
ZD15	15L	12L	380V/50-60HZ	0.75KW	560×560×940MM	170KG



KYG0337 三合一研磨抛光机
Multifunctional Grinding Machine

机身尺寸(Dimension):490x390x290mm
包装尺寸(Dimension):700x350x490mm
玻璃桶尺寸: 232x156mm
湿抛尺寸:240x253mm
干抛尺寸: 245x225mm
重量(Weight):42kg
速度(Speed):0-1900rpm
电压(Voltage):220V
磁力容量(Capacity):1000g(针+饰件)
湿抛、干抛容量(Capacity): 3L(针+饰件)

震动抛光机 Vibratory Tumbler



KYG0338 10寸震动抛光机
10 Inch Vibratory Tumbler
机身尺寸(Dimension):260x260x320mm
包装尺寸(Dimension):280x280x350mm
桶直径:260mm
电压Voltage: 110-220V
容量Capacity:3.0
重量weight: 5kg



KYG0339 12寸震动抛光机
12 Inch Vibratory Tumbler
机身尺寸(Dimension):300x300x430mm
包装尺寸(Dimension):350x350x450mm
桶直径: 335mm
电压Voltage: 110-220V
容量Capacity:6.2
重量weight:12kg



KYG0340 12寸震动抛光机
12 Inch Vibratory Tumbler
机身尺寸(Dimension):300x300x420mm
包装尺寸(Dimension):350x350x450mm
桶直径:335mm
电压Voltage: 110-220V
容量Capacity:6.2
重量weight:16kg



KYG0341 17寸震动抛光机
17 Inch Vibratory Tumbler
机身尺寸(Dimension):390x390x500mm
包装尺寸(Dimension):450x450x540mm
桶直径:430mm
电压Voltage: 110-220V
容量Capacity: 13L
重量weight: 19kg



KYG0342 17寸震动抛光机
17 Inch Vibratory Tumbler
机身尺寸(Dimension):380x380x500mm
包装尺寸(Dimension):450x450x540mm
桶直径: 430mm
电压Voltage:110-220V
容量Capacity:13L
重量weight:27kg



KYG0343 振动抛光机
Vibrating Polishing Machine
直径: 60cm/80cm/120cm
电压: 380V



KYG0344 抛光膏(干磨)
Polishing Paste
(Dry Grinding)
重量(Weight): 20kg/桶



KYG0345 研磨液
Polishing Solution
重量(Weight): 50kg/桶
促进研磨/润滑保护/去除油污



KYG0346 光亮剂抛光液
Polishing Solution(Bright)
重量(Weight): 50kg/桶
表面增光增亮/防止氧化/去除油污



离心机 Centrifugal Grinding Machine



KYG0347 30 升离心机 (带变频器)
Lift Centrifuge (With Frequency Converter)

滚筒数量: 4 个
Number Of Rollers
滚筒尺寸: 六角桶 (200 对角*290mm 长度)
Drum Size
设备尺寸: 1250*1000*1200mm
Equipment Size
电压: 380V
Voltage
电机功率: 1.5Kw
Motor Power
传动方式: 同步带
Transmission Mode
总重量: 约 518kg
Total Weight
滚筒内衬: PU 胶内衬
Roller Lining

滚筒转速: 160 转/分
Drum Speed
调速: 可调
Speed Regulation



KYG0348 40 升离心机 (带变频器)
Lift Centrifuge (with Frequency Converter)

滚筒数量: 4 个
Number Of Rollers
滚筒尺寸: 六角桶 (220 对角*400mm 长度)
Drum Size
设备尺寸: 1290*1060*1380mm
Equipment Size
电压: 380V
Voltage
电机功率: 1.5Kw (带刹车)
Motor Power
传动方式: 同步带+链条传动
Transmission Mode
总重量: 约 480kg
Total Weight
滚筒内衬: PU 胶内衬
Roller Lining

滚筒转速: 160 转/分
Drum Speed
调速: 可调
Speed Regulation



KYG0349 80 升离心机 (带变频器)
Lift Centrifuge (With Frequency Converter)

滚筒数量: 4 个
Number Of Rollers
滚筒尺寸: 六角桶 (280 对角*500mm 长度)
Drum Size
设备尺寸: 1540*1200*1620mm
Equipment Size
电压: 380V
Voltage
电机功率: 2.2Kw (带刹车)
Motor Power
传动方式: 同步带+链条传动
Transmission Mode
总重量: 约 674kg
Total Weight
滚筒内衬: PU 胶内衬
Roller Lining

滚筒转速: 140 转/分
Drum Speed
调速: 可调
Speed Regulation



KYG0350 120 升离心机 (带变频器)
Lift Centrifuge (With Frequency Converter)

滚筒数量: 4 个
Number Of Rollers
滚筒尺寸: 六角桶 (300 对角*600mm 长度)
Drum Size
设备尺寸: 1640*1310*1620mm
Equipment Size
电压: 380V
Voltage
电机功率: 3.7Kw (带刹车)
Motor Power
传动方式: 同步带+链条
Transmission Mode
总重量: 约 704kg
Total Weight
滚筒内衬: PU 胶内衬
Roller Lining

滚筒转速: 140 转/分
Drum Speed
调速: 可调
Speed Regulation

干式滚筒光饰机 Dry Barrel polishing machine



KYG0351
150L 竹滚筒 (单仓) (带变频)
150L Dry Barrel Polishing Machine

设备外形尺寸: 95cmx80cmx110cm
Overall Dimensions Of Equipment
滚筒外形尺寸: 70cmx56cm
Overall Dimensions Of Drum
包装尺寸: 115X102X132cm
Packaging Size
工作电压: 380V (220V)
Working Voltage
电机功率: 0.75kw
Motor Power
滚筒转速: 32r/min
Drum Speed
机器重量: 70kg
Machine Weight



KYG0352
300L 竹滚筒 (双仓) (带变频)
300L Dry Barrel Polishing Machine

设备外形尺寸: 152cmx80cmx110cm
Overall Dimensions Of Equipment
滚筒外形尺寸: 70cmx113cm
Overall Dimensions Of Drum
包装尺寸: 160x102x132cm
Packaging Size
工作电压: 380V (220V)
Working Voltage
电机功率: 0.75kw
Motor Power
滚筒转速: 32r/min
Drum Speed
机器重量: 110kg
Machine Weight



KYG0353
600L 竹滚筒 (4仓) (带变频)
600L Dry Barrel Polishing Machine

设备外形尺寸: 170cmx80cmx178cm
Overall Dimensions Of Equipment
滚筒外形尺寸: 70cmx113cm
Overall Dimensions Of Drum
包装尺寸: 181X100X181cm
Packing Size
工作电压: 380V (220V)
Working Voltage
电机功率: 1.1kw
Motor Power
滚筒转速: 33r/min
Drum Speed
机器重量: 200kg
Machine Weight



滚桶抛光机 Rotary Tumblers



KYG0354
滚筒抛光机(KT-1320双桶)

机身尺寸(Dimension):570x200x380mm
包装尺寸(Dimension):670x440x300mm
抛桶规格:142x206mm
重量(Weight):19kg
容量(Capacity):11kg
电压(Voltage):110-220V



KYG0355
滚筒抛光机(KT-1320)

机身尺寸(Dimension):570x250x380mm
包装尺寸(bimension):670x443x300mm
抛桶规格:310x240mm
重量(Welghi):19kg
容量(Capacity): 11kg
电压(Voltage):110-220V



KYG0356
滚筒抛光机(KT-3010)

机身尺寸(Dimension):350x350x350mm
包装尺寸(Dimension):450x410x540mm
抛桶规格:300x240mm
重量(Weight): 21kg
容量(Capacity): 12kg
电压(Voltage):110-220V



KYG0357
滚筒抛光机(KT-245)

机身尺寸(Dimension):280x300x310mm
包装尺寸(Dimension):360x340x390mm
抛桶规格:250x206mm
重量(Weight): 12kg
容量(Capacity):7kg
电压(Voltage):110-220V



KYG0358
电子滚筒抛光机(KT-250)

包装尺寸(Dimension):340x340x370mm
抛桶规格:250x206mm
重量(Weight):10kg
容量(Capacity):8kg
电压(Voltage):110-220V



KYG0359
滚筒抛光机(KT-2000)

机身尺寸(Dimension):220x280x280mm
包装尺寸(Dimension):330x270x350mm
抛桶规格:196x181mm
重量(Weight):6kg
容量(Capacity):5kg
电压(Voltage):110-220V



KYG0360
滚筒抛光机(KT-6808)

机身尺寸(Dimension):180x230x230mm
包装尺寸(Dimension):290x210x250mm
抛桶规格:154x148mm
重量(Weight):5kg
容量(Capacity):3kg
电压(Voltage):110-220V

潜水抛光机 Rotary Tumblers



KYG0361
变频双筒抛光机(KT-620)
Rotary Tumblers

机身尺寸(Dimension):1000x450x650mm
抛桶规格:310x300mm
重量(Weight): 50kg
容量(Capacity):20kg
电压(Voltage):110-220V
Specially Designed For Fixed Timetumbling(0-60 Minutes)
Auto-re-verse Function Enables Thorough Tumbling.
With 4 Variable Speeds Control So Thatjewelries Can Be Polished With Good Care.
特别为定时抛光而设计, 自动双方向转动, 时间制0-60分钟, 彻底抛光饰件, 配有4种不同速度设定,使名贵首饰得到呵护处理。



KYG0362
滚筒抛光机(KT-400-B)
Rotary Tumblers

机身尺寸(Dimension):670x360x620mm
抛桶规格:420x300mm
重量(Weight): 35kg
容量(Capacity):40kg
电压(Voltage):110-220V
Specially Designed For Fixed Time Tumbling(0-60minutes)
Auto-reverse Function Enables Thoroughtumbling.
With 4 Variable Speeds Control So That Jew-elries Can Be Polished With Good Care.
特别为定时抛光而设计, 自动双方向转动, 时间制0-60分钟, 彻底抛光饰件, 配有4种不同速度设定, 使名贵首饰得到呵护处理。



KYG0363
分体式潜水抛光机(KT-4200A)
Rotary Tumblers

机身尺寸(Dimension):560x310x690mm
重量(Weight):48kg
电压(Voltage): 110-220V



KYG0364
整体式潜水抛光机(KT-4200)
Rotary Tumblers

机身尺寸(Dimenslon):560x320x770mm
重量(Weight): 39.6kg
电压(Voltage):110-220V



抛光材料 Polishing Materials



KYG0365 320胶粒抛光珠
Plastic Abrasive Stone
Size:10×10/12×12mm



KYG0368 800胶粒抛光珠
Plastic Abrasive Stone
Size:10×10/12×12mm



KYG0371 12#核桃糠
Crusted Walnut Shell



KYG0374 异形黄珠
Yellow Grinding Beads



KYG0377
304不锈钢柱形抛光珠
Cylinder
Size: $\phi 2 \times 4$ mm



KYG0366 400胶粒抛光珠
Plastic Abrasive Stone
Size:10×10/12×12mm



KYG0369 1200胶粒抛光珠
Plastic Abrasive Stone
Size:10×10/12×12mm



KYG0372 95氧化锆珠
95 Zirconia Beads
Size: $\phi 1-3.0$ mm



KYG0375
304不锈钢圆形抛光珠
Bau. Beads
 $\phi 1/1.5/2/2.5/3/4/5$ mm



KYG0378
304不锈钢飞碟抛光珠
Balcone
Size:4.7×3.5mm/5.3×4.3mm
6.3×4.8mm/7.2×5.8mm



KYG0367 600胶粒抛光珠
Plastic Abrasive Stone
Size:10×10/12×12mm



KYG0370 6#核桃糠
Crusted Walnut Shell



KYG0373 柱形高频瓷
Porcelain Abrasive Stone Cylinder
No. $\phi 1.5 \times 5$ $\phi 2.0 \times 7.5$
 $\phi 2.5 \times 8$ $\phi 3.0 \times 10$



KYG0376
304不锈钢旦形抛光珠
Oval Beads
Size:3mm



KYG0379
304不锈钢双头尖抛光珠
Double-Ended Nails
Size: $\phi 2 \times 7.5$ mm

磁力机 Magnetic Tumbler

KYG0380



260A

KYG0381



360A

KYG0382



360A+

型号 Model	电压 Voltage	功率 Power	磁力面 Magnetic surface	钢针用量 Steel needle quantity	转速/分 Speed minute	抛光量 Polished Weight	机器重量 Machine weight	外形尺寸(mm) Dimensions		
								长L	宽W	高H
260A	220V	550W	$\phi 260$ mm	0-600G	1400 r/Min	2KG	33KG	330	330	380
360A	220V	750W	$\phi 360$ mm	0-800G	1400 r/min	3KG	40KG	410	410	430
360A+	380V	1500 W	$\phi 360$ mm	0-1000G	1400 r/min	4KG	42KG	410	410	430

KYG0383



260B

KYG0384



360B

KYG385



420B

KYG0386



620B

型号 Model	电压 Voltage	功率 Power	磁力面 Magnetic surface	钢针用量 Steel needle quantity	转速/分 Speed minute	抛光量 Polished Weight	机器重量 Machine Weight	外形尺寸(mm) Dimensions		
								长L	宽W	高H
260B	220V	750W	$\phi 260$ mm	0-600G	0-1800 r/Min	2.5KG	28KG	340	340	380
360B	220V	1500W	$\phi 360$ mm	0-1000G	0-1800 r/Min	5KG	38KG	410	410	430
420B	220V	1500W	$\phi 400$ mm	0-1500G	0-1800 r/Min	8KG	63KG	650	510	1030
460B	220V/380V	2200 W	$\phi 460$ mm	0-2000G	0-1800 r/Min	10KG	80KG	520	520	680
520B	220V	2200W	$\phi 500$ mm	0-3000G	0-1800 r/Min	12KG	100KG	600	760	1030
620B	380V	4000W	$\phi 600$ mm	0-4000G	0-1800 r/Min	15KG	150KG	730	940	1110



磁力抛光机 Magnetic Tumbler



KYG0387
KT-185磁力抛光机
玻璃桶尺寸:180x110mm
机身尺寸(Dimension):230x230x380mm
包装尺寸(Dimension):290x300x420mm
重量(Weight): 10kg
速度(Speed):2000rpm
电压(Voltage): 110-220V
容量(Capacity):700g(针+饰件)



KYG0388
KT-185S磁力抛光机
玻璃桶尺寸:180x110mm
机身尺寸(Dimension):230x230x380mm
包装尺寸(Dimension):290x305x425mm
重量(Weight): 11kg
速度(Speed):2000rpm
电压(Voltage):110-220V
容量(Capacity):700g(针+饰件)



KYG0389
KT-205磁力抛光机
玻璃桶尺寸: 200x110mm
机身尺寸(Dimension):260x260x420mm
包装尺寸(Dimension):485x325x340mm
重量(Weight): 15kg
速度(Speed):2800rpm
电压(Voltage):110-220V
容量(Capacity):900g(针+饰件)



KYG0393
KT-145磁力抛光机
玻璃桶尺寸:150x110mm
机身尺寸(Dimension):200x200x310mm
包装尺寸(Dimension):255x260x410mm
重量(Weight): 6kg
速度(Speed):2000rpm
容量(Capacity):600g(针+饰件)
电压(Voltage):110-220V



KYG0394
KT-130磁力抛光机
玻璃桶尺寸:136x100mm
机身尺寸(Dimension):230x230x320mm
包装尺寸(Dimension):280x280x390mm
重量(Weight):7kg
速度(Speed):2000rpm
容量(Capacity):500g(针+饰件)
电压(Voltage):110-220V



KYG0395
KT-108磁力抛光机
玻璃桶尺寸: 110x100mm
机身尺寸(Dimension):180x180x280mm
包装尺寸(Dimension):255x260x410mm
重量(Weight):5kg
速度(Speed):500-2000rpm
容量(Capacity):400g(针+饰件)
电压(Voltage):110-220V



KYG0390
KT-186磁力抛光机
玻璃桶尺寸: 180x110mm
机身尺寸(Dimension):280x280x360mm
包装尺寸(Dimension):340x335x425mm
重量(Weight):11kg
速度(Speed):2000rpm
电压(Voltage):110-220V
容量(Capacity):700g(针+饰件)



KYG0391
KT-186S磁力抛光机
玻璃桶尺寸:180x110mm
机身尺寸(Dimension):280x280x360mm
包装尺寸(Dimension):340x335x425mm
重量(Weight):11kg
速度(Speed):2000rpm
电压(Voltage):110-220V
容量(Capacity):700g(针+饰件)



KYG0392
KT-150磁力抛光机
玻璃桶尺寸: 150x110mm
机身尺寸(Dimension):200x200x310mm
包装尺寸(Dimension):255x260x410mm
重量(Weight): 6kg
速度(Speed):2000rpm
电压(Voltage): 110-220V
容量(Capacity):600g(针+饰件)



KYG0396
KT-100磁力抛光机
玻璃桶尺寸: 110x100mm
机身尺寸(Dimension):200x200x290mm
包装尺寸(Dimension):255x245x360mm
重量(Weight):5.2kg
速度(Speed):500-2000rpm
容量(Capacity):400g(针+饰件)
电压(Voltage):110-220V



KYG0397
KT-90磁力抛光机(白色)
玻璃桶尺寸(Dimension):110x100mm
机身尺寸(Dimension):160x160x280mm
包装尺寸(Dimension):235x250x335mm
重量(Weight):5kg
速度(Speed):2000rpm
电压(Voltage):110-220V
容量(Capacity):400g(针+饰件)





磁力抛光机 Magnetic Tumbler



KYG0398
KT-360-300磁力抛光机
玻璃桶尺寸: 288x150mm
机身尺寸(Dimension): 360x360x490mm
包装尺寸(Dimension): 420x420x580mm
重量(Weight): 26kg
速度(Speed): 0-1900rpm
电压(Voltage): 110-220V
容量(Capacity): 1500g(针+饰件)



KYG0399
KT-360磁力抛光机
玻璃桶尺寸: 288x150mm
机身尺寸(Dimension): 360x360x490mm
包装尺寸(Dimension): 420x420x580mm
重量(Weight): 25kg
速度(Speed): 0-1900rpm
电压(Voltage): 110-220V
容量(Capacity): 1500g(针+饰件)



KYG0400
KT-360A磁力抛光机
玻璃桶尺寸: 288x150mm
机身尺寸(Dimension): 360x360x490mm
包装尺寸(Dimension): 420x420x580mm
重量(Weight): 26kg
速度(Speed): 2800rpm
电压(Voltage): 110-220V
容量(Capacity): 1500g(针+饰件)



KYG0401
KT-280C磁力抛光机
玻璃桶尺寸: 252x145mm
机身尺寸(Dimension): 310x310x460mm
包装尺寸(Dimension): 375x375x525mm
重量(Weight): 21kg
速度(Speed): 0-1900rpm
电压(Voltage): 110-220V
容量(Capacity): 1200g(针+饰件)



KYG0402
KT-280A磁力抛光机
玻璃桶尺寸: 252x145mm
机身尺寸(Dimension): 310x310x460mm
包装尺寸(Dimension): 375x375x525mm
重量(Weight): 20kg
速度(Speed): 1400rpm
电压(Voltage): 110-220V
容量(Capacity): 1200g(针+饰件)



KYG0403
KT-205A磁力抛光机
玻璃桶尺寸: 200x110mm
机身尺寸(Dimension): 260x260x420mm
包装尺寸(Dimension): 485x325x340mm
重量(Weight): 15kg
速度(Speed): 2800rpm
电压(Voltage): 110-220V
容量(Capacity): 900g(针+饰件)

磁力机 Magnetic Tumbler

KYG0404



KKD-280A

KYG0405



KKD-360A

KYG0406



KKD-280AD

KYG0407



KKD-360AD

型号 Model	电压 Voltage	功率 Power	磁力面 Magnetic surface	钢针用量 Steel needle quantity	转速/分 Speed minute	抛光量 Polished Weight	机器重量 Machine Weight	外形尺寸(mm) Dimensions		
								长L	宽W	高H
KKD-280A	220V	750W	280*280mm	0-600G	1400 r/Min	2.5KG	33KG	440	340	930
KKD-360A	220V	750W	360*360mm	0-800G	1400 r/Min	3.5KG	40KG	540	500	930
KKD-280AD	220V/380V	1100W	650*280mm	0-600G*2	1400 r/Min	2.5KG*2	65KG	700	380	1200
KKD-360AD	220V/380V	1500W	800*360mm	0-8000G*2	1400 r/Min	3.5KG*2	58KG	860	440	1200



KYG0408 304不锈钢磁力针
Magnetic Pins Diameter
No. ϕ 0.2/0.3/0.4/0.5/0.6 x 5mm



KYG0409 磁力抛光液
Burnishing Liquid 4L



KYG0410 磁力抛光液
Burnishing Liquid
800ml
24瓶/箱



KYG0411 磁力抛光膏
Magnetic Polishing Paste
重量Weight: 580g
24罐/箱



KYG0412 DT-10滚桶抛光机
Burnishing Machine
机身尺寸(Size): 250x170x180mm
包装尺寸(Size): 270x190x220mm
胶桶尺寸(Size): 115x125mm
重量(Weight): 2.7kg
速度(Speed): 360rpm
电压(Voltage): 110-220V
容量(Capacity): 0.9L(针+饰件)



KYG0413 磁力抛光桶 Polishing Barrel
No1:867 Size: ϕ 200 x 113H(mm)
No2:868 Size: ϕ 230 x 126H(mm)
No3:869 Size: ϕ 260 x 150H(mm)
No4:8662 Size: ϕ 290 x 200H(mm)



KYG0414 台钻座P-DP30
Bench Drill Base
尺寸Size: 438 x 180 x 254mm
重量Weight: 2kg



碰焊机 Sparkle Welder



KYG0415 小功率碰焊机(30A)

30A Sparkle Welder
No. ϕ 0.7mm/200W/220V
机身尺寸(Machine Size): 165 × 300 × 120mm
包装尺寸(Packing Size): 185 × 380 × 150mm
Weight: 4.6Kg



KYG0416 中功率碰焊机(50A)

50A Sparkle Welder
No. ϕ 1.0mm/300W/220V
机身尺寸(Machine Size): 220 × 300 × 145mm
包装尺寸(Packing Size): 235 × 410 × 175mm
Weight: 5.7Kg



KYG0417 中功率碰焊机(50A)

50A Sparkle Welder
No. ϕ 1.0mm/300W/220V
机身尺寸(Machine Size): 320 × 220 × 150mm
包装尺寸(Packing Size): 415 × 240 × 170mm
Weight: 5.8Kg



KYG0418 大功率碰焊机(80A)

80A Sparkle Welder
No. ϕ 1.5mm/600W/220V
机身尺寸(Machine Size): 260 × 260 × 130mm
包装尺寸(Packing Size): 360 × 270 × 160 mm
Weight: 5.5Kg



KYG0419 中功率碰焊机(50A)

50A Sparkle Welder
No. ϕ 1.0mm/300W/220V
机身尺寸(Machine Size): 220 × 300 × 145mm
包装尺寸(Packing Size): 235 × 410 × 175mm
Weight: 6Kg



KYG0420 大功率碰焊机(100A)

100A Sparkle Welder
电压: 220V
机身尺寸(Machine Size): 320 × 210 × 155mm
功率: 0-100A可调功率
Weight: 6Kg



KYG0421 大功率碰焊机(100A)

100A Spot Welding Machine
No. ϕ 1.0mm/300W/220V
机身尺寸(Machine Size): 320 × 220 × 150mm
包装尺寸(Packing Size): 415 × 240 × 170mm
Weight: 5.8Kg



KYG0422 大功率碰焊机(100A)

100A Sparkle Welder
No. ϕ 1.5mm/600W/220V
机身尺寸(Machine Size): 155 × 300 × 230mm
包装尺寸(Packing Size): 215 × 388 × 278mm
Weight: 7.5Kg



KYG0423 微电脑控制脉冲碰焊机150A

输入电压: 110VAC/220VAC 50Hz/60Hz 输出
最大脉冲电流: 150A 细调, 粗调两档分别调节电流大小, 两档功率调节, 自动/半自动全程电脑控制, 带氢气, 电子滤光, 8倍放大镜保护功能。
焊接 0.2-5mm 厚度(直径)首饰用金属板材, 棒材, 特别适合小深孔内及内角焊位的焊接
电源保险: 5A 输入功率: 500VA
工作电压: 30-40VDC 最大载荷时间: <1S
保护气体: 氢气 最大气压: 5Kg
主机包装尺寸: 23x35x29.5cm
配件包装尺寸: 36x52x10.5cm
weight: 10kg

拉线凳 Wire Drawing Bench



KYG0424 碰焊机(150A)

Spot Welding Machine

技术参数:
最大输入功率 400VA
输入电压 ~110V/220V/50-60Hz +/- 15% (手动转换)
输出能量(功率) 0-150Ws (焦耳)
保险丝 10A (延时), 保护气体(氢气)纯度 99.8% 以上
最大气压 3kg
保护等级 1 操作电压 0-43V, 绝缘类别 B
开路输出端电压 (最低 12V, 最高 43V)
保护类型 IP20, 最大负载时间小于 1.0 秒



KYG0425 碰焊机(150A)

Spot Welding Machine

Technical parameters:
The maximum input power is 400 VA.
Input voltage ~110V/220V/50-60Hz +/- 15% (manual conversion)
Output energy (power) 0-150Ws (Joule)
Fuse 10A (delay), the purity of protective gas (argon) is over 99.8%.
The maximum atmospheric pressure is 3kg
Protection level 1 Operating voltage 0-43V, insulation class B.
Open circuit output terminal voltage (minimum 12V, maximum 43V)
Protection type IP20, the maximum load time is less than 1.0 seconds.



KYG0426 微TIG焊机200Ws(200As)

可提供最大 200Ws (焦耳) 功率, 调整范围 0-200Ws (焦耳)
电源设置适合全球各国各地区
主机与操控触摸屏分离, 适合任何工作场合及场景使用
自动氢气保护
新一代高精度、高可靠工控触摸屏, 中英文界面, 设计内容丰富, 可准确设置各种使用功能。
特别设置了弧焊、电阻焊、金属三种强大的焊接模式。
高精度 7-45 倍连续变焦显微镜, 使焊点更精准。
一体化的电子变光、照明系统, 有效保护眼睛不受 UV 伤害。
电压 110V/220V 手动转换。
一台两件(两箱)共: 长 × 宽 × 高 = 570mm × 400mm × 400mm
重量: 约 20kg



KYG0427 150A 智能防闪光点焊机

150A Welding Machine
电源: AC220V 50Hz 功率: 600W 氢气: 0-3Kg
尺寸(Dimension): 450x450x330mm 出气时间: 0.5, 1, 1.5S
重量(Weight): 18Kg



TSK 6021

KYG0428 双臂小拉线凳

Manual wire Drawing Bench Small
Size: 945 × 325 × 285mm
Weight: 12.5kg



TSK 6041

KYG0429 双臂拉线凳

Manual wire Drawing Bench Large
Size: 1020 × 340 × 900mm
Weight: 21.5kg



TSK 6040

KYG0430 大三臂拉线凳

Manual wire Drawing Bench Large
Size: 1020 × 340 × 900mm
拉线轴直径(Diameter of drawing reel): 110mm
Weight: 25kg



蒸汽清洗机 Steam Cleaner



KYG0431 蒸汽清洗机(6L)
6L Steam Cleaner
6L/2.8KW/220V
铁皮尺寸(Iron Sheet Size):420×250×290mm
外型尺寸(Dimension):530×280×380mm
Weight: 27kg



KYG0432 蒸汽清洗机(12L)
12L Steam Cleaner
12L/4.5KW/220V
铁皮尺寸(Iron Sheet Size):460×270×290mm
外型尺寸(Dimension):550×320×460mm
Weight: 32kg



KYG0433 蒸汽清洗机(6L)
6L Steam Cleaner
6L/2.8KW/220V
铁皮尺寸(Iron Sheet Size):420×250×290mm
外型尺寸(Dimension):530×280×380mm
Weight: 26kg



KYG0434 蒸汽清洗机(12L)
12L Steam Cleaner
12L/4.5KW/220V
铁皮尺寸(Iron Sheet Size):460×280×320mm
外型尺寸(Dimension):560×340×520mm
Weight: 38kg



KYG0435 17L快速蒸汽清洗机(自动加水)
17L High Speed Steam Cleaner
17L/7KW/380V
机壳尺寸(Iron Sheet Size):300x450x560mm
外观尺寸(Dimension):490x530x730mm
Weight: 61kg
设有直接抽水后成高压蒸汽冲洗，无须等待时间，工作效率高。
Equipped with facilities that can pump water directly and turn it into high pressure steam for washing.No need to wait and high efficiency



KYG0436 17L快速蒸汽清洗机(自动加水)
17L High Speed Steam Cleaner
外型尺寸(Dimension):680×650×760 mm
铁皮尺寸(Iron Sheet Size): 420×300×530 mm
设有直接抽水后成高压蒸汽冲洗，无须等待时间，工作效率高。
Equipped with facilities that can pump water directly and turn it into high pressure steam for washing.No need to wait and high efficiency

蒸汽清洗机系列
STEAM CLEANER SERIES

高质量的清洗是电镀质量以及包装前道的必要保证，德森系列蒸汽清洗机尤其适用于清洗各种设计复杂的精美饰品，通过蒸汽清洗的饰品，可更容易达到完美的制作工艺要求。

Cleaning of high quality is the necessary guarantee for electroplating and packing. Desen series steam cleaner is especially applicable for cleaning various kinds of fine jewelry with complicated design. Jewelry cleaned by steam is easier to meet the requirements of perfect craftsmanship.



KYG0437 蒸汽清洗机



KYG0438 蒸汽镊子
Steam tweezers
Size1:200mm
Size2:250mm
Size3:300mm

No. 序号	Model 型号	Outer dimension 外形尺寸	Power 功率	Pressure 压力	Boiler Volume 锅炉容积	Actual Water 实用水量	Tank Volume 水箱容积	Temperature 出口温度	自动供水 Auto water supply	Control type 控制方式
		LxWx H(mm)	(W)	(KG)	(L)	(L)	(L)	(℃/)		
1	KYG400S-2L	160x280x300	1300	4	2	1	NO	140	NO	脚踏Pedal
2	KYG800S/2P	200x310x330	1300	2-5	2	1.2	NO	140	YES	脚踏Pedal
3	KYG300-4K	240x380x390	2100	4	3	2.2	NO	140	NO	脚踏Pedal
4	KYG300-6K	240x380x390	2100	5	3	2.2	NO	140	NO	脚踏Pedal
5	KYG300-8K	240x380x390	2100	8	3	2.2	NO	140	NO	脚踏Pedal
6	KYG-800S	400x400x360	2600	8	3	无限量	1.6	140	YES	脚踏Pedal



KYG0439 蒸汽清洗机(6L)
6L Steam Cleaner
2.8KW/220V
Size:300×300×420 mm
Weight: 30kg



KYG0440 蒸汽清洗机(6L)
6L Steam Cleaner
2.8KW/220V
Size:280×500×430 mm
Weight: 21kg



KYG0441 蒸汽清洗机(12L)
12L Steam Cleaner
4.5KW/220V
Size:330×550×490 mm
Weight: 32kg



工业型超声波清洗机 Ultrasonic Cleaner

INDUSTRIAL MACHINE



KYG0442

MAIN FEATURE


- 1.Convenient and fast on/off control.
- 2.Uses electronically controlled timer,it can be started, paused in anytime and can work continuously in 1~60 minutes&8hours (knob turn to ON,will be work for 8hours).
- 3.Uses electronic temperature controller,it can be adjusted in 30-80°C.
- 4.Stronger ultrasonic power can make cleaning more effective in 0-100%.

Model No	Ultrasonic power	Heating power	Ultrasonic frequency	Tank Vol/Size (mm)L*W*D	Transducer PCS	Basket Size (mm)	Owerall Size (mm)	Drain
MH400	1000W	1000W	40kHz	40L/400*350*300	20*60W	380*330*280	500*490*810	YES
MH450	1000W	1500W	40kHz	45L/420*370*300	20*60W	400*350*280	520*510*810	YES
MH500	1200W	1500W	40kHz	50L/450*400*320	24*60W	430*380*300	550*540*830	YES
MH600	1400W	2000W	40kHz	60L/500*420*320	28*60W	480*400*300	600*560*830	YES
MH700	1600W	2500W	40kHz	70L/550*420*320	32*60W	530*400*300	650*560*830	YES
MH800	1800W	3000W	40kHz	80L/600*450*320	36*60W	580*430*300	700*590*830	YES
MH1000	2200W	3500W	40kHz	100L/600*500*350	44*60W	580*480*330	700*640*850	YES
MH1200	2600W	4000W	40kHz	120L/650*550*350	52*60W	630*530*330	750*690*850	YES
MH1500	3000W	4500W	40kHz	150L/700*600*400	60*60W	680*580*380	800*740*900	YES

*Support customization

COMPANY STRENGTH

It has professional departments such as structural design center, R&D center, processing workshop and complete product assembly line. It is a nation-al high-tech enterprise integrating R&D, produc-tion, sales and service. Produced by a team of German designers, it has obtained many interna-tional safety certifications and patents such as European and American CE, FCC, ROHS, and UKCA.



工业型超声波清洗机 Ultrasonic Cleaner



KYG0443
4头清洗机
4-Head Cleaning Machine

容量	Capacity	10L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	240W
加热功率	Heating Power	500W
机器重量	Ma chine Weight	13.8KG
机器外尺寸	Outside Machine Size	L43*W29*H33cm
清洗槽尺寸	Cleaning tank size	L25*W20*H20cm



KYG0445
8头清洗机
8-Head Cleaning Machine

容量	Capacity	17L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	480W
加热功率	Heating Power	800W
机器重量	Machine Weight	19KG
机器外尺寸	Outside Machine Size	L50*W33*H35cm
清洗槽尺寸	Cleaning Tank Size	L32*W23*H23cm



KYG0447
18头清洗机
18-Head Cleaning Machine

容量	Capacity	48L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	1080W
加热功率	Heating Power	3000W
机器重量	Machine Weight	49KG
机器外尺寸	Outside Machine Size	L55*W55*H59cm
清洗槽尺寸	Cleaning Tank Size	L40*W40*H30cm



KYG0444
6头清洗机
6-Head Cleaning Machine

容量	Capacity	12L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	360W
加热功率	Heating Power	600W
机器重量	Machine Weight	15.5KG
机器外尺寸	Outside Machine Size	L47*W32*H33cm
清洗槽尺寸	Cleaning Tank Size	L28*W22*H20cm



KYG0446
12头清洗机
12-Head Cleaning Machine

容量	Capacity	33L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	720W
加热功率	Heating Power	2000W
机器重量	Machine Weight	38KG
机器外尺寸	Outside Machine Size	L50*W43*H66cm
清洗槽尺寸	Cleaning Tank Size	L37*W28*H32cm



KYG0448
24头清洗机
24-Head Cleaning Machine

容量	Capacity	96L
电压	Voltage	220V
超声频率	Ultrasonic Frequency	28KHz
超声功率	Ultrasonic Power	1440W
加热功率	Heating Power	4500W
机器重量	Machine Weight	54KG
机器外尺寸	Outside Machine Size	L72*W55*H70cm
清洗槽尺寸	Cleaning Tank Size	L60*W40*H40cm



DR-P SERIES

PRODUCT DESCRIPTION

Third generation(V1.3) digital ultrasonic control cleaning system,more intelligent.The machine of use will be more stable and the parameters will be more accurate. The circuit board is fully upgraded, using Infineon's professional integrated module, all-digital phase tracking, automatic frequency matching, to ensure stable ultrasonic power output for a long time. Soft-start can eliminate the inrush current when this converter starts up. Reduce the impact on IGBT components. Quickly sample the input power to control stable power output. High-frequency sampling of the output ultrasonic to ensure the best working condition of the ultrasonic phase. Reduce the heat generated by the work of the machine.

MAIN FEATURE

Pulse:Continuous tracking to the resonant frequency for a long time to achieve peak output of ultrasonic power. The actual performance is that the ultrasonic continuous impact the items, enhance the effect of ultrasonic cleaning.

Sweep:The frequency sweep function can make the ultrasonic power evenly distributed to the whole tank to meet higher cleaning requirements.

Degas:Air in the liquid affects cavitation and reduces ultrasonic power.Degas can quick degassing of cleaning liquids,the resistance of bubbles produced by ultrasonic cavitation reaction will reduced and the ultrasonic cleaning effect will be better.

Pause:Interrupts the operation,when turn the machine back on, don't need to set time and temperature again.

power:40%-70%-100%3 gears adjustable

temperature control:≤80℃ time control:1-60min

Touch buttons and mechanical knobs

Voltage:AC110V-120V/60Hz AC220V-240V/50HZ

PRODUCT PARAMETERS

KYG0449

型号 Model	容量 Capacity	超声波功率 (W) Ultrasonic Power (w)	加热功率 (W) Heating Power (w)	振头数 Vibrating head	排水阀门 Drain valve	重量 Weight	内槽尺寸 Inner Groove Size	外形尺寸 Outline dimension	包装尺寸 Packing size
DR-P20	2L	160	100	2个	无	2.5	150*138*100	178*165*220	250*260*300
DR-P30	3L	160	150	2个	无	3.2	240*138*100	270*160*220	350*250*310
DR-P40	4L	160	220	2个	无	3.8	300*150*105	325*175*240	420*300*350
DR-P60	6L	240	270	3个	无	4.8	300*150*150	330*180*300	420*300*400
DR-P100	10L	320	310	4个	有	5.2	300*240*160	330*270*320	430*360*420
DR-P130	13L	400	420	5个	有	6.5	300*240*200	330*270*340	430*360*450
DR-P150	15L	480	470	6个	有	7.5	325*300*150	350*330*350	450*420*420
DR-P200	20L	480	470	6个	有	8	325*300*200	350*330*200	460*420*450
DR-P220	22L	480	470	6个	有	8.75	500*300*150	530*330*350	640*420*450
DR-P300	30L	640	620	8个	有	10	500*300*200	530*330*360	640*420*450
DR-P450	45L	1280	1000	16个	有	30	500*300*300	600*440*530	

DR-DS SERIES

MAIN FEATURE

Touch buttons and mechanical knobs

temperature control:30-80℃ time control:1-4h

Degas、Sweep Function

memory、pause function



DR-DS60



DR-DS100

PRODUCT PARAMETERS

KYG0450

型号 Model	容量 Capacity	超声波功率 (W) Ultrasonic Power (w)	加热功率 (W) Heating Power (w)	振头数 Vibrating head	排水阀门 Drain valve	重量 Weight	内槽尺寸 Inner Groove Size	外形尺寸 Outline dimension	包装尺寸 Packing size
DR-DS20	2L	80	100	1个	无	2.2	150*138*100	178*165*220	250*260*300
DR-DS30	3L	160	150	2个	无	3.2	240*138*100	270*160*220	350*250*310
DR-DS40	4L	160	220	2个	无	3.7	300*150*105	325*175*240	420*300*350
DR-DS60	6L	240	270	4个	无	4.7	300*150*150	330*180*300	420*300*400
DR-DS100	10L	320	310	5个	有	5.2	300*240*160	330*270*320	430*360*420
DR-DS130	13L	400	420	6个	有	6.5	300*240*200	330*270*340	430*360*450
DR-DS150	15L	480	470	6个	有	7.5	325*300*150	350*330*350	450*420*420
DR-DS200	20L	480	470	6个	有	8	325*300*200	350*330*200	460*420*450
DR-DS220	22L	480	470	6个	有	8.75	500*300*150	530*330*350	640*420*450
DR-DS300	30L	640	620	8个	有	10	500*300*200	530*330*360	640*420*450
DR-DS450	45L	1280	1000	16个	有	30	500*300*300	600*440*530	

DE系列超声波清洗机 DE series ultrasonic cleaning machine



DE系列产品规格参数对照表
E series product specification parameter comparison table

KYG0451

型号 Model	容量 Capacity	超声波功率 (W) Ultrasonic Power (w)	加热功率 (W) Heating Power (w)	振头数 Vibrating head	排水阀门 Drain valve	重量 Weight	内槽尺寸 Inner Groove Size	外形尺寸 Outline dimension	包装尺寸 Packing size
DR-DE20	2L	80	100	1个	无	2.2	150*138*100	178*165*220	250*260*300
DR-DE30	3L	160	150	2个	无	3.2	240*138*100	270*160*220	350*250*310
DR-DE40	4L	160	220	2个	无	3.7	300*152*100	325*175*240	420*300*350
DR-DE60	6L	240	270	4个	无	4.7	300*150*150	330*180*300	420*300*400
DR-DE100	10L	320	310	5个	有	5.2	300*240*150	330*270*320	430*360*420
DR-DE130	13L	400	420	6个	有	6.5	300*240*200	330*270*340	430*360*450
DR-DE150	15L	480	470	6个	有	7.5	325*300*150	350*330*350	450*420*420
DR-DE200	20L	480	470	6个	有	8	325*300*200	350*330*200	460*420*450
DR-DE220	22L	480	470	6个	有	8.75	500*300*150	530*330*350	640*420*450
DR-DE300	30L	640	620	8个	有	10	500*300*200	530*330*360	640*420*450
DR-DE450	45L	1280	1000	16个	有	30	500*300*300	600*440*530	

数显功能型超声波清洗机

SERIES ULTRASONIC CLEANER

此款数显功能型清洗机采用数字显示清洗时间与加热温度功能，操作起来简易易懂，它适合于任何一种材料的清洗，用户可以直观在使用中调节清洗时间与清洗温度。

The SK-type cleaner adopts digital display timing function as well as heating temperature function,it is simple andeasy .The SK-type cleaner is applied to cleaning any kind of materials,and customers can directly adjust time andtemperature.



KYG0456

No. 序号	Model 型号	Outer dimension 外形尺寸	Tank dimension 容积尺寸	Volume 容积	Power 功率	Frequency 频率	Timer Range 时间可调	Heating Range 温度可调	Handle 把手	Discharge valve 出水阀
		L×W×H(mm)	L×W×H(mm)	(L)	(W)	(Khz)	(MIN)	(℃/° F)		
1	KYGA30-TM1	175×110×145	150×85×65	0.7L	30	40	0~30	NO	NO	NO
2	KYGA30-TM2	175×110×180	150×85×100	1L					NO	NO
3	KYGA50-TM1	175×165×200	150×137×100	1.8L	50	40	0~30	NO	NO	NO
4	KYGA50-TM2	175×165×250	150×137×150	2.5L					NO	NO
5	KYGA50-Sk1	175×165×200	150×137×100	1.8L	50	40	5~60	0~80/ 35~175	YES	NO
6	KYGA50-Sk2	175×165×250	150×137×150	2.5L					YES	NO
7	KYGA100-SK1	265×165×240	235×135×100	2.8L	100	40	5~60	0~80/ 35~175	YES	NO
8	KYGA100-SK2	265×165×290	235×135×150	4L					YES	NO
9	KYGA150-SK1	325×175×240	300×153×100	3.8L	150	40	5~60	0~80/ 35~175	YES	YES
10	KYGA150-SK2	325×175×290	300×153×150	5.7L					YES	YES
11	KYGA200-SK1	325×265×290	300×240×150	9L	200	40	5~60	0~80/ 35~175	YES	YES
12	KYGA200-SK2	325×265×340	300×240×200	12L					YES	YES
13	KYGA300-SK1	354×325×340	330×300×150	12L	300	40	5~60	0~80/ 35~175	YES	YES
14	KYGA300-SK2	354×325×400	330×300×200	16L					YES	YES
15	KYGA600-SK1	530×330×355	500×300×150	19L	600	40	5~60	0~80/ 35~175	YES	YES
16	KYGA600-SK2	530×330×420	500×300×200	25L					YES	YES



KYG0452 SQ338清洗机
2L Ultrasonic Cleaner
机身尺寸(Dimension):
160×180×210 mm
包装尺寸(Packing Size):
235×220×280mm
Weight:2.4kg



KYG0453 SQ338B清洗机
2L Ultrasonic Cleaner
机身尺寸(Dimension):
160×180×235 mm
包装尺寸(Packing Size):
235×220×310mm
Weight:2.9kg



KYG0454 D68H清洗机
2L Ultrasonic Cleaner
机身尺寸(Dimension):
163×177×205mm
包装尺寸(Packing Size):
208×200×250mm
Weight:1.8kg



KYG0455 XG200清洗机
2L Ultrasonic Cleaner
机身尺寸(Dimension):
163×180×200mm
包装尺寸(Packing Size):
195×210×250mm
Weight:2.35kg



PS系列超声波清洗机（机械定时加热）

PS series ultrasonic cleaning machine (Mechanical heating ultrasonic cleaner)



PS-08



PS-10



PS-20



PS-30



PS-40



PS-60



PS-80



PS-100

KYG0457

PS系列产品规格参数对照表

PS series product specification parameter comparison table

型号 Model	容量 (L) Capacity	内槽尺寸 (mm) Inner groove size	外形尺寸 (mm) Outline dimension	包装尺寸 (mm) Packing size	净重/毛重(KG) Net Weight / Gross Weight	电源电压 Voltage	振子数量 Vibrator quantity	超声功率 (W) Ultrasonic power	超声频率 Ultrasonic Frequency	加热功率 (W) Heating power
PS-08	1.3L	150*140*65	190*170*150	245*240*265	2.3KG/2.4KG	110V/60Hz/220V/50Hz	1	60W	40KHz	100W
PS-10	2L	150*140*100	190*170*195	245*240*290	2.38KG/2.5KG	110V/60Hz/220V/50Hz	1	60W	40KHz	100W
PS-20	3.2L	240*140*100	270*160*220	335*240*310	3.65KG/3.94KG	110V/60Hz/220V/50Hz	2	120W	40KHz	100W
PS-30	6.5L	300*155*150	330*180*280	435*265*350	5.8KG/6.16KG	110V/60Hz/220V/50Hz	3	180W	40KHz	300W
PS-40	10L	300*240*150	330*270*280	430*335*350	7.2KG/7.56KG	110V/60Hz/220V/50Hz	4	240W	40KHz	300W
PS-60	15L	330*300*150	360*330*280	455*390*350	9.15KG/9.64KG	110V/60Hz/220V/50Hz	6	360W	40KHz	400W
PS-80	22L	500*300*150	530*330*280	660*420*350	12KG/12.47KG	110V/60Hz/220V/50Hz	8	480W	40KHz	500W
PS-100	30L	500*300*200	530*330*330	660*420*407	13.8KG/14.3KG	110V/60Hz/220V/50Hz	10	600W	40KHz	500W

DK系列超声波清洗机（数码定时加热）

DK series ultrasonic cleaning machine (digital display control type)



DK-130D



DK-200D



DK-300D



DK-450D



DK-600D



DK-1000D



DK-1500D



DK-1900D



DK-2200D



DK-3000D

KYG0458

DK系列产品规格参数对照表

E series product specification parameter comparison table

型号 Model	振子数量 Vibrator quantity	内槽尺寸 (mm) Inner groove size	外形尺寸 (mm) Outline dimension	容量 (L) Capacity	工作频率 (KHz) Working frequency	超声功率 (W) Ultrasonic power	加热功率 (W) Heating power	包装尺寸 (mm) Packing size	整机毛重 (KG) Gross weight	外包装 Outer packing	外箱装尺寸 (mm) Outer packing size	外箱毛重 (KG) Gross weight
DK-130D	1	150*140*65	190*170*195	1.3	40/28	60	100	245*240*270	2.5 2.81	6件/箱	735*515*305	15.5 17.3
DK-200D	1	150*140*100	190*170*230	2	40/28	60	100	245*240*300	2.62 2.9	6件/箱	735*515*335	16.22 17.9
DK-300D	2	240*140*100	270*170*240	3.2	40/28	120	100	335*240*290	3.6 4.1	4件/箱	500*350*610	15.2 16.5
DK-450D	3	300*155*100	312*162*240	4.5	40/28	180	100	405*240*320	4.9 5.7	1件/箱	405*240*320	4.9 5.7
DK-600D	3	300*155*150	330*180*330	6.5	40/28	180	300	435*265*400	6.7 7.5	2件/箱	565*445*415	13.5 15
DK-1000D	4	300*240*150	330*270*330	10	40/28	240	300	430*335*390	8 8.9	1件/箱	430*335*390	8 8.9
DK-1500D	6	330*300*150	360*330*330	15	40/28	360	400	460*390*400	10 11.6	1件/箱	460*390*400	12.6 13.6
DK-1900D	8	330*300*200	360*330*380	19	40/28	480	500	460*390*450	12.6 13.6	1件/箱	460*390*450	12.6 13.6
DK-2200D	8	500*300*150	550*330*330	22	40/28	480	500	660*425*400	13 15	1件/箱	660*425*400	13 15
DK-3000D	10	500*300*200	550*330*380	30	40/28	600	500	660*425*450	15 17.5	1件/箱	660*425*450	15 17.5



除蜡水 Wax Remover



KYG0459
JB除蜡水
Wax Remover
桶装(Barrel):5L



KYG0460
JB除蜡水(0#)
Wax Remover
桶装(Barrel):25L



KYG0461
JB除蜡水(1#)
Wax Remover
桶装(Barrel):25L



KYG0462
美坚除蜡水
Wax Remover
桶装(Barrel):25L

KYG0463 SH 加热磁力搅拌器
Heating Magnetic Stirrer



SH-2



SH-3



SH-4

产品型号 Product model	SH-2	SH-3	SH-4	SH-4C
控制方式 Control mode	双旋钮	双旋钮	双旋钮	双旋钮
加热功率 Heating power	180W	500W	600W	600W
最大搅拌量 Maximum mixing capacity	1L	3L	5L	5L
转速范围 Speed range	0-1600rpm			200-2000rpm
电压 Voltage	220V50/60HZ			
数字控温 Digital temperature control	无			温度探头
台面材料 Table material	铝制	铝制	陶瓷防腐涂层	陶瓷防腐涂层
台面尺寸 Platform size	120*120mm	170*170mm	190*190mm	190*190mm



KYG0464 饰品烘干机
Jewelry Dryer Machine
2500w/220v/12kg
Size:210×360×160mm



KYG0465 工具收纳盘
Tool Storage Tray
φ 79mmxH53mm
48个针孔
Weight:100g



KYG0466 工具收纳盘
Tool Storage Tray
φ 110mmxH90mm
Weight:279g




KYG0467 工具收纳盘
Tool Storage Tray
φ 170mmxH100mm
Weight:249g

脉冲电金机 Recitifer

KYG0468 晶体式脉冲电金机
Vulcanizer

产品频率: 50Hz
产品尺寸: 270x320x170mm
产品电压: 220V
产品功率: 370W
产品重量: 16kg



脉冲电金机优点:

- 1、输出工作电压稳定度高、无杂波、电压幅度大。
- 2、输出的电流可以恒定控制，且可以随意调节恒流值。
- 3、设有过流和短路保护功能，可以避免在工作中不慎而损坏贵重金属物品。
- 4、可供选择脉冲电流和纯直流输出，且脉冲频率和脉冲宽度的占空比可调。所以脉冲电金机非常适用于贵稀金属的电镀，如：铂、金、银、钯等，对于表面结构工艺复杂的产品具有非常明显的效果，特别适合首饰珠宝行业的电镀。



F1

KYG0469
首饰电解抛光机
Jewelry Electrolytic
Polishing Machine



F3

技术参数

	F1电解抛光机	F2电解抛光机	F3电解抛光机
输入电压:	交流220V	交流220V	交流220V
输出电压:	直流0-15V	直流0-15V	直流0-15V
输出最大电流:	300安培	150安培	50安培
机身材质:	304不锈钢	PVC	PVC
机器尺寸:	长1.1m*宽1.1m*高1.2m	长63cm*宽47cm*高99cm	长42cm*宽31cm*高36cm
机器挂钩:	138个钩 (3个挂架*每个挂架46个钩)	80个钩 (2个挂架*每个挂架40个钩)	20个钩 (1个挂架*20个钩)
电解液容量:	75升	30升	4升
电解磨料用量:	25公斤	15公斤	1公斤
电解铜饰品:	加入铜电解液25升和50升自来水	加入铜电解液10升和20升自来水	加入铜电解液1.3升和2.6升自来水
电解银饰品:	加入铜电解液25升和50升自来水	加入铜电解液10升和20升自来水	加入铜电解液1.3升和2.6升自来水
电解K金饰品:	加入K金电解液75升	加入K金电解液30升	加入K金电解液4升



电金机 Rectifier



KYG0470 30A电金机
30Amp Rectifier
30A/20V/220V/9.2kg
Size:315 × 220 × 210mm



KYG0471 电金机(高精度)
20Amp Rectifier
20A/20V/220V/12.6kg
Size:310 × 280 × 275mm



KYG0472 30A电金机
30Amp Rectifier
30A/15V/220V/10kg
Size:210 × 305 × 185mm



KYG0473 30A数显电金机
Digital Rectifier
30A/30V/220V/20.5kg
Size:440 × 260 × 155mm



KYG0474 20A数显电金机
Digital Rectifier
20A/30V/220V/15.5kg
Size:390 × 260 × 155mm



KYG0475 10A数显电金机
Digital Rectifier
10A/30V/220V/9kg
Size:360 × 260 × 155mm



KYG0476 5A数显电金机
Digital Rectifier
5A/30V/220V/5kg
Size:290 × 130 × 150mm



KYG0477 5A电金机
5Amp Rectifier
5A/15V/220V/3kg
Size:210 × 120 × 170mm



KYG0478 5A电金机
5Amp Rectifier
5A/20V/220V/2.8kg
Size:117 × 196 × 170mm



KYG0479 德国笔电金机
Pen Electroplating Machine
1.5A/12V/220V/0.8kg
Size:156 × 205 × 90mm
Made In Germany



KYG0480 笔电金机
Pen Electroplating Machine
1.5A/12V/220V/0.88kg
Size:156 × 205 × 90mm
包装Size:260 × 270 × 140mm



KYG0481 笔电金机
Pen Electroplating Machine
1.5A/12V/220V/1kg
Size:160 × 170 × 75mm




KYG0482 100S迷你套装电金机
Digital Rectifier
3A/13V/115-230V/3.2kg
包装Size:360 × 240 × 280mm

电镀工具 Electroplating Tools




KYG0483 笔电机
Pen Electroplating System
1.5A/12V/220V/1.2kg
Size:170 × 175 × 245mm




KYG0484 电笔咀
Plating Tip



KYG0485 电金水线
Plating Wire
Size:φ0.2mm(最细)、φ0.3mm(细)
φ0.35mm(粗)、φ0.45mm(加粗)、
φ0.6mm(特粗)



KYG0486 国产钛网
Titanium Mesh
Size:5 × 10cm
Size:6 × 15cm
Made in China



KYG0487 德国白金钛网
Titanium Mesh Without Handle
No1:1.5um
No2:2.5um
Size:40cm × 60cm
Made in Germany



KYG0488 小电金线夹
Lead Wire With Alligator Clip
Length:850mm



KYG0489 大电金线夹
Lead Wire With Alligator Clip
Length:1500mm



KYG0490 德国电金笔
Plating Pen
Length:1000mm
Made in Germany



KYG0491 电金笔
Plating Pen
Length:1000mm
Made in China



KYG0492 电磁炉
Electric Heating Plate
1500w/220v/2.3kg
Size:280 × 250 × 90mm



KYG0493 过滤纸
Filter Paper
No:180mm
Made in China



KYG0494 蜀牛牌烧杯
Beaker
Size:250ml/500ml/1000ml
2000ml/3000ml/5000ml



电镀铑水 Rhodium Solution



KYG0495 Umicore
笔电白金水271
Bright Rhodium Solution
For Pen
2g Rh/100ml



KYG0496 Umicore
笔电黑金水275
Black Rhodium Solution
For Pen
2g/100ml



KYG0497 Umicore
笔电红金水264
Red Gold Solution For Pen
2g Au/100ml



KYG0498 Umicore
笔电黄金水262
Yellow Gold Solution For Pen
2g Au/100ml



KYG0499 笔电黄金水(18K)
Rhodinette Yellow God Bath
For Pen
2g Au/100ml
Artikel-Nr.3010100202



KYG0500 笔电黄金水(24K)
Rhodinette Fine God Bath
For Pen
2g Au/100ml
Artikel-Nr.3010100102



KYG0501 笔电玫瑰红金水
Red Gold Solution For Pen
2g Au/100ml
Artikel-Nr.3010100402



KYG0502 水电黑金水
Black Rhodium Bath As
Concentrate
2g Rh/100ml
Artikel-Nr.3110200201



KYG0503 美泰乐补充剂
METALOR水电白金水
Met-Rh S503W
5gRh(125ml)



KYG0504 美泰乐开缸剂
METALOR水电白金水
Met-Rh S503W
4gRh(200ml+100ml)



KYG0505 美泰乐补充剂
METALOR 水电白金水
Met-Rh S100
5gRh(50ml)



KYG0506 美泰乐
METALOR 水电白金水
Met-Rh SW200(ICI)
5gRh(2×50ml)



KYG0507 Umicore
日月牌白金水
Rhoduna J1 Rhodium Solution
No.1 4g Rh/100ml
(开缸剂Cylinder opener)
No.2 5g Rh/100ml
(补充剂Extender)



KYG0508
黑钉水(黄金做旧)
Black Rhodium
500ml



KYG0509
增黑黑钉水479
Black-Ruthenium Blackening
Agent 479
5gRu(100ml)



KYG0510
Umicore黑钉水474
Black Rhodium Solution
5gRu(156ml)

黄金电镀水 Gold Plating Solution



KYG0511 18K黄金水
Plating Solution(Yellow gold)
1000ml



KYG0512 24K黄金水
Plating Solution(Fine gold)
1000ml



KYG0513 玫瑰红金水
Plating Solution(Red gold)
1000ml



KYG0514 超黑黑钉水
RU 5g/600ml
Ru53C是一种颜色非常黑(超黑)
Ru53C is a very black color.(super black)



KYG0515 K金炸色粉
K Electrolytic Powder
500g/box



KYG0516
电解除油粉(电镀)
Degreasing Powder
500g/box



KYG0517
24K笔电黄金水
24k Gold Solution
10ml



KYG0518
笔电白金水
Bright Rhodium
water for Pen use
10ml



KYG0519
高浓缩金银保护剂(抗氧化剂)
Plating Color Protector
50g/Bottle
比例(Proportion):
50g+蒸馏水(distilled water)950ml




KYG0520
银发黑水
Blackening agent
A1:120ml A2:50ml




KYG0521 指甲油
Stop-off Lacquer
大瓶: 750g
小瓶: 420g



KYG0522 锆石光亮剂
Zircon Brightener
针对锆石发黄、发黑、发雾
In view of yellow, black and foggy
zircon
1000ml



KYG0523
戒指清洗挂座
Ring Rack
Size: ϕ 100mm H300mm



KYG0524
戒指清洗挂座
Ring Rack
Size: ϕ 135mm H300mm



KYG0525
戒指清洗挂座
Ring Rack
Size: ϕ 140mm H265mm



KYG0526
戒指清洗挂座
Ring Rack
Size: ϕ 140mm H320mm



压模机 Vulcanizer



KYG0527 压模机
Vulcanizer
功率(Power):900W
行程(Trip):50mm
温度显示范围(Temperature):
30~200℃
尺寸(Size):6"×8"(150×200mm)
8"×8"(200×200mm)
Size:350×240×500mm
重量(Weight):45kg



KYG0528 压模机
Vulcanizer
功率Power:900W
行程:50mm
温度显示范围:30~200℃
定时显示范围:0~99.9分钟
尺寸:8"×8"(200×200mm)
Size:350×240×500mm
重量Weight:45kg



正面图



背面图

KYG0529 数显温控压模机
Digital Vulcanizer
型号:KKD 200
电源:220V,50Hz/110V,60Hz
功率(Power):1000W
工作温度(Temperature):0~200℃
尺寸(Size):8"×8"(200×200mm)
Size:450×290×650mm
重量(Weight):50kg
发热板上下独立加热
温度控制独立显示
有定时报警器
The heating plate heats independently up and down.
Temperature control independent display



KYG0530 双控气动压模机
Dual Auto Vulcanizer
电压(Voltage):220V
功率(Power):850W
行程(Trip):50mm
温度显示范围(Temperature):30~200℃
定时显示范围(Fixed time):0~99.9分钟
夹紧力(Clamping force):
1600kg(气压8kg/cm)
尺寸(Size):8"×8"(200×200mm)
Size:310×360×450mm
重量(Weight):41kg



KYG0531 13层胶模柜
Mold Rubber Store Tank
Size:610×460×1450(mm)
重量(Weight):80kg



- ①全数字只能定时控温方便使用，且上下板具有独立的高精度控温系统；
 - ②可控两段加压，第一段为硫化前加压，第二段为硫化加压，避免样板变形
 - ③夹紧力大(压力8kg，夹紧1.6T)
 - ④控制部分设在机器背面，散热好，维修方便。
- ① Full digital temperature control can only be timed for convenient use, and the upper and lower boards have independent high-precision temperature control systems;
 - ② Controllable two-stage pressurization, with the first stage being pre vulcanization pressurization and the second stage being vulcanization pressurization to avoid deformation of the sample plate
 - ③ High clamping force (pressure 8kg, clamping 1.6T)
 - ④ The control part is located on the back of the machine, providing good heat dissipation and convenient maintenance.

压模框 Mold Frame




KYG0532 吊坠压模框/6框
Mold Frame 6 Compartments
外(Outside):160×210mm
内(Inside):50×40mm
厚度(Thickness):
15/18/21/24/27/30/36mm



KYG0533 戒指压模框/4框
Mold Frame 4 Compartments
Outside外:150×200mm
Inside内:47×73mm
厚度:12/15/18/21/24/27/30/36mm




KYG0534 手镯款压模框/2框
Mold Frame 2 Compartments
外(Outside):130×200mm
内(Inside):90×70mm
厚度(Thickness):
15/18/21/24/27/30/36mm



KYG0535 戒指压模框/2框
Mold Frame 2 Compartments
外(Outside):120×160mm
内(Inside):47×73mm
厚度(Thickness):
12/15/18/21/24/27/30/36mm



KYG0536 液体胶模框
Mold Frame For Liquid
尺寸(Size):50×70mm
厚度(Thickness):
20/25/30/35/40mm



KYG0537 注腊芯模
Sprue Wax Mould
SizeA:L265×W98×H28(mm) 1.65kg
SizeB:L220×W98×H28(mm) 1.5kg
Size: φ 8/9/10/12(mm)




KYG0538 开模架
Mold Holder
Size:360×60×260(mm)



KYG0539 水口珠
Molding Bead
No. φ 10mm/12mm



KYG0540 手术刀片
Mold Cutting Blades
No.10A/11A/12A
Made in UK



KYG0541 手术刀柄
Knife Handle Nickle
Size1:125×10mm
Size2:120×10mm



KYG0542 宝石花脱模剂
Mold Release Spray
数量(Quantity):500mlx24支
毛重(Gross weight):8.7kg
净重(Net weight):7.9kg
体积(Volume):423mmx285mmx216mm




KYG0543 水口铜支
Sprue Pillar
No. φ 1.6/2.0/2.5/
3.0/4.0×L1200mm

压膜胶 Mould Rubber



KYG0544 卡斯达多白橡胶
Castaldo Mold Rubber
净重(Net Weight):50lbs/box
毛重(Gross Weight):24kg/box
包装尺寸Size:480x335x185mm
Made in USA



KYG0545 爱斯卡白橡胶
EZCAST White Mold Rubber
净重(Net Weight):50lbs/box
毛重(Gross Weight):23.6kg/box
包装尺寸Size:470x320x150mm
Made in Thailand



KYG0546 新珍宝橡胶
New Jumbo Mold Rubber
净重(Net Weight):21kg/box
毛重(Gross Weight):22kg/box
包装尺寸Size:490x340x210mm
Made in China




KYG0547 朱红色硅胶
Castaldo Vermilion Silicone Rubber
Weight:50磅/box
Made in USA
包装尺寸Size:480x440x200mm



KYG0548 七彩压模胶
Castaldo Colorful Mold Rubber
Weight:50磅/box
Made in USA
包装尺寸Size:480x440x200mm




KYG0549 朱红色硅胶
Vermilion Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm




KYG0550 绿色低温硅胶
Low-temperature Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0551 黄色硅胶
Yellow Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0552 黄色包心硅胶
Yellow Elastic Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0553 紫色弹力硅胶
Purple Elastic Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0554 透明液体硅胶
5L/25L
Transparent Liquid Silicone Rubber
比例100:2ml



KYG0555 暗红硅胶
Pink Silicone Rubber
Weight:20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0556 粉红硅胶
Pink Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm



KYG0557 白色硅胶
White Silicone Rubber
净重(Net Weight):20kg/box
毛重(Gross Weight):20.4kg/box
包装尺寸Size:345x345x200mm

首饰专用水溶性蜡
Water-Soluble Wax For Jewelry

KYG0558

水溶性蜡产品规格性能说明

Specification And Performance Description Of Water-soluble Wax Products

项次	产品照片	产品颜色	产品型号	产品性能说明
1		粉红色	AZ-9001	AZ-9001本产品流动性较好，适合小件，本产品含有微量纤维。
2		灰白色	AZ-9001/A	AZ-9001&AZ-9001/A粉红色与灰白色，两者性能一样，只是客户对颜色有要求，为了检查水溶蜡是否溶干净，与首饰蜡颜色区别本产品流动性较好，适合小件，本产品含有微量纤维。
3		铁红色	AZ-1101	AZ-1101 铁红色，本产品收缩较小，不易缩水，适合大件，强度不及灰色，本产品不含纤维，适合孔径较小产品。
4		灰色	AZ-8001	AZ-8001灰色，本产品收缩较小，不易缩水，硬度较高，适合大件，本产品含有微量纤维。
5		透明白色	AZ-1201	AZ-1201 透明白色，本产品流动性较好，收缩稍微大些，溶化速度快，适合大件。本产品含有微量纤维。
6		灰白色	AZ-1301	灰白色，本产品有速溶功能，不用草酸溶解，流动性较好，适合小件，含微量纤维。
7		灰色	AZ-1401	灰色，本产品有速溶功能，收缩较小，不易缩水，强度高，适合中大件，含微量纤维。

温馨提示:本产品请注意防潮，存放于干位置。



赞荣牌系列注蜡机 Wax Injector



KYG0559 荣誉Pro注蜡机 (NEW)

系统使用10.1英寸触控式液晶显示屏幕，操作简单精确；
采用高性能ARM架构CPU,夹具动作快3倍，系统增添了自动
真空功能，效率倍增
增加了开盖，蜡缸余量检测、真空仓余量检测、排出蜡缸、
真空仓余蜡和漏气检测等；
一键功能，简便快捷，人性化；

功率(Power): 500W/220V

液晶注蜡机荣誉PRO主机纸箱: 650*390*590MM

净重(NW): 22KGS 毛重(GW): 26KGS

荣誉PRO机械手纸箱: 565*280*310MM

净重(NW): 7KGS 毛重(GW): 8.5KGS

真空泵: 毛重(GW): 7.8KGS 净重(NW): 7.4KGS
300*250*150MM (1台泵)



KYG0560 荣誉数码显示注蜡机

功率(Power): 500W/220V

荣誉版主机: 毛重(GW): 23KGS 净重(NW): 20KGS

600*390*590MM

荣誉版机械手: 毛重(GW): 8.5KGS 净重(NW): 7KGS

565*280*310MM

真空泵: 毛重(GW): 7.8KGS 净重(NW): 7.4KGS
300*250*150MM



KYG0561 卓越版注蜡机

功率(Power): 500W/220V

主机: 毛重(GW): 25KGS 净重(NW): 23KGS

600*390*590MM

机械手: 毛重(GW): 9.5KGS 净重(NW): 8.0KGS

565*280*310MM

真空泵: 毛重(GW): 7.8KGS 净重(NW): 7.4KGS
300*250*150MM (1台泵)



KYG0562 鑫锐版注蜡机

功率(Power): 500W/220V

主机: 毛重(GW): 22KGS 净重(NW): 19KGS

668*395*580MM

机械手: 毛重(GW): 10KGS 净重(NW): 8KGS

583*285*320MM

真空泵: 毛重(GW): 7.8KGS 净重(NW): 7.4KGS
300*250*150MM(1台泵)



KYG0563 精英版注蜡机

功率(Power): 500W/220V

主机: 毛重(GW): 21.5KGS 净重(NW): 19KGS

532*382*565MM

机械手: 毛重(GW): 12KGS 净重(NW): 10KGS

543*278*540MM

真空泵: 毛重(GW): 7.8KGS 净重(NW): 7.4KGS
300*250*150MM(1台泵)

注蜡机 Wax Injector



KYG0564 全自动真空注蜡机

Automatic Vacuum Wax Injector

Size1:570 × 390 × 550mm

Size2:500 × 290 × 290mm

Weight:17.5kg+10kg

功率: 500W/220V



KYG0565 全自动真空注蜡机

Automatic Vacuum Wax Injector

Size1:570 × 390 × 550mm

Size2:500 × 290 × 290mm

Weight:17.5kg+10kg

功率: 500W/220V



KYG0566 全自动真空注蜡机

D5 Automatic Vacuum Wax Injector

Size:583 × 462 × 550mm

Weight:41kg

功率: 500W/220V



KYG0567 全自动真空注蜡机

Automatic Vacuum Wax Injector

Size:570 × 390 × 550mm

Weight:17.5kg+10.5kg

功率: 500W/220V



KYG0568 真空注蜡机

D3 Automatic Vacuum Wax Injector

Size: 532x 382 x 565mm

Weight: 21kg+ 12kg

功率: 500W/220V



KYG0569 真空注蜡机

T4 Digital Wax Injector

Size: 450x 310 x 450mm

Weight: 17.5kg

功率: 500W/220V



注蜡机 Wax Injector



KYG0570 真空注蜡机
Vacuum Wax Injector
Size: 450 × 310 × 450mm
Weight: 16kg
功率: 500W/220V



KYG0571 真空注蜡机
Vacuum Wax Injector
Size: 450 × 310 × 450mm
Weight: 16kg
功率: 500W/220V



KYG0572 真空注蜡机
Vacuum Wax Injector
Size: 400 × 270 × 450mm
Weight: 20kg
功率: 500W/220V



KYG0573 圆筒注蜡机
Columnar Vacuum Wax Injector
450W/220V
Size: 270 × H330mm
Weight: 10kg



KYG0574 四方注蜡机
Square Wax Injector
450W/220V
Size: 220 × 220 × 550mm
Weight: 12kg



KYG0575 四方注蜡机
Square Wax Injector
450W/220V
Size: 195 × 195 × 380mm
Weight: 8kg
包装尺寸: 480 × 280 × 320mm
蜡缸尺寸: Φ135mm 深度165mm



KYG0576 中号钢模注蜡机
Medium Steel Mold Wax Injector
电源供给: 单相 AC110V/220V +10%, 50/60HZ
额定功率: 500W
温度显示范围: 40.0~99.9°C (103~212°F)
温度设定范围: 40~90.0°C (103~193)
温度精度: +1°C 注蜡时间设定范围: 0~99.9(S)
时间精度: 0.1S 压缩空气供给: 6~8 bar
机器气体调压阀调节: 6bar
蜡缸容积: 内径*高度: 36*140MM 钢模尺寸: 1180*70*60MM
三围尺寸: 640x600x922mm 净重量: 108KG



KYG0577 中号钢模注蜡机
Medium Steel Mold Wax Injector
400W/220V
Size: 500 × 400 × 950mm
Weight: 81kg



KYG0578 大号钢模注蜡机
Large Steel Mold Wax Injector
1200W/220V
Size: 600 × 400 × 1200mm
Weight: 129kg

焊蜡机 Wax Welder



KYG0579 真空泵TW-1A
Vacuum Pump
电压(Voltage): 220V/50Hz
功率(Power): 150W
电机转速(Motor speed): 1440rr/min
抽气速度(Pumping speed): 1L/S
真空度(Vacuum degree): 10Pa
加油量(Refueling quantity): 250ml
外形尺寸(Outline dimension):
270 × 120 × 235mm
重量(Weight): 5.7kg



KYG0580 静音真空泵TW-1.2B
Mute Vacuum Pump



KYG0581 真空油
Vacuum Oil

型号		TW-1.2B	TW-2B	TW-4B
抽气速率 Flow Rate (L/min)	220W/50Hz	72	120	240
	110V/60Hz	86	144	288
极限压力 Ultimate Vacuum (mbar)		0.5	0.5	0.5
电机功率 Power (W)		120	250	370
电机转速 Rotating Speed (r/min)	220W/50Hz	1440	1440	1440
	110V/60Hz	1720	1720	1720
进气接口 EnletPort		Φ6/Φ9	Φ9/Φ12	Φ9/Φ12
加油量 Oil Capacity (ml)		160	320	300
外形尺寸 Dimensions (mm)		250x115x190	340x135x220	340x135x220



KYG0582 电烙铁
Electric Soldering Iron
温度: 500°C
发热元件: 全陶瓷芯
手柄L: 200mm
线L: 1500mm
功率: 30W/40W/50W/60W/220V



KYG0583 可调恒温电烙铁
Electric Soldering Iron
温度: 200~450°C
发热元件: 全陶瓷芯
手柄L: 240mm
线L: 1650mm
功率: 60W/220V



KYG0584 焊蜡笔
Minitype Wax Pen
功率: 6W/220V



KYG0585 调温焊蜡笔
Minitype Wax Pen
功率: 6W/220V



KYG0586 焊蜡机
Electric Wax Welder
温度范围(Temperature range):
660°C
Size: 160 × 105 × 85mm
Weight: 1.4kg



KYG0587 焊蜡机
Electric Wax Welder
温度范围(Temperature range): 660°C
Size: 160 × 105 × 85mm
包装尺寸(Packing size):
220 × 135 × 130mm
Weight: 1.6kg



KYG0588 黑色焊蜡机
Electric Wax Welder
温度范围(Temperature range): 660°C
Size: 160 × 98 × 70mm
包装尺寸(Packing size):
190 × 155 × 100mm
Weight: 1110g
功率: 6W/220V



KYG0589 金色焊蜡机
Electric Wax Welder
温度范围(Temperature range): 660°C
Size: 95 × 57 × 49mm
包装尺寸(Packing size):
200 × 138 × 70mm
Weight: 660g
功率: 8W/220V




KYG0590 韩式双笔电蜡刀
Double-Notebook Wax Knife
输入电源: 交流100~240V/50/60Hz
温度范围(Temperature range):
50~660°C/122~392°F
包装尺寸(Packing size): 270 × 245 × 85mm
功率: 20W/220V
Weight: 1kg



蜡片 Wax Flake



包装尺寸Packing size:
37.5*37.5*49cm
重量Weight: 23.88kg



KYG0591 浅蓝蜡片
Flexible Blue
所有用途, 适合“蜡镶”铸造
All Purposes Recommended for
"Stone In Place" casting
Injection Temp: 68°C
50lbs/box



KYG0592 湖水绿蜡片
Aqua Green
所有用途, 适合“蜡镶”铸造
All Purposes Recommended for
"Stone In Place" casting
Injection Temp: 65°C
50lbs/box



KYG0593 湖水蓝蜡片
Turquoise Blue
所有用途, 适合“蜡镶”铸造
All Purposes Recommended for
"Stone In Place" casting
Injection Temp: 65°C
50lbs/box



KYG0594 草绿蜡片 Fuffy Green
所有用途, 适合“蜡镶”铸造
All Purposes Recommended for
"Stone In Place" casting
Injection Temp: 73°C
50lbs/box



KYG0595 超级粉红蜡片
Super Pink
所有用途
All Purposes
Injection Temp: 68°C 50lbs/box



KYG0596 深红蜡片
Deep Red
所有用途
All Purposes
Injection Temp: 65°C 50lbs/box



KYG0597 Castaldo脱模剂
Castaldo Mold Release Spray
容量: 400ml/330g/pcs

蜡珠 Wax Beads



KYG0598 翠绿蜡珠
Green Wax Beads
所有用途All Purposes
22.7kg/box



KYG0599 绿色蜡珠
Green Wax Beads
所有用途All Purposes
22.7kg/box



KYG0601 墨绿色蜡珠
Dark Green Wax Beads
所有用途All Purposes
22.7kg/box



KYG0603 浅蓝蜡珠
Blue Wax Beads
所有用途All Purposes
22.7kg/box



包装尺寸Packing size: 36.5 × 36.5 × 36.5cm
包装总重量Package weight: 23.5kg
型号Model: 55#/66#/77#/88#/99#



KYG0600 深蓝蜡珠
Blue Wax Beads
所有用途All Purposes
22.7kg/box



KYG0602 粉红蜡珠
Red Wax Beads
所有用途All Purposes
22.7kg/box



KYG0604 深红蜡珠
Deep Red Wax Beads
所有用途All Purposes
22.7kg/box



数控铜炉 Digital Burnout Furnace



KYG0605 数控铜炉(32盅)
Digital Burnout Furnace(32Flasks)
木箱尺寸(Wooden Box Size):
L1040 × W980 × H970mm
Weight:285kg

规格 Specification	功率/电压/重量 Power/Voltage/Weight	外皮尺寸/内炉尺寸 Outside Size/Inside Size 长L × 宽W × 高H
2盅4 × 9寸电炉	2.5KW/220V/49kg	490 × 450 × 475mm 300 × 150 × 260mm
4盅4 × 9寸电炉	3KW/220V/100kg	700 × 550 × 750mm 300 × 300 × 270mm
6盅4 × 9寸电炉	4KW/220V/125kg	800 × 550 × 750mm 450 × 300 × 270mm
12盅4 × 9寸电炉	6KW/380V/165kg	800 × 550 × 750mm 450 × 300 × 480mm
18盅4 × 9寸电炉	9KW/380V/190kg	800 × 550 × 750mm 450 × 430 × 480mm
24盅4 × 9寸电炉	9KW/380V/215kg	900 × 720 × 750mm 570 × 440 × 480mm
32盅4 × 9寸电炉	12KW/380V/285kg	970 × 840 × 850mm 580 × 580 × 530mm
40盅4 × 9寸电炉	13KW/380V/350kg	1040 × 840 × 850mm 700 × 580 × 550mm
二次燃烧器	3KW/220V/30kg	480 × 330 × 490mm



KYG0606 数控铜炉(24盅)
Digital Burnout Furnace(24Flasks)
木箱尺寸(Wooden Box Size):
L1020 × W840 × H970mm
Weight:215kg



KYG0607 数控铜炉(18盅)
Digital Burnout Furnace(18Flasks)
木箱尺寸(Wooden Box Size):
L920 × W840 × H980mm
Weight:190kg




KYG0608 数控铜炉(12盅)
Digital Burnout Furnace(12Flasks)
木箱尺寸(Wooden Box Size):
L920 × W700 × H980mm
Weight:165kg



KYG0609 数控铜炉(6盅)
Digital Burnout Furnace(6Flasks)
木箱尺寸(Wooden Box Size):
L940 × W610 × H910mm
Weight:125kg



KYG0610 数控铜炉(4盅)
Digital Burnout Furnace(4Flasks)
木箱尺寸(Wooden Box Size):
L770 × W610 × H910mm
Weight:100kg



KYG0611 数控铜炉(2盅)
Digital Burnout Furnace(2Flasks)
木箱尺寸(Wooden Box Size):
L500 × W550 × H600mm
Weight:49kg

数控铜炉 Digital Burnout Furnace



KYG0612 数控铜炉(40盅)
Digital Burnout Furnace(40Flasks)

规格 Specification	功率/电压 Power/Voltage	外皮尺寸/内炉尺寸 Outside Size/Inside Size 长L × 宽W × 高H
2盅Flasks	2KW/220V	350 × 550 × 570mm 150 × 300 × 275mm
4盅Flasks	3KW/220V	500 × 550 × 570mm 300 × 300 × 275mm
9盅Flasks	4KW/220V	660 × 850 × 1160mm 420 × 460 × 305mm
12盅Flasks	5.5KW/380V	580 × 820 × 1450mm 300 × 460 × 550mm
24盅Flasks	8KW/380V	750 × 960 × 940mm 480 × 590 × 550mm
32盅Flasks	12KW/380V	920 × 1050 × 1500mm 600 × 600 × 600mm
40盅Flasks	13KW/380V	910 × 1250 × 1530mm 610 × 730 × 630mm
二次燃烧器	4KW/380V	710 × 710 × 600mm



KYG0613 数控铜炉(32盅)
Digital Burnout Furnace(32Flasks)



KYG0614 数控铜炉(24盅)
Digital Burnout Furnace(24Flasks)



KYG0615 数控铜炉(12盅)
Digital Burnout Furnace(12Flasks)



KYG0616 数控铜炉(9盅)
Digital Burnout Furnace(9Flasks)



KYG0617 数控铜炉(2盅)
Digital Burnout Furnace(2Flasks)



KYG0618 珐琅炉(4盅)
Flange Furnace(4Flasks)



KYG0619 铜炉测温针
Temperature Probe
No1:Length:250mm
No2:Length:300mm
No3:Length:350mm



KYG0620 电炉丝
Furnace Heating Wire
Length:3600mm



KYG0621 数控炉表
Numerical Adjuster
No.1 XMT-900(90 × 90mm)
No.2 XMT-700(70 × 70mm)

双层旋转电炉
Double-Decker Rotary Electric Furnace



KYG0622 双层旋转电炉
(二次燃烧)
Double-Decker
Rotary Electric Furnace

规格参数 Specifications

型号	37盅	11盅
功率 Power	7KW/380V/50/60Hz	5KW/380V/50/60Hz
二次燃烧器	带二次燃烧器3KW	带二次燃烧器3KW
最高温度 Max temperature	1100℃内置温控 built-in temperature control	1100℃内置温控 built-in temperature control
旋转炉盘 Rotary furnace disk	Φ550mmx2层	Φ320mmx2层
可置粉盅 configurable powder cup	Φ101mm(4") 37盅 (cups)	Φ101mm(4") 11盅(cups)
粉盅高度 Height of powder cup	上层300mm 下层280mm	上层290mm 下层290mm
外型尺寸 Sizes	1000x850x1830mm	900x690x1750mm
重量Weight	600kg	400kg


规格参数 Specifications

电源 Power supply	380V
功率 Power	0-8KW adjustable
金属容量 Metal capacity	700g
铸造重量 Casting weight	600g
金属类别 Metal type	铂金,钯金,不锈钢,K金 Platinum,palladium,steel,K-gold
离心方式 Centrifugal method	曲臂离心 Crank centrifugal
离心速度 Centrifugal speed	变频可调 Adjustable by frequency conversion
升降方式 Lifting method	气动 Pneumatic
保护气体 Protection gas	氩气,氮气 Argon,nitrogen
冷却方式 Cooling method	水冷 Water cooling
开盖方式 Uncovering method	自动升降 Automatic lift



KYG0623 变频离心浇铸机
Centrifugal Casting Machine

真空石膏搅拌机 Vacuum Gypsum Mixer



KYG0624 5盅真空搅拌机 (泵外置)
5Pcs Flask Vacuum Mixer
Size:700x640x1520mm

KYG0625 5盅不锈钢真空搅拌机 (泵内置)
5Pcs Flask Vacuum Mixer
Size:860x700x1580mm Weight:150kg

型号 Model	KYG-5盅	KYG-8盅
电源 Source	380V/220V	380V
功率(w) Power (w)	1.5KW	3KW
应用 Application	混合粉末 Mixed Powder	混合粉末 Mixed Powder
搅拌桶尺寸 Mixing Drum Size	Φ300*H400mm	Φ380*H380mm
注粉桶尺寸 Size Of Powder Injection Bucket	Φ350*H300mm	Φ520*H410mm
最大容量 Maximum Capacity	5个 4*10英寸的钢铃 4*10 Inch Steel Bell	8个 4*12英寸的钢铃 4*12 Inch Steel Bell
尺寸 Size		1000*1200* 1500mm



KYG0626 石膏脱模机
Hydraulic Pressure Plaster Remover
750W/380V
Size:550x500x1800mm



KYG0627 黑猫牌高压清洗机
Black Cat High Pressure Washer
额定压力: 11Mpa
Rated pressure
理论流量: 10L/min
Flow
额定转速: 2800rpm
Rated speed
配套功率: 1.8KW
Motive Power
使用电源: 220/50V/Hz
Power
整机重量: 34kg
Weight



KYG0628 黑猫牌高压清洗机
Black Cat High Pressure Washer
额定压力: 5.5Mpa
Rated pressure
理论流量: 18L/min
Flow
额定转速: 1420rpm
Rated speed
配套功率: 2.2KW
Motive Power
使用电源: 220/50V/Hz
Power
整机重量: 53kg
Weight



石膏清洗机 Gypsum Cleaning Machine



KYG0629 石膏冲洗机
Gypsum Cleaning Machine
Size: 600 × 500 × 1500mm

额定压力: 6Mpa
Rated pressure
理论流量: 9.6L/min
Flow
额定转速: 2800rpm
Rated speed
配套功率: 1.3KW
Motive Power
使用电源: 220/50V/Hz
Power
整机重量: 50kg
Weight

KYG0630 石膏清洗机(脚踏控制)
Gypsum Cleaning Machine(Pedal Control)
Size: 650x500x1500mm



KYG0631 自动石膏清洗机
Automatic Gypsum Cleaning Machine

产品特点: 内置切割喷嘴和多个高压清洗喷嘴, 自动分割钢盘内部石膏及表面石膏清洗, 能快速有效清除铸件上残留的石膏粉, 具有加工范围广, 清洗更干净、节能, 操作简单等。

Product Features:

The Built-in Cutting Nozzle And Multiple High-pressure Cleaning Nozzles can Automatically Divide The Internal Gypsum And Surface Gypsum Cleaning Of the Flask, They Can Quickly And Effectively Remove The Residual Gypsum Powder on The Casting Tree. It Has The Advantages Of Wide Processing Range, Cleaner cleaning, Energy Saving And Simple Operation.

技术参数 Technical Parameters:

电压 Voltage	220V
功率 Power	2KW
理论流量 Theoretical Flow	10L/min
额定水压 Rated Water Pressure	11MPa
钢盘清洗尺寸 Flask Size	φ3~φ5"xH300mm
外形尺寸 Size	1020x640x1030mm
重量 Weight	150kg
木箱包装尺寸	107x74x131cm
总重量 Weight	210kg



贵金属分析仪 Precious Metal Analyzer



KYG0632
Mini微型 RAY6000测金仪

RAY6000 贵金属分析仪性能及配置 Precious Metal Analyzer

分析范围 Analysis Range	0.01%~99.99 %
测量精度 Accuracy	± 0.05%
高压电源 Sample Form	0~50KV
光管管流 Tube Voltage	0uA~1000uA
摄像头 High Voltage Power Supply	高清摄像头
探测器 Camera	新型Si-PIN探测器
多道分析器 Filters	数字多通道
样品腔尺寸 Sample Chamber Size	310*230* 90(mm)
测试时间 Test Time	5~60秒
分析软件 Analysis Software	KEYRAY定性定量分析软件
外部尺寸 External Dimensions	395*350*340(mm)
重量 Weight	25 Kg/150W
检测74种元素: Measuring Element	74 elements: Au, Ag, Cu, Zn, Ni, Cd, Sn, Fe, Re, W, Ru, Os, In, Mn, Rh, Pt, Pb, Pd, Co, Sb, Cr, Ir, Ge, Hg, Ti, Mo, ... (For use in the precious metals industry only)



KYG0633
手持式 KEY3000光谱仪

82 elements from sodium (Na) to uranium (U) between all elements, Up to 26 elements simultaneously each time (For use in the precious metals industry only)
Keyray qualitative and quantitative analysis software

KEY3000 手持式光谱分析仪性能及配置 Handheld Spectrum Analyzer

分析范围 Analysis Range	1ppm to 99.99 %
待测物品形态 Shape Form	固体、粉末、液体 Solid, powder, liquid
操作系统 Operating System	Windows CE
处理器 Processor	CPU: 2.4GHZ
储存器 Packet	4G储存, 可扩展支持32G 4G storage, expandable support for 32G
滤光片 Light Filter	自动切换多种滤光片 Automatic switching of multiple filters
探测器 Explorer	Si-PIN
安全防护 Safety Protection	软件具备自锁和防空测等保护功能 The software has protection functions such as self-locking and air defense measurement.
多道分析器 Multichannel Analyzer	DMCP
测试时间 Test time	3~30秒 seconds KEY qualitative and quantitative analysis software
分析软件 Analysis Software	KEY定性、定量分析软件 82 elements can be detected.
测量元素 Measuring Element	可检测82种元素
外形尺寸 Outline Dimension	319 mm x 254 mm x 91mm
仪器重量 Instrument Weight	1.75 KG(含电池) including battery
用途 Use	快速、无损分析元素的百分比含量 Rapid and nondestructive analysis of the percentage content of elements



石膏粉 Investment Powder



KYG0634
海鸥版石膏铸粉
Jewellery Investment Powder

适用范围：铜、银、金铸造
Scope of application: copper, silver and gold casting
Weight:22.5kg/bag



KYG0635
企鹅版石膏铸粉
Jewellery Investment Powder

适用范围：铜、银、金铸造
Scope of application: copper, silver and gold casting
Weight:22.5kg/bag



KYG0636
海豹版石膏铸粉
Jewellery Investment Powder

适用范围：K金、黄金、眼镜配件、密底镶
Scope of application:K-Gold, Gold, Glasses Accessories, Dense Bottom Inlay.
Weight:22.5kg/bag



KYG0637
海豚版石膏铸粉
Jewellery Investment Powder

适用范围：K金、黄金、眼镜配件、密底镶
Scope of application:K-Gold, Gold, Glasses Accessories, Dense Bottom Inlay.
Weight:22.5kg/bag



KYG0638
鲨鱼版石膏铸粉
Jewellery Investment Powder

适用范围：黄金、高难度眼镜配件、高难度密底镶
Scope of application:Gold, Difficult Glasses Accessories, Difficult Close-bottomed Inlay
Weight:22.5kg/bag



KYG0639 D3 Kass Cast
Jewellery Investment Powder

适用范围：大件、佛像、工艺品、低温倒模，普通花丝
Scope of application:Large Pieces, Buddha Statues, Handicrafts, Low-temperature Mold Casting, Ordinary Filaments.
Weight:22.5kg/bag



KYG0640A
真钻蜡镶粉
Real Diamond Wax Inlay Powder

适用范围：钻石蜡镶
Scope of application: Diamond Wax Inlay
Weight:22.5kg/drum



KYG0640B
3D树脂粉
Resin Powder

适合树脂件倒模，适用于复杂款式铸造，铸件表面细腻光滑
Suitable for resin casting, suitable for complex style casting, with a delicate and smooth casting surface
Weight:22.5kg/drum

石膏粉 Investment Powder



KYG0641 SRS Classic(经典)

适合18K及22K金首饰铸造
For casting in 18K and 22K gold
Pour l'or 18K et 22K
Für das Gießen in 18k und in 22K gold
Para fundición de oro 18K y 22K
Per fusione di oro da 18K e 22K
Weight:100lbs/drum



KYG0642 SRS Stonecast(蜡镶)

适合钻石首饰铸造
Special investment for stone-in-place casting
Special pour la coulee de modeles deja serts de precieuse
Spezielle Einbttmasse für den Steingu 3
Revesdmiento especial para fundic on de piczas con piedras
Gesso speciale per fusione con pietre pre-incastionate
Weight:100lbs/drum



KYG0643 SRS Eurovest(西方)

适合14K金、银、黄铜首饰铸造
For casting in silver ,brass and gold 14K
Pour l'argent.Le cuivre et l' or jusqu' a 14K
Für das Gießen in Silber,im messing und im gold bis zu 14K
Para fundicion en plata,laton oro basta 14K
Per fusione di argento,ottone e oro fino a 14K
Weight:100lbs/drum



KYG0644 SRS Oriental(东方)

适合银、黄铜首饰铸造
For casting in silver ,brass
Pour l'argent.Le cuivre et l'
Für das Gießen in Silber,im messing und im
Para fundicion en plata,laton
Per fusione di argento,ottone e
Weight:100lbs/drum



KYG0645 PT铸粉

Platinum Investment
25KG/箱白金铸造，适合复杂款式铸件
25KG/Cartron,for casting platinum and adapt to cast Complicate patterns

所有SRS生产之石膏粉皆通过ISO9002品质管理系统测试，透过此系统物料除可保有高纯度外，更具有稳定的素质，帮SRS所出产之优质产品适用于多用途。

All gypsum powder produced by SRS has passed the ISO9002 quality management system test. Through this system, the materials can not only maintain high purity, but also have stable quality, which helps SRS to produce high-quality products suitable for multiple purposes.




钢盅 Stainless Steel Flask




KYG0646 304不锈钢钢盅(厚度3mm)
304 Stainless Steel Flask

Polishing


规格(Φ) Specifications					
H高度:1"=2.54mm					
2.5"x 4"	3"x 4"	3.5"x 4"	4"x 4"	5"x 4"	6.3"x 4"
2.5"x 5"	3"x 5"	3.5"x 5"	4"x 5"	5"x 5"	6.3"x 5"
2.5"x 6"	3"x 6"	3.5"x 6"	4"x 6"	5"x 6"	6.3"x 6"
2.5"x 7"	3"x 7"	3.5"x 7"	4"x 7"	5"x 7"	6.3"x 7"
2.5"x 8"	3"x 8"	3.5"x 8"	4"x 8"	5"x 8"	6.3"x 8"
	3"x 9"	3.5"x 9"	4"x 9"	5"x 9"	6.3"x 9"
	3"x 10"	3.5"x 10"	4"x 10"	5"x 10"	6.3"x 10"
			4"x 11"	5"x 11"	6.3"x 11"
			4"x 12"	5"x 12"	6.3"x 12"



KYG0647 半圆橡胶胶底
Half Round Rubber Base




KYG0648 三角形橡胶胶底
Triangle Rubber Base



KYG0649 三角形硅胶胶底
Triangle Silicone Rubber Base

型号 Model	半圆橡胶胶底(黑色) Half Round Rubber Sole (Black)				三角形橡胶胶底(黑色) Triangle Rubber Sole (Black)				三角形硅胶胶底(蓝色) Triangle Silicone Adhesive Base (Blue)			
	尺寸(Size) (mm)				尺寸(Size) (mm)				尺寸(Size) (mm)			
规格 Specifications	Φ1	Φ2	Φ3	H	Φ1	Φ2	Φ3	H	Φ1	Φ2	Φ3	H
2.5寸	9	61	71	19								
3寸	10	74	86	20	10	74	86	20	10	74	86	20
3.5寸	10	88	100	18	10	88	100	18	10	88	100	18
4寸	10	100	114	20	10	100	114	20	10	100	114	20
5寸	12	126	138	20	12	126	138	20	12	126	138	20
6.3寸	16	160	177	27	16	160	177	27	16	160	177	27
8.6寸	16	215	235	41								

石墨垫 Graphite Gasket



KYG0650 硅胶垫
Silicone Gasket

KYG0651 薄石墨垫
Thin Graphite Gasket

KYG0652 厚石墨垫
Thick Graphite Gasket

KYG0653 钢垫片
Steel Gasket

型号 Model	硅胶垫 Silicone Gasket			薄石墨垫 Thin Graphite Gasket			厚石墨垫 Thick Graphite Gasket			钢垫片 Steel Gasket		
	尺寸(Size) (mm)			尺寸(Size) (mm)			尺寸(Size) (mm)			尺寸(Size) (mm)		
规格 Specifications	Φ1	Φ2	H	Φ1	Φ2	H	Φ1	Φ2	H	Φ1	Φ2	H
1.65"										43	140	8
2.5"				67.5	94.5	2.4	67.5	94.5	4.5	67.8	140	8
3"	80	110	4.5	79	106.5	2.5	79	106.5	4.5	79.8	140	8
3.5"	90	120	4.5	94	119	2.5	94	119	4.5	81.5	140	8
4"	105	135	4.5	108	137	3.0	108	137	4.5			
5"	130	160	4.5	131	157	3.0	132	157	4.5	106.4	160	8
6.3"				163	193	3.0	162	188	4.5			
8.6"				226	256	3.0						
10.5"				270	295	3.0						



KYG0654 陶瓷棒
Ceramic Rod
Size: Φ 12 × 300mm



KYG0655 乳白色石英棒
Quartz,Milky Color
Size: Φ 10 × 400mm



KYG0656 透明石英棒
Quartz,Clear Color
Size: Φ 10 × 400mm



KYG0657 石墨棒
Graphite Stirring Rod
Size: Φ 10 × 300mm



KYG0658 钢盅胶套
Sleeve For Flask
Size: Φ 3"/3.5"/4"/5"/6.3"/8.6"
H6"/7"/8"/9"/10"/11"/12"



KYG0659 PT粉钢盅
Flask For Platinum
Size1: Φ 3"xH100mm
Size2: Φ 3.5"xH100mm
Size3: Φ 4"xH100mm



KYG0660 电动封钢盅胶带机
Electric tape sealing machine
尺寸: 400x450x400mm
Weight: 19kg



油槽 Steel Trough Mould



KYG0661 7寸油槽
Steel Trough
内槽尺寸: 152x30x17mm
外槽尺寸: 175x43x21mm
产品重量: 744kg




KYG0662 8寸油槽
Steel Trough
内槽尺寸: 181x30x17cm
外槽尺寸: 205x43x21mm
产品重量: 846g



KYG0663 4寸油槽
Steel Trough
内槽尺寸: 101x30x17mm
外槽尺寸: 119x43x21mm
产品重量: 523g



KYG0664 方形翻沙油槽
Steel Trough
内径尺寸: 10x5.2x1.5cm
外径尺寸: 37.5x7.5x3cm
产品重量: 2kg




KYG0665 翻沙油槽
Ingot Mould
Weight:1.53kg



KYG0666 小号圆对方油槽
Ingot Mould
圆形槽直径Φ: 4x5x6x8mm
方形柱直径Φ: 4x5x6x8mm
方形柱高度H: 64mm
外径尺寸: 21.8x7x7.2cm
产品重量: 1.16kg



KYG0667 大号圆对方油槽
Ingot Mould
圆形槽直径Φ: 4x6x8x10x12mm
方形柱直径Φ: 4x6x8x10x12
方形柱高度H: 120mm
外径尺寸: 25.5x9.8x13cm
产品重量: 4.87kg



KYG0668 中号方对圆油槽
Ingot Mould
圆形槽直径Φ: 5x7x9x11x13mm
方形柱直径Φ: 4x6x8x10x12mm
方形柱高度H: 85mm
外径尺寸: 25.5x8x9.4cm
产品重量: 2.37kg



KYG0669 中号圆对平油槽
Ingot Mould
圆形槽直径Φ: 5x7x9x11x13mm
薄片长度L: 80mm
外径尺寸: 26x8x9.5cm
产品重量: 2.32kg



KYG0670 中号圆对平油槽
Ingot Mould
圆形槽直径Φ: 4x6x8x10x12mm
薄片长度L: 116mm
外径尺寸: 30.5x9.3x11.5cm
产品重量: 4.43kg



KYG0671 料杯
Material Cup
型号: 3oz75ml/5oz130ml/
8oz200ml/10oz250ml
16oz400ml



KYG0672 钢盅钳
Flask Tong
Size1:900mm/1.4kg
Size2:1200mm/2.8kg



KYG0673 不锈钢坩埚钳(2kg/3kg)
Crucible Tong



KYG0674 铁皮坩埚钳(4kg)
Crucible Tong
Weight:390g



KYG0675 不锈钢坩埚钳(4kg)
Crucible Tong
Weight:730g


坩埚钳 Crucible Tong




KYG0676 八坑油槽(TSK6027)
Ingot Mold With 8 Tunnels
Size:72 × 33 × 450mm
Weight:2.86kg



KYG0677 六坑油槽(TSK6002)
Ingot Mold With 6 Tunnels
Size:72 × 33 × 320mm
Weight:2kg



KYG0678 加长尖嘴钳
Long Nose Pliers
Weight:480g



KYG0679 坩埚钳
Crucible Tong
Weight:520g




KYG0680 304不锈钢坩埚架
304 Stainless Steel Crucible Tong
Weight:250g



KYG0681 黑铁夹
Black Soldering Tweezers Straight
Size: 350mm



KYG0682 喷砂头
Sandblasting head



KYG0683 压机发热板
Heating Plate for Vulcanizer



KYG0684 清洗用水枪
Washing Gun
Size:160 × 155mm



KYG0685 脚踏
Foot Pedal



KYG0686 气压调节阀
Air Pressure Regulator



KYG0687 意大利电子阀
Electrovalve





KYG0688 亚德客电子阀
Electrovalve



KYG0689 气枪
Air Pistol
Size:80 × 160mm

The image shows three technical drawings. On the left is the KYG0676 8-tunnel ingot mold, showing a top view with slots A-E and a side view. In the middle is the KYG0677 6-tunnel ingot mold, showing a top view with slots F-H and a side view. On the right is a crucible tong with dimensions T (top width), U (bottom width), and H (height).

	A-C	D	E	F	G	H
T	6.5mm	9mm	12mm	21mm	29mm	51mm
U	6mm	8.5mm	11.5mm	20mm	28mm	50mm
H	7mm	7mm	7mm	12mm	12mm	12mm
槽长(Slot length)	300mm	330mm	330mm	208mm	208mm	113mm
容积 (Volume)	14.44mm ³	20.21mm ³	27.14mm ³	51.17mm ³	71.14mm ³	68.48mm ³

						
T	A	B	C	D	E	F
U	10mm	12mm	14mm	21mm	25mm	29.5mm
H	7.8mm	9.5mm	11.2mm	18mm	21mm	26mm
槽长(Slot length)	7.5mm	7.5mm	8mm	8mm	11mm	12.5mm
容积 (Volume)	198mm	198mm	198mm	198mm	198mm	198mm
	13.22mm ³	15.96mm ³	19.96mm ³	30.89mm ³	50.09mm ³	68.68mm ³



戒指雕刻机 Ring Engraver




KYG0690 多功能刻字机
Multi-Function Engraver Machine

AC220/110V 50-60HZ
功率Power:75W
英文Letter:0.5mm以上 中文Chinese:1mm以上
雕刻深度Engraver Depth:0.3mm
可雕刻内圈Inner:12-70mm
外圈Outer:15-85mm
平面雕刻范围Plane carving range:80 × 50(mm)
尺寸Size:300mm × 300mm × 280mm
重量Weight:14KG



KYG0691 戒指刻字机

Ring Engraver
AC220/110V 50-60HZ
功率Power:70W
重量Weight:10kg
尺寸Size:400 × 150 × 250mm
雕刻深度Engraver Depth:0.3mm
雕刻宽度Engraver Width:
英文Letter:0.5mm 中文Chinese:1mm
内圈Inner:12-70mm 外圈Outer:15-85mm



KYG0692 戒指刻字机
Ring Engraver
Size:200 × 130 × 240mm
Weight:6.5kg



KYG0693 刻字机
Inside Ring Engraver
Size:230 × 250 × 420mm
Weight:7kg



KYG0694 小型切割机(TSK4020)
TSK Tube Cutting Machine- Small
Size:228 × 205 × 195mm
Weight:6.5kg
可切割物件长度(Cutting In Length):30mm
可切割最大直径(Cutting In Diameter):6mm



KYG0695 切割机(大)(TSK4023)
TSK Tube Cutting Machine-Large
Size:260 × 230 × 308mm
Weight:16kg
可切割物件长度(Cutting In Length):30mm
可切割最大直径(Cutting In Diameter):12mm



KYG0696 手镯切管机
Bangle Tube Cutting Machine
机身尺寸(Dimension):420x265x310mm
用途:切割金银条等 方便快捷:快速切割
功率:220V直流/650W 置物台:平面
转速:4000转 重量(Weight):13.45kg



KYG0697 手镯切割机
Bangle Cutting Machine
机身尺寸(Dimension):390x200x350mm
用途:切割金银条/手镯等切片
尺寸:8cm(直径) 置物台:平面/曲面
功率:220v/370w12.45a
转速:可变速 重量(Weight):15.5kg

熔金炉 Electric Melting Furnace



KYG0698 无网红色熔金炉
Electric Melting Furnace
电压(Voltage): 110V/220V
功率(Power): 1.6KW
机身尺寸(Dimension): 295 × 305 × 435mm
容量可选(Optional capacity): 1kg/2kg/3kg
包装尺寸(Packing size): 420 × 302 × 210mm
包装重量(Packing weight): 9kg左右



KYG0699 加网黑色熔金炉
Electric Melting Furnace
电压(Voltage): 110V/220V
功率(Power): 1.6KW
机身尺寸(Dimension): 370 × 240 × 400mm
容量可选(Optional capacity): 1kg/2kg/3kg
包装尺寸(Packing size): 390 × 320 × 430mm
包装重量(Packing weight): 10kg



KYG0700 熔金炉
Electric Melting Furnace
1kg/2kg/3kg
机身尺寸(Dimension):
210 × 225 × 390mm
包装尺寸(Packing size):
465 × 285 × 410mm
包装重量(Packing weight): 11kg



KYG0701 1kg熔金炉
Electric Melting Furnace
功率(Power): 3.5KW/220V
温度(Temperature): 1200℃
机身尺寸(Dimension): 315 × 225 × 390mm
包装尺寸(Packing size):420 × 320 × 405mm
重量(Weight): 10kg



KYG0702 2kg熔金炉
Electric Melting Furnace
功率(Power): 5KW/220V
温度(Temperature): 1200℃
机身尺寸(Dimension): 315 × 225 × 390mm
包装尺寸(Packing size): 420 × 320 × 405mm
重量(Weight): 10.3kg



KYG0703 3kg熔金炉(带温控)
Electric Melting Furnace
功率(Power): 5KW/220V
温度(Temperature): 1200℃
机身尺寸(Dimension): 315 × 225 × 390mm
包装尺寸(Packing size): 425 × 325 × 455mm
重量(Weight): 11.3kg



KYG0704 4kg熔金机(水冷一体)
Electric Melting Furnace
功率(Power): 6KW/220V,8KW/380V
最高温度(Temperature): 1200℃
机身尺寸(Dimension):
550 × 305 × 440mm
重量(Weight): 28kg



KYG0705 水冷机
Water Cooling Machine

工作电源 Working power supply	由熔炼电源供电 Power supply by smelting power supply	
工作功率 Operating power	130W	220V/200W
水容量 Water capacity	4升	5.5升
水循环 Water cycle	0.8升/分钟	1.2升/分钟
进水温度 Inlet water temperature	不高于80℃	不高于80℃
出水温度 Effluent temperature	35-45℃	35-45℃
外形尺寸 Outline dimension	345*316*495	345*290*720
机器毛重 Gross weight of machine	18kg	28kg



KYG0706 气体熔炼炉
Gas Melting Furnace
型 号: 6#气炉, 12#气炉
炉内尺寸: 6# H18 Φ15.5
12# H22 Φ18.5
坩 容 量: 6#铜6KG 铝2.2KG
12#铜12KG 铝4KG
尺 寸: 6# 41.5 × 39 × 40cm
12# 46.5 × 42.5 × 43cm
重 量: 6# 12KG
12# 16KG

感应加热电源系列产品 Induction Heater Series

KYG0707
感应加热电源系列产品
Induction Heater Series

产品应用<<<
主要应用：焊接、淬火、熔炼锻造、热配合、热成形、热矫正、管道加热、因话粘结
根据功率和频率选择电源，频率越高加热深度越浅，频率越低透热性越好
功率：15- 80KW
频率：30-100KHZ



型号/规格	HDW-15A	HDW-15AB	HDW-25A	HDW-25AB	HDW-30AB
工作电源	单相220V 50/60HZ	三相220V 50/60HZ	三相380V 50/60HZ	三相380V 50/60HZ	三相380V 50/60HZ
工作电压范围	1 80-250V	180-250V	340- 430V	340-430V	340-430V
输出功率	15KW	1 5KW	25 KW	25 KW	30KW
振荡频率	30- 100KHZ	30- 100KHZ	30-80KHZ	30 - 80KHZ	30- 80KHZ
输出电流	200 - 600A	200- 600A	200-1200A	200- 1200A	400-1 500A
时间设置	1-99S	1 -99S	1-99S	1-99S	1-99S
冷却水量	0.06-0.12Mpa 7.5L/min	0.06-0.12Mpa 7.5L/min	0.06-0.12Mpa 7.5L/min	0.08-0.12Mpa 7.5L/min	0.08-0.16Mpa 7.5L/min
水温保护点	40C	40℃	40℃	40℃	40℃
主机/分机重量	25Kg	主: 10Kg分: 15Kg	30Kg	主:18.5Kg分:15Kg	主:35Kg分:10Kg
外形尺寸(mm)	535 *245*550	主: 505*235*520 分: 340*235*405	535*245*550	主: 560*235*520 分: 425*235*420	主: 595*275*580 分: 485*275*440



型号/规格	HDW35AB	HDW40AB	HDW60AB	HDW80AB
工作电源	三相380V 50/60HZ	三相380V 50/60HZ	三相380V 50/60HZ	三相380V 50/60HZ
工作电压范围	340-430V	340- 430V	340-430V	340-430V
输出功率	35KW	40KW	60KW	80 KW
振荡频率	30- 80KHZ	30- 80KHZ	30- 80KHZ	30- 80KHZ
输出电流	400-1600A	400-1800A	400- 2400A	400- 3200A
时间设置	1-99S	1 -99S	1-99S	1-99S
冷却水量	0.08-0.16Mpa 7.6L/min	0.08-0.16Mpa 7.6L/min	0.08-0.16Mpa 7.6L/min	0.08- 0.16Mpa 9L/min
水温保护点	40℃	40℃	40℃	40℃
主机/分机重量	主:35Kg 分:10Kg	主:35Kg 分:10Kg	主:37Kg 分:36Kg	主: 54Kg 分: 47Kg
外形尺寸(mm)	主: 595*275*580 分: 485*275*450	主: 595*275*580 分: 485*275*450	主: 650*320*590 分: 485*275*450	主: 745*345*600 分: 790*425*580

倾倒入熔炼炉 Dumping Melting Furnace



KYG0708
倾倒入熔炼炉
Dumping Melting Furnace

设备介绍<<<
应用于钢、不锈钢、铜、黄铜、铝、铝合金、金、银等金属材料的加热熔炼;
◆设备体积小，重量轻，熔炼量从3kg至500kg;
◆熔炼炉分为三种：倾倒入熔炼炉、顶出式熔炼炉和固定式熔炼炉;
◆倾倒入熔炼炉：可分为机械式倾倒入炉、电动式倾倒入炉和液压式倾倒入炉
◆根据不同的应用要求，可以配红外测温仪，控温仪等装置;

规格/型号	熔钢/铁	熔铝/铝合金	熔铜/金银/贵金属
HDWRL-15KW	3KG	3KG	3KG、5kg、10kg
HDWRL-25KW	5KG	5KG	20KG
HDWRL-35KW	10KG	10KG	30KG
HDWRL-45KW	18KG	18KG	50KG
HDWRL-70KW	25KG	25KG	100KG
HDWRL-90KW	40KG	40KG	120KG
HDWRL-110KW	50KG	50KG	150KG
HDWRL-160KW	100KG	100KG	250KG
HDWRL-200KW	150KG	200KG	350KG
HDWRL-300KW	200KG	300KG	500KG
HDWRL-400KW	250KG	400KG	600KG



中频熔金机 Gold Melting Furnace



KYG0709 中频熔金机
Gold Melting Furnace

适合场所
Suitable place
电源规格(默认)
Power specification (default)
电源规格(选购)
Power specification (optional)
电源线要求
Power cord requirements
漏电开关额定电流
Rated current of leakage switch
冷却水输入压力
Cooling water input pressure
冷却水输入流量
Cooling water input flow
冷却水输入温度
Cooling water input temperature
温度显示范围
Temperature display range
温度设定范围
Temperature setting range
工作区域温度
Working area temperature
加热方式
Mode of heating
温度控制
Temperature control
标准配件
Standard fittings
保护措施
Protection measures

小规模铸造, 铸造料配料, 旧料清洗
Small-scale casting, casting material batching, old material cleaning
三相, AC 380V 50/60Hz6.5KW
Three-phase, AC 380V 50/60Hz6.5KW
三相, AC 420V 50/60Hz 6.5KW
Three-phase, AC 420V 50/60Hz 6.5KW
4mm2以上
More than 4mm2
30A
30A
MIN 3 Bar/ MAX5 Bar
MIN 3 Bar/ MAX5 Bar
3L/Min以上
More than 3L/Min
20~35℃ (68~95F) 不可超过40℃(104F)
20~35℃ (68~95F) shall not exceed 40℃(104F).
0~1370℃(33.8~2498F)
0~1370℃(33.8~2498F)
0~1200℃ (33.8~2192F)
0~1200℃ (33.8~2192F)
Max 1100℃
Max 1100℃
中频磁场感应
Intermediate frequency magnetic field induction
PID温度控制, 数字显示
PID temperature control, digital display
坩埚钳、石墨坩埚、石英外套
Crucible pliers, graphite crucible, Shi Ying jacket.
缺水、水温、过流等自检保护, 无负载(无坩埚)保护
Self-inspection protection for water shortage, water temperature and overcurrent, and no load (crucible) protection.

型号 Model	功率 Power	电压 Voltage	尺寸 Size	净重量 Net Weight	水压 Water Pressure	水流量 Discharge	备注 Notes
2KG	10KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	
3KG	12KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	
4KG	13KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	
5KG	15KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	
6KG	15KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	
8KG	18KW	380V	480X525X885mm	55KG	2.0KPA	2.5L/MIN	



KYG0710 自动真空加压倒模机
Automatic Vacuum Pressure Casting Machine

电源
Power Supply
输出
Output
重量
Weight
尺寸
Measure
最大寿筒尺寸
Maximum Life Cylinder Size
坩埚
Crucible
坩埚尺寸
Crucible Size
熔金材料
Molten Gold Material
坩埚容量
Crucible Capacity
温度范围
Temperature Range
最大加压压力
Maximum Pressurization Pressure
气体
Gas
铸造程序记忆
Casting Program Memory
冷却方式
Cooling Mode
铸造方式
Casting Method
异常报警
Abnormal Alarm
环境温度
Ambient Temperature
环境湿度
Ambient Humidity
冷水机
Cold Water Machine
真空装置
Vacuum Device

3相, 380+10% ,50/60Hz,大约12KVA(10KW型)
3-phase, 380+10% ,50/60hz, About 12kva(10kw Type).
最大12KW
Maximum 12kw
大约182KG
About 182kg
470 (宽) X800(长)X1130 (高) mm
470 (width) X800 (length) X1130 (height) mm
直径127mmX254mm 5寸X10寸
Diameter 127mmx254mm 5 Inch X10 Inch
使用专用坩埚
Use Special Crucible
标准为直径78mmX115mm
The Standard Is 78mmx115mm In Diameter.
金合金、银合金
Gold Alloy, Silver Alloy
约240cc
About 240cc
标准K型1200℃ (可选购1450℃)
Standard K Type 1200℃ (optional 1450℃)
0.3MPa
0.3mpa
惰性气体(氮气、氩气)
Inert Gas (nitrogen, Argon)
50个
50
直通式
Straight Through Type
真空吸引加压方式
Vacuum Suction Pressurization Mode
自我诊断数据表示
Self-diagnosis Data Representation
5℃~30℃
5℃~30℃
80%以下
Below 80%
2匹
2 Pieces
真空泵选购
Vacuum Pump Purchase
1德国普旭泵RA0040 2上海众德泵V0040D
1 Germany Puxu Pump Ra0040 2 Shanghai Zhongde Pump V0040d

倒模机 Vacuum Pressure Casting Machine




KYG0711 真空加压倒模机
Vacuum Pressure Casting Machine

型号 Model	KYG-DM2	KYG-DM4	KYG-DM6
电源 Power Supply	380V	380V	380V
功率 Power	15KW	22KW	25KW
铸造系统 Casting System	真空加压铸造系统 Vacuum pressure casting system		
适用金属 Suitable Metal	黄金, 银, 铜及其合金 Gold, silver, copper and their alloys		
熔化时间 Melting Time	3~5 minutes		
最大容量 Maximum Capacity	黄金:2kg;银:1kg Gold Silver	黄金:4kg;银:2kg Gold Silver	黄金:6kg;银:3kg Gold Silver
最高温度 Maximum Temperature	1600℃		
K型热电偶 Thermocouple	1100℃		
测温精度 Temperature Measurement Accuracy	± 2℃		
机身尺寸(mm) Machine Size	720*700*1150	720*700*1150	720*800*1150
重量 Weight	210kg	215kg	250kg
温度控制 Temperature Control	PID控制 PID control		
气体保护 Gas Shield	氩气或氮气 Argon or nitrogen		
铸造室尺寸 Casting Chamber Size	D101*H254mm	D101*H254mm	D160*H254mm



KYG0712 回火炉
Tempering Furnace

功率 Power	9KW
电源 Power Supply	380V
氨分解能务 Ammonia Decomposition Energy Service	5KW
加热时间 Heating-up Period	40~60分钟
最高温度 Maximum Temperature	1100℃
气体 Gas	氨气
工作槽宽度 Working Slot Width	200*100*750mm
机身尺寸 Machine Size	850*1400*1600mm
重量 Weight	135kg



KYG0713 隧道炉
Belt Annealing Machine

类型 Type	隧道炉 Tunnel Oven
电源 Power Supply	380V
功率 Power	13KW
最高温度 Maximum Temperature	950℃
速度 Speed	无极调速 Infinite Speed Regulation
冷却方式 Cooling Mode	水冷 Water-Cooling
使用气体 Use Gas	氨气 Ammonia
工作槽 Working Groove	70*40(W*Lmm)
网带宽 Network Bandwidth	50mm
机身尺寸 Machine Size	3000*600*1500mm



熔金机 Gold Melting Furnace



KYG0714 熔金机
Gold Melting Furnace

型号 Model	DH1	DH2
电源 Source	220V	220V
功率 Power	3.5KW	3.8KW
适用金属 Applicable Metals	黄金,K金,银,铜等 Gold, K gold, Silver, Copper, Etc.	
金属容量 Metal Capacity	黄金(Gold):1kg	黄金(Gold):2kg
熔化时间 Melting Time	2-3 minutes	
最高工作温度 Temperature	1600°C	
机身尺寸 Machine Size	520*400*330mm	520*400*330mm
重量 Weight	21kg	22kg



KYG0715 立式小型熔金机
Gold Melting Furnace

型号 Model	KYG-H1	KYG-H2
电源 Source	220V	220V
功率 Power	3.5KW	3.8KW
适用金属 Applicable metals	黄金,K金,银,铜及其合金 Gold, K gold, silver, copper and their alloys	
熔化时间 Melting time	2 minutes	
最大容量 Maximum capacity	黄金(Gold):1.2kg;银(Silver):0.6kg	黄金(Gold):2.6kg;银(Silver): 1.2kg
最高工作温度 Temperature	1600°C	
机身尺寸 Machine size	320*280*550mm	340*380*680mm
重量 Weight	20kg	25kg
加热技术 Heating technology	感应加热 Induction heating	
水泵 Water pump	选配 Optional	
冷却方式 Cooling method	水冷 Water-cooling	



KYG0716 中频熔金机
Gold Melting Furnace

型号 Model	KYG-H3	KYG-H4	KYG-H5
电源 Source	380V/220V	380V/220V	220V
功率 Power	15KW	15KW	15KW
适用金属 Applicable metals	黄金,K金,银,铜及其合金 Gold, K gold, silver, copper and their alloys		
熔化时间 Melting time	3-4 minutes	4-5 minutes	4-5 minutes
最大容量 Maximum capacity	黄金:3kg; 银:1.5kg Gold Silver	黄金:4kg; 银:2kg Gold Silver	黄金:5kg; 银:2.5kg Gold Silver
最高工作温度 Temperature	1600°C		
K型热电偶 K type thermocouple	选配 Optional		
机身尺寸 Machine size	530*530*900mm		
重量 Weight	72kg		
加热技术 Heating technology	IGBT感应加热 IGBT Induction heating		
水泵 Water pump	内置 Built-in		
冷却方式 Cooling method	水冷 Water-cooling		

熔金机 Gold Melting Machine



KYG0717 中频熔金机
Gold Melting Furnace

型号 Model	KYG-H8	KYG-H10
电源 Source	380V	
功率 Power	25KW	
适用金属 Applicable Metals	黄金,K金,银,铜及其合金 Gold, K gold, silver, copper and their alloys	
熔化时间 Melting Time	4-5 minutes	
最大容量 Maximum Capacity	黄金:8kg;银:4.5kg Gold Silver	黄金:10kg;银:5kg Gold Silver
最高工作温度 Temperature	1600°C	
K型热电偶 K Type Thermocouple	选配 Optional	
机身尺寸 Machine Size	680*500*1180mm	
重量 Weight	72kg	
加热技术 Heating Technology	IGBT感应加热 IGBT Induction heating	
水泵 Water Pump	内置 Built-in	
冷却方式 Cooling Method	水冷 Water-cooling	



KYG0718 倾倒熔金机
Gold Melting Furnace

型号 Model	KYG-TB4	KYG-TB5	KYG-TB10
电源 Source	380V	380V	380V
功率 Power	15KW	15KW	15KW
适用金属 Applicable Metals	黄金、K金、银、铜 Gold, Gold, Silver And Copper		
熔化时间 Melting Time	3-4minutes	3-4minutes	5-6minutes
最大容量 Maximum Capacity	黄金:4kg;银:2kg (Gold) (Silver)	黄金:5kg;银:2.5kg (Gold) (Silver)	黄金:10kg;银:5kg (Gold) (Silver)
最高工作温度 Temperature	1600°C		
机身尺寸 Machine Size	740*500*1360mm		
重量 Weight	95kg		
加热技术 Heating Technology	IGBT感应加热 Igbt Induction Heating		
水泵 Water Pump	内置 Internally Installed		
冷却方式 Cooling Method	水冷 Water-Cooling		



KYG0719 中频熔铂金机
Platinum Melting Furnace

型号 Model	KYG-B1	KYG-B2	KYG-B4
电源 Source	380V	380V	380V
功率 Power	15KW	15KW	15KW
适用金属 Applicable Metals	铂、钯、黄金 Platinum, Palladium, Gold		
熔化时间 Melting Time	2minutes		
最大容量 Maximum Capacity	1kg铂金(Platinum)	2kg铂金(Platinum)	4kg铂金(Platinum)
最高工作温度 Temperature	2600°C		
机身尺寸 Machine Size	680*500*1180mm		
重量 Weight	88kg		
加热技术 Heating Technology	IGBT感应加热 IGBT Induction Heating		
水泵 Water Pump	内置 Internally Installed		
冷却方式 Cooling Method	水冷 Water-Cooling		



真空铸锭机 Vacuum Bullion Casting Machine



KYG0720 真空金锭机
Vacuum Bullion Casting Machine

型号 Model	KYG-JD1	
电源 Power Supply	380V	
功率 Power	15KW	
适用金属 Suitable Metal	黄金,K金,银 Gold, Gold And Silver	
铸造时间 Casting Time	12 minutes	
最大容量 Maximum Capacity	2kg金锭 Gold	1kg银锭 Silver
机身尺寸(mm) Machine Size (mm)	1000*800*1350mm	
重量 Weight	205kg	
保护气体 Protective Gas	氮气或氩气 Nitrogen Or Argon	
真空泵 Vacuum Pump	63m³/hour	
加热技术 Heating Technology	电磁感应加热方式 Electromagnetic Induction Heating Mode	
铸造模式 Casting Mode	自动模式和手动模式 Automatic Mode And Manual Mode	



KYG0721 真空金锭机
Vacuum Bullion Casting Machine

型号 Model	KYG-JD4	KYG-JD12.5
电源 Power Supply	380V	
功率 Power	45KW	
适用金属 Suitable Metal	黄金,K金,银 Gold, Gold And Silver	
铸造时间 Casting Time	15 minutes	
最大容量 Maximum Capacity	4块1kg金锭 4 Pieces Of 1kg Gold Ingots	1块12.5kg金锭 1 Pieces Of 12.5kg Gold Ingots
机身尺寸(mm) Machine Size(mm)	1450*620*1080mm	1600*650*1200mm
重量 Weight	295kg	350kg
保护气体 Protective Gas	氮气或氩气 Nitrogen or argon	
真空泵 Vacuum Pump	63m³/hour	
加热技术 Heating Technology	电磁感应加热方式 Electromagnetic Induction Heating Mode	
铸造模式 Casting Mode	自动模式和手动模式 Automatic Mode And Manual Mode	



KYG0722 造粒机
Granulating Machine

型号 Model	KYG-JL15	KYG-JL25	KYG-JL35
电源 Power Supply	380V		
功率 Power	15KW	25KW	35KW
适用金属 Suitable Metal	黄金/K金/银/铜及其合金 Gold/gold/silver/copper And Their Alloys		
铸造方法 Casting Method	重力造粒 Gravity Granulation		
最大容量 Maximum Capacity	黄金:6kg;银:3kg (Gold) (Silver)	黄金:15kg;银:8kg (Gold) (Silver)	黄金:30kg;银:16kg (Gold) (Silver)
机身尺寸(mm) Machine Size (mm)	1200*530*1200mm		
重量 Weight	150kg	180kg	200kg
铸造材料 Casting Material	颗粒 Granule		

连续铸造机 Continuous Casting Machine



KYG0723 连续铸造机
Continuous Casting Machine

型号 Model	KYG-LS4	KYG-LS8
电源 Power Supply	380V	380V
功率 Power	15KW	25KW
适用金属 Suitable Metal	黄金,银,铜及其合金 Gold, silver, copper and their alloys	
熔化时间 Melting Time	5 minutes	
最大容量 Maximum Capacity	黄金:4kg;银:2.5kg Gold Silver	黄金:8kg;银:4kg Gold Silver
铸造应用 Foundry Application	板料,圆条,方条,圆管 Sheet, Round Strip, Square Strip, Round Tube	
最高温度 Maximum Temperature	1600°C	
K型热电偶 Thermocouple	1100°C	
测温精度 Temperature Measurement Accuracy	±2°C	
机身尺寸 Machine Size	1120*840*1560mm	
重量 Weight	195kg	205kg
气体保护 Gas Shield	氩气或氮气 Argon Or Nitrogen	
加热方式 Heating Addition	感应加热 Induction Heating	
温度控制 Temperature Control	PID控制 PID Control	



KYG0724 真空造粒机
Vacuum Granulating Machine

型号 Model	KYG-VS5	KYG-VS10	KYG-VS20
电源 Power Supply	380V	380V	380V
功率 Power	15KW	25KW	35KW
铸造系统 Casting System	真空铸造系统 Vacuum Casting System		
适用金属 Suitable Metal	黄金,银,铜及其合金 Gold, Silver, Copper And Their Alloys		
熔化时间 Melting Time	5-6 minutes		
最大容量 Maximum Capacity	黄金:5kg;银:2.5kg Gold Silver	黄金:10kg;银:5kg Gold Silver	黄金:20kg;银:10kg Gold Silver
最高温度 Maximum Temperature	1600°C		
K型热电偶 Thermocouple	1100°C		
测温精度 Temperature Measurement Accuracy	±2°C		
机身尺寸(mm) Machine Size (mm)	730*935*1600	800*1020*1700	850*1050*1800
重量 Weight	175kg	235kg	265kg
温度控制 Temperature Control	PID控制 PID control		
气体保护 Gas Shield	氩气 Argon		
铸造室尺寸 Casting Chamber Size	D275*H1100mm	D330*H840mm	D385*H1000mm



KYG0725 DIY迷你倒模机
DIY Mini Casting Machine

型号 Model	KYG-DIY1
电源 Power Supply	220V
功率 Power	5KW可调 5kw adjustable
适用金属 Suitable Metal	铂、钯、钛、黄金、K金、银、铜等 Platinum, Palladium, Titanium, Gold, Silver, Copper, Etc.
融化时间 Melting Time	约5-6分钟 About 5-6 minutes
最大容量 Maximum Capacity	黄金Gold:150g
最高工作温度 Maximum Working Temperature	2600°C
机身尺寸 Machine Size	540*230*495mm
重量 Weight	48kg
铸造方法 Casting Method	反转式真空加压铸造方式 Reverse Vacuum Pressure Casting Method
加热方式 Mode Of Heating	电磁感应加热方式 Electromagnetic Induction Heating Mode

真空泵 Vacuum Pump



KYG0726 南光抽真空泵
Vacuum Pump

项目 \ 型号		2x-4	2x-8	2x-15	2x-30	2x-70
极限压力Pa		6x10 ⁻²				
抽气速率L/S		4	8	15	30	70
噪声(声功率级) dB		72	75	80	82	86
不喷油时间min		3				
温升℃		40				
配用电动机	功率KW	0.55	1.1	1.5	3	5.5
	转速rpm	1400		1420		1440
配用三角皮带	型号/长度mm	A/889	A/965	A/1120	A/1400	A/1600
	根数	1	1	2	3	4
用油	牌号	100号真空泵油				
	数量L	1.1	1.3	2.5	4.5	8
泵主轴转速rpm		525	550	470	430	450
进气口直径mm		28	34	60	70	90
重量KG		67	86	138	245	400
进气口连接方式		橡胶管与进气口连接		用法兰与泵体连接		
冷却方式		风冷	风冷	风冷	水冷	水冷



KYG0727 抽真空泵(压铸铝)
Vacuum Pump

型号 Model		020X	040X	065X	100X	140X	160X
抽气速率(50Hz)Flow Rate(50Hz)		20	40	65	100	140	160
极限压力Ultimate Vacuum	关气镇 close Gas ballast	≤0.5	≤0.5	≤0.5	0.5	0.5	0.5
	气镇 I Gas ballast I	/	≤0.8	≤0.8	≤0.8	≤0.8	≤0.8
	气镇 II Gas ballast II	/	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
水汽允许压强 Allowable Pressure Of Water Vapor (mbar)	气镇 I Gas ballast I	/	15	15	15	15	15
	气镇 II Gas ballast II	/	30	30	30	30	30
电机功率 Power(Kw)		0.75	1.1	1.5	3.0	4.0/4.5	4.5
转速(50Hz)Speed(50Hz)(rpm)		3000/3600	1440/1720	1440/1720	1450	1450	1450
噪声 Noise(dB)		64	64	65	65	65	68
进气口径 AirIntake Diameter(Inch)		G1-1/2	G1-1/4	G1-1/4	G1-1/4	G 1-1/2	G 1-1/2
排气口径 Exhaust Diameter(Inch)		G1-1/2	G1-1/4	G1-1/4	G1-1/4	G 1-1/4	G 1-1/2
冷却方式 Cooling Method		风冷 Air	风冷 Air	风冷 Air	风冷 Air	风冷 Air	风冷 Air
尺寸 Dimensions(mm)		316.5x246x226	553x306x269	553x312.5x269			
重量 Weight(Kg)		19.5	39	42.3	69	90	142
特殊要求 Special Requests		可根据要求,配置变频、防腐蚀、防爆等 Can be configured with frequency conversion,anti-corrosion,explosion-proof, etc. according to requirements					



KYG0728 抽真空泵(铸铁)
Vacuum Pump

真空泵型号		20X	28X	40X	65X	100X	140X	160X	200X	300X	350X	400X	450X	500X	630X
抽气速率(50Hz)		m3/h	20	28	40	65	100	140	160	200	300	350	400	450	630
极限真空度		mbar	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
电机功率		KW	0.75	0.75	1.5	2.2	3.0	4.0/4.5	4.5	5.5	7.5	7.5	11	11	15
转速(50Hz)		rpm	2880	1450	1450	1450	1450	1450	1450	1450	1450	1450	970	970	1000
噪音		dB	64	64	64	65	65	65	68	70	70	72	76	76	79
连接	进气口径	Inch	G1/2	G1/2	G1-1/4	G1-1/4	G1-1/4	G1-1/4	G1-1/2	G2	G2	G2	DN100	DN100	DN100
	排气口径	Inch	G1/2	G1/2	G1-1/4	G1-1/4	G1-1/4	G1-1/4	G1-1/2	G2	G2	G2	DN80	DN80	DN80
冷却方式			风冷/水冷	风冷	风冷	风冷	风冷	风冷	风冷	风冷/水冷	风冷/水冷	风冷/水冷	风冷	风冷	风冷/水冷
重量		Kg	21	30	44	54	69	90	142	160	198	220	430	460	670
特殊要求		可根据要求, 配置变频、防腐蚀、防爆等													

迷你连体倒模机
Mini Vacuum Investing & Casting Machine



KYG0729 4L 连体倒模机
Mini Vacuum Investing & Casting Machine

产品编号 ITEM NO.	KKD-4L
功率 POWER	550W
电压 Votlage	220V
抽真空台尺寸 Inve stment Plate Size	300 × 300mm
真空罩尺寸 Bell Jar	φ240 × H260mm
机配钢铃尺寸 Casting Flasks	3.5"/4" × 7"(inch)
铸造室尺寸 Casting Flasks	φ105 × H215mm
机身尺寸 Machine Room	300 × 600 × 700(mm)
机器包装尺寸 Dimension	380 × 650 × 1050 (mm)
包装重量 Shipping dimension	75kg



KYG0730 2L 连体倒模机
Mini Vacuum Investing & Casting Machine

产品编号 ITEM NO.	HH-CM01(2L)
功率 POWER	375W(1/2HP)
电压 Votlage	220V/110V
抽真空台尺寸 Inve stment Plate Size	280X280mm
真空罩尺寸 Bell Jar	280X200mm
机身尺寸 Machine Room	480X300X470(mm)
包装尺寸 Dimension	885X355X515(mm)
包装重量 Shipping dimension	40kg



KYG0731 4L/6L 连体倒模机
Mini Vacuum Investing & Casting Machine

产品名称 Item Mame	HH-CM03(4L)	HH-CM05(6L)
功率 Casting Power	750W(1HP)	1KW(1.5HP)
电压 Votlage	220V/110V	220V/110V
抽真空工作台尺寸 Investment Plate Size	280*280mm	400*400mm
真空罩尺寸 Bell Jar	280*200mm	375*300mm
最大使用钢铃尺寸 Maximum Casting Flasks	3.5*4(inch)	5*8(inch)
真空室尺寸 Casting Room	140*190mm	160*220mm
机身尺寸 Dimension	680*330*460(mm)	680*450*500(mm)
机器包装尺寸 Machine Shipping Dimension	770*470*740(mm)	770*550*580(mm)
包装重量 (含木箱) Weight	52kg	70kg



连体倒模机 Vacuum Investing & Casting Machine



KYG0732
连体倒模机
Vacuum Investing & Casting Machine
8L/15L

产品编号 Item No.	8L	15L
铸造功率 Casting Power	1.1KW	1.5KW
电压 Votlage	220V/380V	220V/380V
抽真空工作台尺寸 Investment PI Ate Size	450 × 450MM	550 × 520MM
真空罩尺寸 Bell Jar	φ397(320) × H310MM	φ490(420) × H350MM
最大使用钢铃尺寸 Maximum Casting Flasks	3.5"/4" × 8"(inch)	3.5"/4" × 10"(inch)
真空室尺寸 Casting Room	φ105 × H215MM	φ105 × H260MM
机身尺寸 Dimension	450 × 800 × 830(MM)	550 × 950 × 990(MM)
机器包装尺寸 Machine Shipping Dimension	550 × 890 × 1180(MM)	670 × 1050 × 1450(MM)
包装重量 Gross Weight	KG	KG

迷你抽真空机 Mini Vacuum Investing Machine



KYG0735 抽真空机
Vacuum Investing Machine 2L/4L

产品编号 Item No.	HH-CM02(2L)	HH-CM04(4L)
铸造功率 Casting Power	375W	750W
电压 Votlage	220V/110V	220V/110V
抽真空工作台尺寸 Investment PI Ate Size	280 × 280MM	280 × 280MM
真空罩尺寸 Bell Jar	φ280 × H200MM	φ280 × H200MM
最大使用钢铃尺寸 Maximum Casting Flasks	3.5"/4" × 6"(inch)	3.5"/4" × 7"(inch)
机身尺寸 Dimension	380 × 280 × 460(MM)	480 × 300 × 470(MM)
机器包装尺寸 Machine Shipping Dimension	650 × 410 × 550(MM)	885 × 355 × 515(MM)
包装重量 Gross Weight	27.5KG	40KG



KYG0733 抽真空机(带振动)
Vacuum Investing Machine (Vibration)
15L

产品编号 Item No.	15L
铸造功率 Casting Power	1.5KW
电压 Votlage	220V/380V
抽真空工作台尺寸 Investment PI Ate Size	550 × 510MM
真空罩尺寸 Bell Jar	φ490(420) × H350MM
最大使用钢铃尺寸 Maximum Casting Flasks	3.5"/4" × 10"(inch)
机身尺寸 Dimension	560 × 740 × 1060(MM)
机器包装尺寸 Machine Shipping Dimension	670 × 850 × 1450(MM)
包装重量 Gross Weight	KG



KYG0736
铸造熔金一体机2L
Casting & Melting Machine 2L

产品编号 Item No.	HH-CM06
铸造功率 Casting Power	400W
熔金功率 Melting Power	1.5KW
电压 Votlage	220V/110V
抽真空工作台尺寸 Investment PI Ate Size	200 × 200MM
真空罩尺寸 Bell Jar	195 × 250MM(Diameter × High)
最大使用钢铃尺寸 Maximum Casting Flasks	4 × 7(inch)
真空罩尺寸 Casting Room	140 × 190MM (Diameter × High)
机身尺寸 Dimension	470 × 500 × 360(MM)
机器包装尺寸 Machine Shipping Dimension	510*510*530(MM)
包装重量 Gross Weight	39KG



KYG0734 真空吸索铸造机(A款)
Vacuum Casting Machine
容量(Capacity): 15L/30L 功率(Power): 1.5KW/3KW
机身尺寸(Dimension): 620 × 720 × 820mm



KYG0734 真空吸索铸造机(B款)
Vacuum Casting Machine
5寸: 650 × 515 × 780mm
8.6寸: 750 × 600 × 770mm



KYG0737 小型真空搅拌机
Investment Mixer

产品编号 Item No.	小型真空搅拌机
功率 Power	750W(1HP)
电压 Votlage	220V/110V
抽真空台尺寸 Investment Plate Size	280X280mm
真空罩尺寸 Bell Jar	280X200mm
机身尺寸 Casting Room	480X300X470(mm)
包装尺寸 Dimension	885X355X515(mm)
包装重量 Shipping dimension	40kg



真空罩/布袋 Vacuum Bell Jar/Cloth Bag



KYG0738 搅拌机B5
Investment Mixer
Weight:28kg Capacity:5L
Size:360×240×400mm



KYG0739 有机玻璃罩(抽真空)
Vacuum Bell Jar
No.1 2L φ 195xH250mm
No.2 4L φ 280xH200mm
No.3 6L φ 375 xH300mm
No.4 8L φ 397(320) xH310mm
No.5 15L φ 490(420) xH350mm



KYG0740 烟雾净化器(三层过滤)
Smoke Purifying Filter
(Multi-Layer Filtration)
No.500W/220V/52db/235m³/h
机身尺寸: 320×310×400mm
重量: 13.4kg




KYG0741 台式抛光机
Polishing Motor
350W/220V/10000RPM
Size:300×115×135mm



KYG0742 台式砂轮机
Grindstone Machine
300W/220V/10000RPM
Size:100×170×120mm




KYG0743 双头尖打磨机
DM-3 Polishing Motor
200W/220V/7000RPM
Size:340×125×135mm



KYG0744 双口布袋
Double-Mouth Cloth Bag




KYG0745 单口布袋
Single Cloth Bag



KYG0746 小执模布袋(厚)
Small Mold Holding Cloth Bag (Thick)



KYG0747 小执模布袋(薄)
Small Mold Holding Cloth Bag (Thin)



KYG0748 4格布袋
4 Cloth Bags



KYG0749 8格布袋
8 Cloth Bags



KYG0750 执模抽风扇
Mold Exhaust Fan
Size1:95×95×126mm(小)
Size2:124×124×170mm(大)



KYG0751 长城牌真空油
Vacuum Oil
NO.10L

中央吸尘机 Central Dust Collector



KYG0752 12个位中央吸尘机
Central Dust collector 12-Ended
Size:1080X950X2600mm 390kg
4kw/380V/12个位



KYG0753 高速飞碟机
Hight Speed Lapping Machine
550w/220v/2800rpm
Size:400×300×500mm
包装size:430x400x610mm
Weight:19kg



KYG0754 DM-2小型吸尘打磨机
Polishing Machine With Dust Collector
No.550W/220V/2800rpm
Size:580×280×430mm
Weight:21kg



KYG0755 DM-5吸尘打磨机
Polishing Machine With Dust Collector
No.200W/220V/ 8000rpm
Size:320×450×220mm
包装尺寸(Packing size): 520×370×280mm
Weight: 11kg



KYG0756 DM-1吸尘打磨机(台式)
Polishing Machine With Dust Collector
No.750W/220V/3600RPM
Size:830×550×320mm
Weight:35kg



KYG0757 DM-8变频吸尘打磨机
Polishing Machine With Dust Collector
No.550W/110/220V/500-4200rpm
Size:435×320×270mm
Weight:15kg




KYG0758 切水口机(水磨)
Wet-Micromotor Machine
电压(Voltage): 220V
功率(Power): 550W
转速(Rev): 1400rpm
Size:820×510×160mm
Weight:46kg



KYG0759 单位变频吸尘打磨机
Frequency Polishing Machine
电压(Voltage): 220V
功率(Power): 750W
转速(Rev): 6000rpm
Size:950×610×1120mm
Weight:62kg



静音双重过滤打磨机 Polishing Machine



KYG0760 双位吸尘打磨机
Polishing Machine With Mute
Dust Collector 2 Motors
电压(Voltage): 220V
功率(Power): 550W × 2pcs
吸尘功率(Dust Suction Power): 550W × 2pcs
转速(Rev): 2800RPM
Size: 1500 × 610 × 1200mm
Weight: 110kg


KYG0761 单位吸尘打磨机
Polishing Machine With Central
Dust Collector 1 Motor
电压(Voltage): 220V
功率(Power): 550W
吸尘功率(Dust Suction Power): 550W
转速Rev: 2800RPM
Size: 950 × 610 × 1200mm
Weight: 62kg




KYG0762 打磨机/飞碟一体机
Polishing Machine With Central
Dust Collector 1 Motor
电压Voltage: 220V
功率Power: 550W × 2pcs
吸尘功率Dust Suction Power: 750W
转速Rev: 2800RPM
Size: 950 × 610 × 1200mm
Weight: 76kg

KYG0763 双位变频吸尘打磨机
Polishing Machine With Frequency
Dust Collector 2 Motors
电压Voltage: 220V
功率Power: 750W × 2pcs
吸尘功率Dust Suction Power: 550W × 2pcs
转速Rev: 6000RPM
Size: 1500 × 610 × 1200mm
Weight: 110kg


吸尘打磨机 Polishing Machine




KYG0764 双位吸尘打磨机
Double Ended Polishing Machine
打磨功率Power: 550W × 2
吸尘功率Polishing power: 1100W
电压Voltage: 220V
重量Weight: 109kg




KYG0765 飞碟吸尘打磨机
Lapping & Polishing Machine
打磨功率Power: 550W × 2
吸尘功率Polishing power: 1100W
电压Voltage: 220V
重量Weight: 109kg



KYG0766 双位吸尘打磨机
Double Ended Polishing Machine
打磨功率Power: 550W × 2
吸尘功率Polishing power: 750W
电压Voltage: 220V
重量Weight: 90kg



KYG0767 双位吸尘打磨机
Double Ended Polishing Machine
吸尘功率Polishing power: 750W
电压Voltage: 220V
重量Weight: 63kg



KYG0768 单位吸尘打磨机
Polishing Machine
打磨功率Power: 550W
吸尘功率Polishing power: 550W
电压Voltage: 220V
重量Weight: 55kg

KYG0769 单位吸尘飞碟机
Lapping Machine
打磨功率Power: 550W
吸尘功率Polishing power: 550W
电压Voltage: 220V
重量Weight: 55kg

KYG0770 双用打磨机/飞碟机
Double Use Polishing Machine
打磨功率Power: 550W × 2
吸尘功率Polishing power: 550W
电压Voltage: 220V
重量Weight: 69kg



光纤激光打标机 Fiber Laser Marking Machine




KYG0771 光纤雕刻机

功率	10W	20W	30W	50W
激光波长	1060nm			
重复频率	0-1000kHz			
光束质量	<2	<3		<5
雕刻线速	≤7000mm/s			
最小线宽	0.01mm			
最小字符	0.15mm			
重复精度	±0.002			
供电电源	单线交流90-260V/50Hz-60Hz			
整机耗电	500W		1000W	
雕刻深度	≤0.3mm	≤0.5mm		≤1.0mm
操作系统	Win98/Win2000/WinXP			
冷却方式	内置风冷			
控制接口	标准USB			
打标范围	30mm/30mm-300mm/300mm			
文件格式	Windows操作系统字库的所有字体/字型			



KYG0772 光纤激光打标机
Fiber Laser Marking Machine
机器尺寸: 710 × 300 × 550mm
Weight: 38kg



KYG0773 光纤激光打标机
Fiber Laser Marking Machine
支架尺寸: 400 × 600 × 550mm
机箱尺寸: 210 × 450 × 540mm
Weight: 50kg



KYG0774 光纤激光打标机
Fiber Laser Marking Machine
机器尺寸: 530 × 340 × 650mm
Weight: 18kg



KYG0775 光纤激光打标机
Fiber Laser Marking Machine
60W
机器尺寸: 780 × 480 × 750mm
Weight: 55kg



KYG0776 光纤激光打标机
Fiber Laser Marking Machine
20W/30W/50W
机器尺寸: 600 × 800 × 1500mm
Weight: 78kg



KYG0777 光纤激光打标机
Fiber Laser Marking Machine
20W/30W/50W
机器尺寸: 600 × 750 × 1500mm
Weight: 75kg



KYG0778 光纤激光打标机
Fiber Laser Marking Machine
20W/30W/50W
机器尺寸: 800 × 700 × 1500mm
Weight: 75kg

激光点焊机 Laser Spot Welding Machine

适用范围:

- ◆ 可以使不同类型金属焊接 Joining of different metal
- ◆ 焊点小, 受热范围小, 能修复镶嵌宝石首饰
Repairing temperature sensitive pieces, such as area close to gem stones
- ◆ 多部件接合焊接 Assembling of jewellery parts
- ◆ 补沙孔 Holes and porosity filling
- ◆ 古董金银器修复 Antique repaired
- ◆ 钛金属眼镜框修复 Titanium spectacle frames repairing
- ◆ 操作方便、速度快、效率高。
Repair stainless steel jewellery and watches

激光工作物质 Laser source type	Nd:YAG	
最大激光功率 Laser Max power	200W	400W
激光电源功率 Power	6.0KW	9.0KW
焊接最小熔池 Minimum furnace hearth	0.1mm	
波长 Wavelength	1064nm	
脉冲宽度 Pulse duration	≤20ms	
脉冲频率 Pulse frequency	50Hz	
光点大小 Spot diameter	0.2-3.0mm	
聚焦系统 Focusing optics	显微镜+滤光防护 Stereomicroscope with antidazzle protection	
光点调节范围 Spot range	0.1-3.0mm	
供电电源 Power supply	220V	380V
规格 Dimension	主机: 670x1080x1200mm 冷水机: 360x680x590mm	主机: 1030x590x1200mm 冷水机: 560x630x1000mm
包装重量 Gross Weight	180kg	230kg



KYG0779 激光点焊机
Laser Spot Welding Machine

KYG0780 激光点焊机(200w) Laser Spot Welding Machine

镭射管电流可调: 1%-100%
Laser tube current adjustable
激光频率: 1-20Hz
Laser frequency
脉冲宽度: 0.1-10ms
Pulse width
最大激光输出功率: 200瓦
Maximum laser output power
电功率峰值: 6KW/220V
Peak value of electric power
焊接深度: 3*3*5mm
Welding depth
光斑可调: -3.0-0.1mm~3mm
Adjustable spot
观察系统: 显微镜+CCD视频
Observation system: microscope +CCD video
水箱: 25L
Water tank
风冷主机耗电量: 2KW/h
Power consumption of air-cooled main engine
机身尺寸: 1060 × 580 × 1280mm
Machine size
木箱尺寸: 1080 × 680 × 1300mm
Size of wooden box
总重量: 200kg
Total weight



KYG0781 激光点焊机(400w) Laser Spot Welding Machine

氙灯数量: 双灯金腔
Number of xenon lamps: double-lamp gold cavity
氙灯规格: 8*125*270mm
Xenon lamp specification
电流可调: 30A-200A
Adjustable current
激光频率: 1-30Hz
Laser frequency
脉冲宽度: 0.1-10ms
Pulse width
最大激光输出功率: 400瓦
Maximum laser output power
电功率峰值: 12KW/380V
Peak value of electric power
焊接深度: 3*3*5mm
Welding depth
光斑可调: -3.0-0.1mm~3mm
Adjustable spot
观察系统: 显微镜+CCD
Observation system: microscope +CCD
视频冷水机: 7200瓦
Video Chiller
制冷量主机耗电量: 3KW/h
Power consumption of refrigeration main engine
机器尺寸: 1200 × 580 × 1300mm
Machine size
水箱尺寸: 850 × 530 × 1100mm
Size of water tank



激光点焊机 Laser Spot Welding Machine

KYG0782 200W激光点焊机
Laser Spot Welding Machine

镭射管电流可调: 30A-200A
Laser Tube Current Adjustable
激光频率: 1-30Hz
Laser Frequency
脉冲宽度: 0.1-10ms
Pulse Width
激光输出功率: 200W
Laser Output Power
电功率峰值: 6KW/220V
Peak Value Of Electric Power
焊接深度: 3×3×5mm
Welding Depth
光斑可调: -3.0~0.1mm~3mm
Adjustable Spot
观察系统: 显微镜+CCD视频
Observation System
机身尺寸: 1000×580×1250mm
Body Size
木箱尺寸: 1080×680×1300mm
Size Of Wooden Box



KYG0783 200W激光点焊机
Laser Spot Welding Machine

激光器类型: ND: YAG 单支镭射管
Laser Type: Nd
功率可调: 1%~100%
Adjustable Power
激光频率: 1-20Hz
Laser Frequency
脉冲宽度: 0.1-10ms
Pulse Width
激光器输出最高功率: 200瓦
Maximum Output Power Of Laser
电功率峰值: 6KW
Peak Value Of Electric Power
焊接深度: 3*3*5mm 光斑可调: 0.1mm-3mm
Welding Depth: 3*3*5mm; Adjustable Spot: 0.1mm-3mm.
观察系统: 显微镜
Observation System: Microscope
冷水机: 制冷量1600瓦 (1P冷水机)
Chiller: The Refrigerating Capacity Is 1600 Watts (1p Chiller).
主机耗电量: 2KW/h
Power Consumption Of Host
电力需求: 单相电Ac220V
Power Demand: Single-phase Ac220v V.
可焊接材料: 黄金、玫瑰金、18K、925银、铜
Weldable Materials: Gold, Rose Gold, 18k, 925 Silver And Copper.
机器尺寸: 900*530*1220mm
Machine Size
木箱尺寸: 1020*610*1210mm
Size Of Wooden Box
重量: 160Kg, 不包括冷水机.
Weight: 160kg, Excluding The Water Cooler.



KYG0784 150W激光点焊机
Laser Spot Welding Machine

激光器类型: ND: YAG
Laser Type: Nd: Yag
单支规格: 7*130
Single Specification
镭射管规格: 8*100*250
Laser Tube Specification
电流可调: 1%-100%
Adjustable Current
激光频率: 1-20Hz
Laser Frequency
脉冲宽度: 0.1-10ms
Pulse Width
最大激光输出功率: 150瓦
Maximum Laser Output Power
电功率峰值: 2KW
Peak Value Of Electric Power
焊接深度: 3*3*5mm
Welding Depth
光斑可调: 0.1mm-3mm
Adjustable Spot
观察系统: 显微镜
Observation System: Microscope
冷水机: 自然风冷
Chiller: Natural Air Cooling
主机耗电量: 1KW/h
Power Consumption Of Main Engine: 1kw/h
电力需求: 单相电Ac220V
Power Demand: Single-phase Ac220v
可焊接材料: 黄金、玫瑰金、18K、925银、铜
Weldable Materials: Gold, Rose Gold, 18k, 925 Silver And Copper.
机器尺寸: 800×500×400mm
Machine Size
装箱后的木箱尺寸960×610×700mm
The Size Of The Boxed Wooden Case



A1. 带视频显示屏



A2. 不带视频显示屏


KYG0785 400W激光点焊机
Laser Spot Welding Machine

激光工作物质 Nd:YAG
Laser Working Substance
激光波长 1064nm
Laser Wavelength
激光类型 4类
Laser Type
脉冲输出能量 0.5-120J
Pulse Output Energy
平均激光功率 400W
Average Laser Power
脉冲宽度 1-20ms
Pulsewidth
脉冲频率 0.1-50Hz
Impulse Frequency
光斑直径 0.1-3.0mm
Spot Diameter
聚集系统 显微镜+自动滤光防护系统
Aggregation System
冷却系统 外置循环水冷系统
Cooling System
供电电源 380V 50Hz
Power Supply
主机尺寸 1,030Lx470Wx1,200H(mm)
Host Size
冷水机尺寸 560Lx600Wx1000H(mm)
Chiller Size
整机净重 净重180kg/毛重230kg
Weight



激光点焊机 Laser Spot Welding Machine

KYG0786




微型首饰点焊机

- ◆ 自动抽水一键操作
- ◆ 风冷散热降低了使用和维护成本
- ◆ 显微镜和内置摄像系统, 观察更方便
- ◆ 体积小巧设计紧凑, 节省了空间
- ◆ 彩色触摸屏, 友好的人机交互界面

用途:

适用于金银首饰激光焊接、首饰激光点焊加工,
不锈钢首饰激光焊接, 各类首饰激光点焊, 以
及精细金属零件手工激光焊接。

KYG0787



Mini Jewelry Spot Welding Machine

- ◆ One-key Operation Of Automatic Pumping.
- ◆ Air Cooling Reduces The Use And Maintenance Costs.
- ◆ Microscope And Built-in Camera System Make Observation More Convenient.
- ◆ Small Size And Compact Design, Saving Space.
- ◆ Color Touch Screen And Friendly Human-computer Interaction Interface.

Use:

Suitable For Laser Welding Of Gold And Silver Jewelry And Laser Spot Welding Of Jewelry.
Laser Welding Of Stainless Steel Jewelry, Laser Spot Welding Of All Kinds Of Jewelry To
And Manual Laser Welding Of Fine Metal Parts.

KYG0788



	KYG0786	KYG0787	KYG0788
输入电压 Input Voltage	AC220V ± 10% 50HZ	AC220V ± 10% 50HZ	AC220V ± 10% 50HZ
激光频率 Laser Frequency	1. 0~15HZ连续可调 1. 0~15HZ Continuously Adjustable	1. 0~15HZ连续可调 1. 0~15HZ Continuously Adjustable	1. 0~100HZ连续可调 1. 0~100HZ Continuously Adjustable
脉冲宽度 Pulsewidth	0.1~10ms分级可调 0.1~10ms Grading Is Adjustable.	0.1~10ms分级可调 0.1~10ms Grading Is Adjustable.	0.1~20ms分级可调 0.1~20ms Grading Is Adjustable.
光斑调节范围 Spot Adjustment Range	± 3.0mm	± 3.0mm	± 3.0mm
最大激光功率 Maximum Laser Power	100W	150W	200W
最大激光脉冲能量 Maximum Laser Pulse Energy	40J	40J	60J
主机耗电功率 Power Consumption Of Main Engine	≤ 2KW	≤ 2KW	≤ 3.5KW
瞄准定位 Aiming And Positioning	OCD摄像系统和显微镜 OCD Camera System And Microscope	内置摄像系统和显微镜 Built-in Camera System And Microscope	内置摄像系统和显微镜 Built-in Camera System And Microscope
环境温度 Ambient Temperature	≤ 30℃	≤ 40℃	≤ 40℃
冷却方式 Cooling Mode	水循环风冷 Water Circulation Air Cooling	水冷 Water-Cooling	水冷 Water-Cooling
操作方式 Mode Of Operation	触摸控制 Touch control	触摸控制 Touch Control	触摸控制 Touch Control
激光波长 Laser Wavelength	1064nm	1064nm	1064nm
显示触屏尺寸 Display Touch Screen Size	7寸(inches)	7寸(inches)	7寸(inches)
整机体积 Volume	L510 × W395 × H420mm	L525 × W307 × H413mm	L630 × W400 × H503mm
整机净重 Machine Weight	28KG	26KG	44KG



压片压线机 Precision Sheet and Wire Rolling Mill

压片压线机 Precision Sheet and Wire Rolling Mill



KYG0789 5.5匹精密压片压线机
5.5P Precision Sheet and Wire Rolling Mill

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	15m/min
轧片厚度 Output Thickness	25-0.1mm
轧片宽度 Flat Length	<115mm
轧线规格 Wire Size	7x7-1x1 mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	Cr12MoV HRC 60-62
轧辊尺寸 Roller Size	φ 108x228mm
外形尺寸/重量 Size/Weight	长X宽X高(1200x640x1370)mm 600kg



KYG0792 7.5匹精密压线机
7.5P Precision Wire Rolling Mill

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	18.3m/min
轧线规格 Wire Size	7x7-1x1 mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 132x228mm
外形尺寸/重量 Size/Weight	长X宽X高(1340x750x1400)mm 900kg



KYG0790 7.5匹精密压片压线机
7.5P Precision Sheet and Wire Rolling Mill

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	18.3m/min
轧线规格 Wire Size	25-0.1mm
轧片厚度 Output Thickness	10x10-1.5x1.5 mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	Cr12MoV HRC 60-62
轧辊尺寸 Roller Size	φ 132x228mm
外形尺寸/重量 Size/Weight	长X宽X高(1340x750x1420)mm 900kg



KYG0793 10匹精密压线机
10P Precision Wire Rolling Mill

电机功率/电压 Motor/Voltage	7.5KW 三相 380V
轧辊转速 Roller Speed	21m/min
轧线规格 Wire Size	14x14-6x6 mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 151x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1430x760x1500)mm 1200kg



KYG0791 5.5匹精密压线机
5.5P Precision Wire Rolling Mill

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	15m/min
轧线规格 Wire Size	7x7-1x1 mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 108x228mm
外形尺寸/重量 Size/Weight	长X宽X高(1200x640x1370)mm 600kg



KYG0794 7.5匹双头压线机
7.5P Double Head Wire Rolling Mill

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	18.3m/min
轧线规格 Wire Size	20x20-1x1 mm 方线
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 132x228mm
外形尺寸/重量 Size/Weight	长X宽X高(1420x700x1430)mm 1500kg



压片压线机 Precision Sheet and Wire Rolling Mill



KYG0795 10匹双头压线机
10P Double Head Wire Rolling Mill


电机功率/电压 Motor/Voltage	7.5KW 三相 380V
轧辊转速 Roller Speed	13.1m/min
轧线规格 Wire Size	25x25-1x1 mm 方线
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 151x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1600x770x1500)mm 2200kg

压片压线机 Precision Sheet and Wire Rolling Mill



KYG0798 5.5匹精密压片机
5.5P Precision Rolling Mill

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	9.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 108x180mm
外形尺寸/重量 Size/Weight	长X宽X高(1200x640x1370)mm 600kg



KYG0796 15匹双头压线机
15-Horse Double-Head Wire Pressing Machine

电机功率/电压 Motor/Voltage	11KW 三相 380V
轧辊转速 Roller Speed	19m/min
轧线规格 Wire Size	30x30-6x6 mm 方线
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 180x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1700x1200x1560)mm 3000kg



KYG0799 5.5匹精密钨合金镜面压片机
5.5P Precsion Tungsten Carbide Rolling Mill

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	10.7m/min
轧片厚度 Output Thickness	22-0.1mm
轧辊材料 Roller Material	钨合金
轧辊硬度 Roller Hardness	HRA 92-93
轧辊尺寸 Roller Size	φ 123x152mm(合金长度120mm)
外形尺寸/重量 Size/Weight	长X宽X高(1200x640x1370)mm 600kg



KYG0797 4匹钨合金镜面压片机(带力矩电机收放卷)
4P Precsion Tungsten Carbide Rolling Mill(With Torque Motor Coiler)

电机功率/电压 Motor/Voltage	3KW 三相 380V
轧辊转速 Roller Speed	8.5m/min
轧线规格 Wire Size	22-0.1mm
轧辊材料 Roller Material	钨合金
轧辊硬度 Roller Hardness	HRA92-93
轧辊尺寸 Roller Size	φ 98x120mm(合金长度90mm)
外形尺寸/重量 Size/Weight	长X宽X高(920x1020x1300)mm 500kg



KYG0800 5.5匹钨合金镜面压片机(带力矩电机收放卷)
5.5P Precsion Tungsten Carbide Rolling Mill(With Torque Motor Coiler)

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	10.7m/min
轧片厚度 Output Thickness	22-0.1mm
轧辊材料 Roller Material	钨合金
轧辊硬度 Roller Hardness	HRA 92-93
轧辊尺寸 Roller Size	φ 123x152mm(合金长度120mm)
外形尺寸/重量 Size/Weight	长X宽X高(1320x1160x1370)mm 720kg



压片压线机 Precision Sheet and Wire Rolling Mill



KYG0801 5.5匹钨合金镜面压片机(带同步磁粉离合器收放卷)
5.5P Precision Tungsten Carbide Rolling Mill(With Torque Motor Coiler)

电机功率/电压 Motor/Voltage	4KW 三相 380V
轧辊转速 Roller Speed	10.7m/min
轧片厚度 Output Thickness	22-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	钨合金 HRA 92-93
轧辊尺寸 Roller Size	φ 123x152mm(合金长度120mm)
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1420x1260x1370)mm 800kg

压片压线机 Precision Sheet and Wire Rolling Mill



KYG0804 7.5匹精密钨合金镜面压片机(带同步磁粉离合器收放卷)
7.5P Precision Tungsten Carbide Rolling Mill
(With Magnetic Powder Clutch Coiler)

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	11.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	钨合金 HRA 92-93
轧辊尺寸 Roller Size	φ 132x180mm(合金长度120mm)
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1580x1350x1420)mm 1200kg




KYG0802 7.5匹精密压片机
7.5P Precision Rolling Mill

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	11.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 132x180mm
外形尺寸/重量 Size/Weight	长X宽X高(1340x750x1420)mm 950kg



KYG0805 7.5匹超精密数控压片机(带同步磁粉离合器收放卷)
7.5P Ultraprecision Numerical Control Rolling Mill
(With Magnetic Powder Clutch Coiler)

电机功率/电压 Motor/Voltage	5.5KW 三相 380V 升降伺服0.85kW
轧辊转速 Roller Speed	11.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	Cr12MoV HRC 60-62
轧辊尺寸 Roller Size	φ 132x180mm
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1420x1350x1600)mm 1300kg



KYG0803 7.5匹精密压片机(带同步磁粉离合器收放卷)
7.5P Precision Tungsten Carbide Rolling Mill(With Torque Motor Coiler)

电机功率/电压 Motor/Voltage	5.5KW 三相 380V
轧辊转速 Roller Speed	11.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	Cr12MoV HRA 92-93
轧辊尺寸 Roller Size	φ 132x180mm
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1580x1350x1420)mm 1200kg



KYG0806 7.5匹超精密钨合金数控压片机(带同步磁粉离合器收放卷)
7.5P Ultraprecision Numerical Tungsten Carbide Rolling Mill
(With Magnetic Powder Clutch Coiler)

电机功率/电压 Motor/Voltage	5.5KW 三相 380V 升降伺服0.85kW
轧辊转速 Roller Speed	11.4m/min
轧片厚度 Output Thickness	25-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	钨合金 HRA 92-93
轧辊尺寸 Roller Size	φ 132x180mm(合金长度150mm)
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1420x1350x1600)mm 1300kg



压片压线机 Precision Sheet and Wire Rolling Mill



KYG0807 10匹精密压片机
10P Precision Rolling Mill

电机功率/电压 Motor/Voltage	7.5KW 三相 380V
轧辊转速 Roller Speed	13.1m/min
轧片厚度 Output Thickness	30-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 151x180mm/ φ 151x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1430x760x1500)mm 1200kg

压片压线机 Precision Sheet and Wire Rolling Mill



KYG0810 15匹精密压片机
15P Precision Rolling Mill

电机功率/电压 Motor/Voltage	11KW 三相 380V
轧辊转速 Roller Speed	15.6m/min
轧片厚度 Output Thickness	30-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 180x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1530x840x1600)mm 1700kg




KYG0808 10匹精密数控压片机
10P Precision Numerical Tungsten Carbide Rolling Mill

电机功率/电压 Motor/Voltage	7.5KW 三相 380V 升降伺服:0.85kw
轧辊转速 Roller Speed	13.1m/min
轧片厚度 Output Thickness	30-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 151x180mm/ φ 151x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1430x760x1650)mm 1300kg




KYG0811 15匹超精密数控压片机
15P Ultraprecision Numerical Control Rolling Mill

电机功率/电压 Motor/Voltage	11KW 三相 380V 升降伺服:1.3kw
轧辊转速 Roller Speed	15.6m/min
轧片厚度 Output Thickness	30-0.1mm
轧辊材料 Roller Material	Cr12MoV
轧辊硬度 Roller Hardness	HRC 60-62
轧辊尺寸 Roller Size	φ 180x250mm
外形尺寸/重量 Size/Weight	长X宽X高(1530x840x1750)mm 1800kg



KYG0809 10匹超精密数控压片机(带同步磁粉离合器收放卷)
10P Ultraprecision Numerical Control Rolling Mill
(With Magnetic Powder Clutch Coiler)

电机功率/电压 Motor/Voltage	7.5KW 三相 380V
轧辊转速 Roller Speed	13.1m/min
轧片厚度 Output Thickness	30-0.1mm
轧辊材料/轧辊硬度 Roller Material/Roller Hardness	Cr12MoV HRC 60-62
轧辊尺寸 Roller Size	φ 151x180mm/ φ 151x250mm
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1430x1350x1650)mm 1800kg



KYG0812 15匹精密四辊压片机
15P Four Rollers Precision Rolling Mill

电机功率/电压 Motor/Voltage	11KW 三相 380V
轧辊转速 Roller Speed	20m/min
轧片厚度 Output Thickness	0.5-0.008mm(60mm宽紫铜片)≤ ± 0.0025mm
轧辊尺寸/轧辊硬度 Roller Size/Roller Hardness	DC53 φ 52x200mm HRC 60-63
轧辊材料 Roller Material	Cr12MoV φ 200x200mm HRC 60-62
磁粉离合器/收放卷电机 Magnetic Powder Coiler/Winding Motor	10kg(选装) 10kg:2.2KW
外形尺寸/重量 Size/Weight	长X宽X高(1570x1170x1600)mm 2200kg



拉线机 Drawing Machine

焊管机 Double Head Tube Welding Machine



KYG0813 12线眼拉线机
12 Dies Wire Drawing Machine

电机功率/电压 Motor/Voltage	4KW 三相 380V
拉线速度 Drawing Speed	89m/min
拉线范围 Wire Size	1.5-0.2mm
塔轮材料 Drawing Cone Material	Cr12MoV
塔轮硬度 Drawing Cone Hardness	HRC 60-62
外形尺寸 Size	长X宽X高(1700x780x1360)mm
重量 Weight	550kg



KYG0816 双头焊管机
Double Head Tube Welding Machine

电机功率/电压 Motor/Voltage	1.5KW 三相 380V
管模尺寸 Tube Die Size	φ 4-11.5mm
管模数量 Tube Die Amount	按客户要求规格随机配2套
管模硬度 Tube Die Hardness	HRC 52
机器转速 Die Speed	17r/min
氩弧焊机 Argon Weldert	220V-200A-2台
外形尺寸/重量 Size/Weight	长X宽X高(1500x746x1650)mm 600kg



KYG0814 3.8米气动拉管机
3.8M Pneumatic Tube Drawing Machine

电机功率/电压 Motor/Voltage	4KW 三相 380V
有效行程 Effective Distance	2.1ms
拉管范围 Tube Drawing Size	≤ 13mm
拉线范围 Wire Drawing Size	≤ 10mm
拉管速度 Drawing Speed	9m/min
冷却电泵 Electric Cooling Pump	三相 380V 60W
外形尺寸/重量 Size/Weight	长X宽X高(3850x580x980)mm 550kg



KYG0817 小号锤珠机
Small Size Bead Making Machine

电机功率 Power of motor	3KW
电压 Voltage	三相 380V
珠子规格 Bead specification	φ 2-6mm
锤珠速度 Hammer ball speed	3400颗/小时
外形尺寸 Outline dimension	长X宽X高(650x600x1230)mm
重量 Weight	600kg



KYG0815 松管机
Tube Core Loose Machine

电机功率 Motor	0.37KW
电压 Voltage	三相 380V
外形尺寸 Size	长X宽X高(700x500x955)mm
重量 Weight	150kg



KYG0818 大号锤珠机
Large Size Bead Making Machine

电机功率 Power of motor	3KW
电压 Voltage	三相 380V
珠子规格 Bead specification	φ 6-10mm
锤珠速度 Hammer ball speed	3400颗/小时
外形尺寸 Outline dimension	长X宽X高(650x600x1230)mm
重量 Weight	600kg



压片机 Electric Rolling Mill



KYG0819 钻石牌电动压片机(1.5HP)
Electric Rolling Mill
功率Power: 1.5HP/0.75KW/220V
滚轴直径(Roller Diameter): ϕ 75mm $\times$ L140mm
方槽(Square Groove):
0.8/1/1.2/1.5/2/3/4/5/6/7/8mm
压片宽度(Tablet Width): 75mm
轧辊转速(Roller Speed): 16r/min
轧辊材料(Roller Material): Cr12Mov HRC: 61-63
轧片厚度(Thickness of Rolled Sheet): 0.08-6mm
机身尺寸(Size): 350 $\times$ 425 $\times$ 1080mm
Weight: 145kg



KYG0820 钻石牌电动压片机(2HP)
Electric Rolling Mill
功率(Power): 2HP/1.1KW/220V/380V
滚轴直径(Roller Diameter): ϕ 80mm $\times$ L152mm
方槽(Square Groove): 0.8/1/1.2/1.5/2/3/4/5/6/7/8mm
压片宽度(Tablet Width): 82mm
轧辊转速(Roller Speed): 16r/min
轧辊材料(Roller Material): Cr12Mov HRC: 61-63
轧片厚度(Thickness of Rolled Sheet): 0.08-6mm
机身尺寸Size: 450 $\times$ 400 $\times$ 1300mm
Weight: 175kg




KYG0821 钻石牌电动压片机(3HP)
Electric Rolling Mill
功率(Power): 3HP/1.5KW/380V
滚轴直径(Roller Diameter): ϕ 86.5mm $\times$ L165mm
方槽(Square Groove): 7-11mm(共12条)
压片宽度(Tablet Width): 82mm
轧辊转速(Roller Speed): 18r/min
轧辊材料(Roller Material): Cr12Mov HRC: 61-63
轧片厚度(Thickness of Rolled Sheet): 0.1-7mm
机身尺寸Size: 500 $\times$ 430 $\times$ 1350mm
Weight: 200kg



KYG0822 KYG电动压片机(1.5HP)
KYG Electric Rolling Mill
功率Power: 1.5HP/1.1KW/220V
滚轴直径(Roller Diameter): ϕ 68mm $\times$ L140mm
方槽(Square Groove):
0.8/1/1.2/1.5/2/3/4/5/6/7/8mm
压片宽度(Tablet Width): 75mm
机身尺寸(Size): 350 $\times$ 425 $\times$ 1080mm
Weight: 123kg



KYG0823 KYG电动压片机(2HP)
KYG Electric Rolling Mill
功率(Power): 2HP/2.2KW/220V/380V
滚轴直径(Roller Diameter): ϕ 83mm $\times$ L160mm
方槽(Square Groove):
0.8/1/1.2/1.5/2/3/4/5/6/7/8/9mm
压片宽度(Tablet Width): 82mm
机身尺寸(Size): 400 $\times$ 450 $\times$ 1250mm
Weight: 180kg



KYG0824 台式1.5匹电动压片机
Electric Rolling Mill
电压(Voltage): 220V
功率(Power): 1.5HP/1.1KW/220V
滚轴直径(Roller Diameter): 70mm $\times$ 140mm
方槽(Square Groove): 0.8/1/1.2/1.5/2/3/4/5/6/7/8mm
压片宽度(Tablet Width): 75mm
机身尺寸(Size): 400 $\times$ 600 $\times$ 580mm
Weight: 125kg

压片机 Electric Rolling Mill




33cm
重量(Weight): 35.6kg
轴长度(Shaft length): 12cm

KYG0825 台式电动压片机(小)
Electric Rolling Mill(Small)
电压(Voltage): 220V
功率(Power): 375W/220V
滚轴直径(Roller Diameter): 55mm $\times$ 120mm
长方槽(Cuboid): 1/1.5/2/2.5/3/3.5/4/5mm
半圆槽(Semicircular Groove): 2/3/4/5/6mm
压片面宽(Width of Pressing Surface): 53mm
机身尺寸(Size): 330 $\times$ 200 $\times$ 390mm
Weight: 35.6kg



40cm
重量(Weight): 48.3kg
轴长度(Shaft length): 16cm

KYG0826 台式电动压片机(大)
Electric Rolling Mill(Large)
电压(Voltage): 220V
功率(Power): 750W
滚轴直径(Roller Diameter): 68mm $\times$ 160mm
长方槽(Cuboid): 1.5/2/2.5/3/4/5.5/7mm
半圆槽(Semicircular Groove): 5/6/7/8/10mm
压片宽(Width of Pressing Surface): 65mm
机身尺寸(Size): 400 $\times$ 200 $\times$ 490mm
Weight: 48.3kg



KYG0827 台式电动压片机(有拉线器)
Electric Rolling Mill
电压(Voltage): 220V
功率(Power): 750W
滚轴直径(Roller Diameter): 68mm $\times$ 160mm
长方槽(Cuboid): 1.5/2/2.5/3/4/5.5/7mm
半圆槽(Semicircular Groove): 5/6/7/8/10mm
压片宽(Width of Pressing Surface): 65mm
机身尺寸(Size): 400 $\times$ 200 $\times$ 490mm
Weight: 50kg



KYG0828 单头电动压片机
Single head Electric Rling mill 130mm

产品编码 Item No.	HH-RME01
功率 Power	2HP
电压 Voltage	110V/220V
滚轴宽度 Roller Width	130mm
滚轴直径 Roller Diameter	65mm
最大开口 Maximum Opening	5mm
压片宽度 Flat Area	63mm
线槽尺寸 Square Wire(+/-0.01mm)	1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5
半圆槽 Ring shank-half round ellis	2.5*1, 31.25, 4*1.5mm
机身尺寸 Dimension	45*25*51CM
包装尺寸 Shipping Dimension	60*41*66CM
包装重量 Shipping Weight	72.5KG



KYG0829 双头电动压片机
Double head Electric Rolling mill 130mm

产品编码 Item No.	HH-RME02
功率 Power	2HP
电压 Voltage	110V/220V
滚轴宽度 Roller Width	130mm
滚轴直径 Roller Diameter	65mm
最大开口 Maximum Opening	5mm
压片宽度 Flat Area	130mm
线槽尺寸 Square Wire(+/-0.01mm)	1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75, 4.0, 4.25, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0
机身尺寸 Dimension	66*.26*51CM
包装尺寸 Shipping Dimension	81*46*67CM
包装重量 Shipping Weight	108KG



手摇压片压线机 Manual Rolling Mill



KYG0830 手摇小压片机
Manual Rolling Mill- Small
压片宽度(Tablet width): 45mm
半圆槽(Semicircular groove):
2/3/4/5/6/9mm
压方线槽(Square pressing trough):
1/2/2.5/3/3.5/4/5mm
包装Size: 355 × 285 × 320 mm
Weight: 19kg



KYG0831 手摇小压片机
Manual Rolling Mill- Small
压片宽度(Tablet width): 40mm
半圆槽(Semicircular groove):
2/2.5/3/3.5/4.5/5/7.5/9/10mm
方条槽(Square slot): 1/1.5/2/3/4/5/6mm
圆槽(Circular groove): 1.5/2/3/4/5/6mm
包装Size: 340 × 280 × 320 mm
Weight: 18.5kg




KYG0832 手摇小压片机
Manual Rolling Mill- Small
辊头直径(Diameter): 48mm 长度(L) 112mm
压片宽度(Tablet width): 33mm
半圆槽(Semicircular groove): 2/2.5/3/3.5/4.5/5/7.5/9/10mm
圆槽(Circular groove): 2.7/2.9/3.1/3.3/3.5/3.7/3.9/4.2/4.5/4.8/5/5.3/5.6/5.9/6.2/6.5/7mm
包装Size: 340 × 280 × 320 mm
Weight: 18.8kg




KYG0833 压线机
Manual Rolling mill
辊头直径(Diameter): 68 长度(L): 160
压片宽度(Tablet width): 25mm
压圆(Round pressing): 2/3/4/5/6/7mm
椭圆槽(Elliptical groove): 8/9mm
压半圆(Press semicircle): 4/5/6/7/8/10/12mm
Size: 260 × 150 × 330mm
Weight: 30kg




KYG0834 压线机
Manual Rolling mill
辊头直径(Diameter): 68 长度(L): 160
压圆(Round pressing): 2/2.5/2.8/3/3.2/3.5/3.7/3.9/4.2/4.4/4.5/4.7/4.8/4.9/5.0/5.2/5.4/5.5/5.6/5.7/5.8/5.9/6
Size: 260 × 150 × 330mm
Weight: 30kg




KYG0835 手摇小压片机
Manual Rolling Mill- Small
压片宽度(Tablet width): 53mm
半圆槽(Semicircular groove): 2/3/4/5/6mm
四方槽(Sifangcao): 1/1.5/2/2.5/3/3.5/4/5mm
机身Size: 240 × 205 × 350 mm
包装Size: 310 × 215 × 390 mm
Weight: 23.7kg




KYG0836 手摇大压片机
Manual Rolling mill
辊头直径(Diameter): Φ68mm
辊头长度(Length): 250mm
Size: 420 × 170 × 320mm
Weight: 37kg



KYG0837 手摇压片压线机
Manual Rolling mill
压片: 30mm 压方形: 4-6-8mm
压半圆: 4-6-8-9-10-11-12mm
压圆(Round pressing):
1/1.2/1.4/1.6/1.8/2/2.2/2.4/2.6/2.8/3/3.3/3.6/3.9/4.2/4.5/5/5.5/6/6.5/7mm
Weight: 37kg



KYG0838 手摇压圆线机
Manual Rolling mill
压圆(Round pressing): 0.5/1/1.1/1.2/1.3/1.4/1.5/1.7/1.9/2.1/2.3/2.5/2.7/2.9/3.1/3.3/3.5/3.7/3.9/4.2/4.5/4.8/5/5.3/5.6/5.9/6.2/6.5/7/7.5/8/9/10/11/12/13mm
Weight: 37kg



KYG0839 手摇压片压线机
Manual Rolling mill
三角(triangular): 12mm
深度(depth): 6mm
压方形(Square pressing): 1.5/2/3/4/5/6/7/8/9/10/12
压半圆(Press semicircle): 2/2.5/6/8mm
压圆(Round pressing): 1.4/1.7/2/3/4/5/6/7/8mm
Weight: 37kg

手摇压片压线机 Manual Rolling Mill



HH-RM05



HH-RM04




HH-RM03

KYG0840 手摇压片机
Rolling Mill

产品编码 Item No.	HH-RM05	HH-RM04	HH-RM03
品名 Item Name.	手摇压片压线机Rolling mill 110MM	手摇压片压线机Rolling mill 130MM	压片机Rolling mill 130MM
速比 Gear Ratio	4:1	4:1	4:1
滚轴宽度 Roller Width	110MM	130MM	130mm
滚轴直径 Roller Diameter	55MM	65MM	65mm
最大开口 Maximum Opening	5MM	5MM	5mm
压片宽度 Flat Area	53MM	63MM	130mm
线槽尺寸 Square Wire(+/-0.01mm)	1.0, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0	1.0, 2.0, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5	
半圆槽 Ring shank-half round ellipsis	2.5 × 1.3 × 1.25, 4 × 1.5MM	2.5 × 1.3 × 1.25, 4 × 1.5MM	
机身尺寸 Dimension	26 × 19 × 31CM	28 × 20 × 32.5MM	28 × 20 × 32.5MM
包装尺寸 Shipping Dimension	35 × 33 × 23CM	37 × 34 × 24MM	37 × 34 × 24MM
包装重量 Shipping Weight	24.5KG	26.2KG	26.2KG


KYG0841 300灰色升级省力款（减速型）
300 Gray Rolling Mill



辊头 Φ68*300mm
机身 size: 500*135*230mm
weight: 36.5Kg

压圆 3.6/3.8/4/4.3/4.6/5/5.4/5.8/6.2/6.7/7.3/8/9mm
压半圆 4/5/6/7/8/9mm
压方 4/5/6/7/8/9mm
压光面 50mm
泥鳅背 4/5/6/7/8/9/10mm

KYG0842 300灰色升级省力款（减速型）
300 Gray Rolling Mill



无漆电镀齿轮不会掉漆
310mm
495mm


压方 4/6/8/10mm(对角、倒角)
压圆 1/1.2/1.4/1.6/1.8/2/2.2/2.4/2.6/2.8/3/3.3/3.6/3.9/4.2/4.5/5/5.5/6/6.5/7/8mm
压半圆 4/6/8/9/10/11/12mm(三分之一)
泥鳅背 6/8/10/12mm(三分之一、六分之一)
压片 42.1mm

KYG0843 手摇压片机
Rolling Mill



宽度 100MM 直径 50MM 最大开口 10MM
压片宽度 65MM 线槽尺寸 1.0.....5.0
半圆槽 5.3 × 1.2... 2.0 × 0.8 MM
机身尺寸 25*13.5*28CM
包装尺寸 36*34*20CM
包装重量 23.6KG

KYG0844 两用型
Rolling Mill



型号	G款两用型		长度	400mm		用途	压金银				
滚轴长度	250mm		宽度	120mm		重量	38.45KG				
滚轴直径	70mm		高度	300mm		材质	406精钢				
轮胎型宽度	4	5	6	7	8	9	10	11	12	13	15
上下轮总厚	1.4	1.59	1.9	2.23	3	3	3.5	3.5	4	4	4
椭圆泥鳅背	4/5/6/7/8/10/11/12/13/15mm (上面宽度的六分之一，下面宽度的三分之一)										

KYG0845 四用型
Rolling Mill



型号	A款四用型	长度	400mm	用途	压金银
滚轴长度	250mm	宽度	120mm	重量	38.45KG
滚轴直径	70mm	高度	300mm	材质	406精钢
压圆	2.5/2.7/2.9/3.1/3.3/3.6/3.8/4/4.3/4.5/ 4.8/5/5.5/6/6.5/7/8mm 4/5/6/7/8/10mm(槽深直径四分之一)				
半圆	4/5/6/7/8mm(有倒角)				
压方	50mm				
压片					




手动整形机 Manual Shaping Machine



A款

手镯[轴]尺寸:
长约5.6cmx高约6.5cm
压边约4cm



B款

手镯[轴]尺寸:
长约5.6cmx高约6.5cm
压边约4cm



C款

戒指[轴]尺寸:
长约1.8cmx高约8cm
压边约4cm

KYG0846 手镯卷圆机

Bracelet Coiling Machine

压弯机尺寸:长17.5cmx宽11.5cmx高24cm

产品重量:7.5千克



A款



B款



C款

KYG0847 手动手镯卷圆机

Manual Bracelet Coiling Machine

压弯机尺寸:240×110×300mm

产品重量:7.7千克

KYG0848 小条空心卷形机

Small Strip Hollow Coiling Machine

压弯机尺寸:110×60×280mm

产品重量:5千克



缩口机 Tube Necking Machine



KYG0850 50吨千斤顶

Hydraulic Press Machine


铁架尺寸:370×370×550mm

千斤顶尺寸:200×230×230mm

液压泵尺寸:350×480×540mm

容量:16升 Weight:40kg

Weight: 70kg
Weight: 21kg



钢模模具 (欢迎订做)
Steel Mold (Welcome To Order)



KYG0851 多功能电动整形机

Multifunctional Electric Shaping Machine

全圆|泥鳅背|轮胎|方|外平内卜|整形
手镯戒指多功能操作|整形|压光|滚沙拉丝



多槽模具

多槽模具规格

	型号
圆直径	3.0/3.1/3.2/3.3/3.4
	3.5/3.6/3.7/3.8/3.9
	4.0/4.1/4.2/4.3
	4.4/4.5/4.6/4.7
	4.8/4.9/5.0 5.1
	5.2/5.3/5.4
	5.5/5.6/5.7
	5.8/5.9/6.0
多槽泥鳅背 上1/3 下1/6	5.0/6.0/7.0 8.0/13.0 9.0/12.0 10.0/11.0
多槽轮胎	6.0/7.0/8.0 9.0/10.0 11.0/12.0



手镯铜套/戒指铜套
大手镯50-67mm
小手镯38-49mm
戒指14-24mm



KYG0849 手动啤机

Manual Punch

型号 model	重量 (kg)	总高度 (mm)	圆盘 (mm)	模具孔 (mm)	n型直径 (mm)	滑块行程 高度最高 (mm)	滑块行程 高度最低 (mm)	有效行程 (mm)
JH-40	17	365	265	16	48x65x68	93	70	25
JH-60	20	400	315	16	52x76x60	115	80	25
JH-80	28	415	340	16	63x84x67	115	75	32
JH-100	33	465	370	16	70x100x68	120	80	32
JH-120	43	515	415	16	81x110x72	150	100	32
JH-160	51	560	450	16	81x113x90	170	110	40
JH-200	65	580	470	16	81x125x95	170	120	50



KYG0852 缩口机

Tube Necking Machine

机器体积	长X宽x高(880X487X990)毫米
机器总重	约350Kg
电动机型号	JLY100L2-4 3KW 380V
减速箱型号	CHD40-4 3KW
最大加工管径	Φ12mm
最小加工管径	Φ2mm
最大缩口比	≤50%
模具	D2 HRC60-62 长度:100
	三相电泵自动供机油润滑



手指套 Finger Guards



KYG0853 线手指套
Cloth Finger Guards
600个/包
Weight:1.8kg



KYG0854 厚牛皮手指套
Leather Finger Guards(Thick)



KYG0855 薄羊皮手指套
Sheepskin Finger Guards(Thin)



KYG0856 纯棉抛光线
Pure Cotton Polishing Thread
3卷/包



KYG0857 打磨厚手套
Gloves Thick
No:12pairs/bag
Weight:722g



KYG0858 QC手套
Gloves Thin
No:12pairs/bag
Weight:254g



KYG0859 黑色QC手套
Gloves Thin
No:12pairs/bag




KYG0860 布手指套
Cloth Finger Guards
300个/包
Weight:432g/bag



KYG0861 胶手指套
Rubber Finger Lots
Weight:450g/bag



KYG0862 长袖/短袖耐酸碱胶手套
Acid Resistant Gloves
No1:350mm
No2:550mm



KYG0863 牛皮隔热手套
Heating Resisting Gloves
Size:325mm



KYG0864 牛皮隔热手套(加长)
Heating Resisting Gloves(Long)
Size:400mm



KYG0865 石棉耐高温手套(加长)
Heating Resisting Gloves(Long)
Size:440mm

TSK工具 TSK Tools



KYG0866 冬菇木索
(TSK2048)
Graver Holder With Chucks,
Mushroom Handle
Size: $\phi 34 \times 78$ mm



KYG0867 葫芦木索
(TSK2064)
Graver Holder With Chucks,
Gourd Handle
Size: $\phi 29 \times 88$ mm




KYG0868 双头索嘴
(TSK2047)
Brass Double-End Pin Tong
Size: $\phi 10 \times 105$ mm




KYG0869 圆规
(TSK7002)
Steel Divider with 3"
Square Legs
Size:14 $\times$ 222mm




KYG0870 木戒指夹
(TSK3008/TSK3031)
Wooden Ring Clamp
Size: 38 $\times$ 160mm



KYG0871 坑木
(TSK2010)
Design Blocks
Size: 229 $\times$ 59 $\times$ 59mm



KYG0872 不锈钢铲(小铲)
(TSK2012)
Small Stainless Shovel
Size:59 $\times$ 50 $\times$ 18mm



KYG0873 不锈钢铲(大铲)
(TSK2013)
Big Stainless Shovel
Size:93 $\times$ 77 $\times$ 25mm



KYG0874 有耳不锈钢铲(小铲)
(TSK2014)
Small Stainless Shovel with handle
Size:75 $\times$ 50 $\times$ 19mm



KYG0875 铜手镯棒
(TSK1020/TSK1021)
Brass Bracelet Mandrel Round/Oval
Size1:
 $\phi 35 \times \phi 73 \times 300$ mm
Size2:
32 $\times$ 42(顶T)72 $\times$ 82(底B) $\times$ 295(高H)



KYG0876 不锈钢手镯棒
(TSK2008/TSK2009)
Steel Bracelet Mandrel Round/Oval
Size1:
 $\phi 38 \times \phi 76 \times 300$ mm
Size2:
39 $\times$ 43(顶T)72 $\times$ 78(底B) $\times$ 300(高H)



KYG0877 木手镯棒
(TSK3028/TSK3029)
Wood Bracelet Mandrel Round/Oval
Size1:
 $\phi 39 \times \phi 76 \times 300$ mm
Size2:
36 $\times$ 39(顶T)69 $\times$ 77(底B) $\times$ 300(高H)



手镯棒 Bracelet Mandrel




KYG0878
旦形塑料手镯棒
Oval Plastic Bracelet Mandrel
上: $\phi 34 \times 40\text{mm}$
下: $\phi 68 \times 80\text{mm}$
L: 302mm

KYG0879
圆形塑料手镯棒
Round Plastic Bracelet Mandrel

KYG0880
圆形手镯铜棒
Round Bracelet Mandrel-Brass
上: $\phi 38 \times \phi 75 \times L300\text{mm}$
旦形手镯铜棒
Oval Bracelet Mandrel-Brass
上: $\phi 30 \times 42\text{mm}$ 下: $\phi 63 \times 83\text{mm}$
L: 300mm

KYG0881
圆形手镯不锈钢棒
Round Bracelet Mandrel Stainless Steel
上: $\phi 38 \times \phi 75 \times L300\text{mm}$
旦形手镯不锈钢棒
Oval Bracelet Mandrel Stainless Steel
上: $\phi 30 \times 42\text{mm}$ 下: $\phi 63 \times 83\text{mm}$
L: 300mm




KYG0882 圆形手镯木
Round Bracelet Mandrel
Size: $\phi 38 \times \phi 76 \times 305\text{mm}$

KYG0883 旦形厄木
Oval Wood Bracelet Mandrel
Size: $\phi 42 \times \phi 33 / \phi 78 \times \phi 63 / \times 300\text{mm}$

KYG0884
圆形手镯木
Round Bracelet Mandrel

KYG0885
有刻度手镯木棒
Wooden Bracelet Mandrel

KYG0886
圆形有刻度手镯木棒
Round Plastic Bracelet Mandrel



KYG0887
不锈钢实心手镯棒
Stainless Steel Solid Bracelet Mandrel
H: 330mm
Weight: 6.06kg

KYG0888
不锈钢空心手镯棒(椭圆形)
Stainless Steel Oval Bracelet Mandrel
上: $\phi 35 \times 43\text{mm}$ 下: $\phi 65.5 \times 75\text{mm}$
H: 290mm Weight: 0.75kg

KYG0889
不锈钢空心手镯棒(圆形)
Stainless Steel Round Bracelet Mandrel
上: $\phi 36.6\text{mm}$ 下: $\phi 74\text{mm}$
H: 299mm Weight: 0.65kg

KYG0890
手镯量圈
Bracelet Size



戒指圈 Ring Size

KYG0891
戒指大小测量圈(铜制)
Ring Size



US美度(美国)

UK英度(英国)



HK港度(中国)



日度(日本)



韩度(韩国)



欧度(欧洲)



KYG0894 戒指大小测量圈(塑料制)
Ring Size



KYG0892
铁台夹(固定台木与戒指铁)
Table clamp
Weight: 1.6kg



KYG0893 台木
Table Wood Stopper
Size: 60x190x14mm
Weight: 218g



KYG0895 台钳
Bench Clamp


产品型号	钳口宽度	砧台尺寸	最长夹持	底座夹持厚度	产品重量
50型	50mm	30x40mm	65mm	62mm	1.43kg
60型	60mm	30x40mm	65mm	62mm	1.62kg
70型	70mm	30x40mm	74mm	62mm	1.65kg
80型	80mm	30x40mm	75mm	62mm	1.75kg



KYG0896 铝推板
Sand Paper Board



KYG0897 铝制半圈夹砂纸夹
Sandpaper Clip



KYG0898 铝制方形砂纸夹
Sandpaper Clip



KYG0899 推木
Sand Paper Board



KYG0900 塑料柄砂纸夹推板
Sandpaper Clip



钢丝打砂针 Mounted Matt Brush



红木 白木

KYG0901 戒指木
(TSK2035)
Wooden Ring Mandrel
Size: $\phi 11.5 \times \phi 26 \times 280\text{mm}$



A1 A2 A3

KYG0902 戒指铁
(TSK2007/2006/2004)
Steel Ring Mandrel. Round
Size1: $\phi 19 \times \phi 37 \times 298\text{mm}$
Size2: $\phi 10 \times \phi 24 \times 280\text{mm}$
Size3: $\phi 4 \times \phi 11.5 \times 184\text{mm}$



KYG0903 A款冲头
(TSK2046)
Dapping Punches With
15 pcs, 4/5/6/7/8/9/10/11
12/13/14/15/16/17/18mm




KYG0904 B款冲头
(TSK2070)
Dapping Punches With
17 pcs, 2/2.5/3/3.5/4/4.5
5/5.5/6/6.5/7/7.5/8/8.5/9
9.5/10mm




KYG0905 钢丝打砂轮
Matt Brush
Size: $\phi 0.2\text{mm}$




KYG0906 钢丝打砂轮
Matt Brush
Size: $\phi 0.3\text{mm}$




KYG0907 钢丝打砂轮
Matt Brush
Size: $\phi 0.45\text{mm}$



KYG0908 钢丝打砂轮
Mounted Matt Brush
Size: $\phi 0.2\text{mm}$



KYG0909 钢丝打砂轮
Mounted Matt Brush
Size: $\phi 0.3\text{mm}$



KYG0910 钢丝打砂轮
Mounted Matt Brush
Size: $\phi 0.45\text{mm}$



KYG0911 手镯度/尺
Bracelet/ Bangle Gauge
Size: $\phi 70\text{mm}$



KYG0912 丝锥板牙组套
Tap Die Set
36眼/14条丝攻
36 eyes/14 silk attacks
Size: $18 \times 80\text{mm}$



KYG0913 丝锥板牙组套(31件)
Tap Die Set
Size: 1.0/1.1/1.2/1.4/1.6/1.8/2.0/2.2/2.5
包装尺寸(Packing size):
 $90 \times 160 \times 15\text{mm}$
Weight: 183g

TSK量具 Measuring Tool



KYG0914 港度木柄戒指尺(TSK1014)
HK Size With No.1-33
Size: $\phi 11 \times 29 \times 243\text{mm}$



KYG0915 美度木柄戒指尺(TSK1016)
US Size With No.0-13 With Half Size
Size: $\phi 9 \times 29 \times 300\text{mm}$



KYG0916 日本度木柄戒指尺(TSK1018)
Japan Size With No.1-28
Size: $\phi 11 \times 29 \times 244\text{mm}$



KYG0917 国际度戒指尺(铝色) (TSK5035)
Universal Ring Size, Measures In US And European
Ring Sizes And Shows Both Diameter And
Circumference In Millimeters.
Size: $\phi 13 \times 25 \times 262\text{mm}$



KYG0918 TSK四用戒指尺(绿色) (TSK2074)
Include 4 Sizes Of Our Products:
HK, US, Japan And European Sizes
Size: $\phi 13 \times 25 \times 262\text{mm}$



KYG0919 TSKD-Z国际度四用戒指尺(绿色)(TSK2082)
Universal Ring Size, Green Colour,
Execution 1-33, 41-73, 2-14, D-Z
Size: $\phi 13 \times 25 \times 220\text{mm}$



KYG0920 KYG0516港度戒指钢尺(TSK2001)
HK Size With No.1-33
Size: $\phi 13 \times 25 \times 305\text{mm}$



KYG0921 美度戒指钢尺(TSK2002)
US Size With No.0-13 With Half Size
Size: $\phi 11 \times 23 \times 295\text{mm}$



KYG0922 日本度戒指钢尺(TSK2003)
Japan Size With No.1-28
Size: $\phi 13 \times 23 \times 235\text{mm}$



KYG0923 港度戒指圈(1-33)
(TSK1015)
HK Standard No.1-33
Number of Rings:33



KYG0924 520美度戒指圈(0-13)
(TSK1017)
US Standard No.0-13
With Half Size
Number of Rings:27



KYG0925 国际度戒指圈(41-76)
(TSK1031)
European Standard No.41-76
Number of Rings:36



KYG0926 日本度戒指圈(1-28)
(TSK1019)
Japan Standard No.1-28
Number of Rings:28



KYG0927 铜双用唐尺
(TSK1022)
Dual-Purpose Brass Ruler
Size: $13 \times 223\text{mm}$



戒指尺 Ring Stick



KYG0928 KYG港度木柄戒指尺(1-33)
HK Size With No.1-33
Size: $\phi 13 \times \phi 29 \times 243\text{mm}$



KYG0929 KYG美度木柄戒指尺(0-13)
US Size With No.0-13 With Half Size
Size: $\phi 9 \times \phi 29 \times 300\text{mm}$



KYG0930 港度塑料柄戒指尺(1-33)
HK Size With No.1-33
Size: $\phi 11 \times \phi 29 \times 243\text{mm}$



KYG0931 美度塑料柄戒指尺(0-13)
US Size With No.0-13 With Half Size
Size: $\phi 9 \times \phi 29 \times 300\text{mm}$



KYG0932 铝制四用尺
Aluminium VS-4 scale
Ring Measuring Stick
港HK/美US/日m/欧CU
Size: $\phi 13 \times \phi 25 \times 262\text{mm}$



KYG0933 四用戒指尺(塑料)
Aluminium VS-4 scale
Ring Measuring Stick
港HK/美US/日m/欧CU
Size: $\phi 13 \times \phi 25 \times 262\text{mm}$



KYG0934 港度戒指尺(塑料)
HK Size With No.1-33
Size: $\phi 11 \times \phi 29 \times 243\text{mm}$



KYG0935 美度戒指尺(0-13)(塑料)
US Size With No.0-13 With Half Size
Size: $\phi 9 \times \phi 29 \times 300\text{mm}$



KYG0936 日度戒指尺(1-30)(塑料)
Japan Size Ring Stick (Plastic)
No.1: $\phi 12.6 \times \phi 23 \times 275\text{mm}$
No.2: $\phi 12.6 \times \phi 23 \times 305\text{mm}$




No.1

No.2

戒指尺 Ring Stick



KYG0937 意大利四用尺
5235 Italy Ring Measuring Stick
Size: $\phi 12.5 \times \phi 24.7 \times 248\text{mm}$
Weight: 189.3g
Made in Italy



KYG0938 绿色四用尺
Green 4-Scale Ring Measuring Stick
Size: $\phi 13 \times \phi 24 \times 216\text{mm}$
Weight: 153g



KYG0939 英国量尺(木制)
British Ring Measuring Stick
Size: $\phi 12.6 \times \phi 23 \times 275\text{mm}$



KYG0940 四方型港度尺
Square HK Standard Size
Size: 234mm



KYG0941 加长加硬戒指铁
Long & Hard Ring Mandrel
Size: $\phi 11 \times \phi 24 \times 398\text{mm}$
Weight: 945g



KYG0942 加硬戒指铁量尺
Hardened Ring Measuring Stick
Size: $\phi 12 \times \phi 24 \times 307\text{mm}$
No.1-15
Weight: 756g



KYG0943 戒指蜡内刨度尺(木柄)
Wax Ring Stick
Size: $\phi 13.5 \times \phi 22 \times 230\text{mm}$




KYG0944 套装四用戒指尺
4-Scale Ring Measuring Stick
包装Size: 350x140x45mm
Weight: 860g





TSK工具 TSK Tools



KYG0945 平嘴反弹夹
(TSK5006)
Soldering Tweezers, Straight
Length: 164mm



KYG0946 平嘴反弹夹
(TSK5007)
Soldering Tweezers, Bent
Length: 161mm



KYG0947 钢芯棒
(TSK7005)
Pivot Steel, 18 pcs Per Set
Size: $\phi 0.5 \times 5$ mm



KYG0948 铜柄剑形玛瑙压
(TSK1024)
Agate Burnisher With Brass Handle, Sword Shape
Size: 9×205 mm



KYG0949 铜柄刀形玛瑙压
(TSK1023)
Agate Burnisher With Brass Handle, Knife Shape
Size: 9×205 mm



KYG0950 竹柄刀形玛瑙压
(TSK5031)
Agate Burnisher With Bamboo Handle, Knife Shape
Size: 12×155 mm



KYG0951 不锈钢钻石铲夹
(TSK2017)
Stainless Tweezers with Shovel
Size: 16×23 mm



KYG0952 双头钢压
(TSK2058)
Steel Burnisher, Double Head, Round And Oval
Size: $8 \times 6 \times 170$ mm



KYG0953 不锈钢扭链夹
(TSK5005)
Stainless Steel Tweezers For Chain
Length: 160mm



KYG0954 不锈钢机剪
(TSK2015)
Stainless Steel Divider
Size: $127 \times 3 \times 22$ mm



KYG0955 双刻铜卡尺80mm
(TSK1502)
Brass Gauge, Measures In
Millimeter And Inches
Size: 98×34 mm



KYG0956 单刻铜卡尺80mm
(TSK1505)
Brass Gauge, Measures In
Millimeter
Size: 98×34 mm



KYG0957 卓架
(TSK2019)
Brass Cutting Gauge With Metal Steel,
Measure In Millimeter And Inches
Items Will Be Cut In Desired Length With
Fix In Position By Tightening Screw
Size: $90 \times 34 \times 55$

锯弓 Saw Frame



KYG0958 卓弓
(TSK2010)
Saw Frame With Bigger Wooden
Handle In Wood Colour
Handle Size: $\phi 31 \times 112$ mm
Outlook Size: 285×100 mm



KYG0959 卓弓
(TSK2062)
Saw Frame With Smaller Wooden
Handle In Black Colour
Handle Size: $\phi 23 \times 110$ mm
Outlook Size: 285×100 mm



KYG0960 活动卓弓
(TSK2011)
Adjustable Saw Frame
Handle Size: $\phi 31 \times 112$ mm
Outlook Size: 220×134 mm



KYG0961 6.5"卓弓
(TSK2071)
Saw Frame, Big Size
Handle Size: $\phi 31 \times 112$ mm
Outlook Size: 285×162 mm



KYG0962 三眼螺丝板
(TSK7003)
Screwplate With 3 Dies
 $\phi 0.85, \phi 1.0, \phi 1.5$ mm
Size: $14 \times 3 \times 82$ mm



KYG0963 大/小油夹
(TS K2069/TSK2040)
Ingot Mold, Small/Big Size,
Width Adjustable As Desired
Size: $155 \times 65 \times 120$ mm
 $115 \times 69 \times 98$ mm



KYG0964 坑铁
(TSK6001)
Steel Multi-purpose Block
Size: $205 \times 31 \times 32$ mm



KYG0965 钻石卡
(TSK2080)
Gem Gauge
8片(2/100-5)
Size: 55×15 mm



KYG0966 2"四方坑铁
(TSK6003)
2" Dapping Dies
Size: $50 \times 50 \times 50$ mm



电子卡尺 Digital Caliper




KYG0967 KKD电子卡尺
Digital Caliper
No.150mm



KYG0968 KKD电子卡尺
Digital Caliper
No.100mm



KYG0969 UPM电子卡尺
Digital Caliper
No.150mm



KYG0970 UPM电子卡尺
Digital Caliper
No.100mm




KYG0971 大阳牌金属壳电子卡尺
Dayang Digital Caliper
No.150mm



KYG0972 L1H电子卡尺
Digital Caliper
No.150mm
Made in Korea



KYG0973 三丰电子卡尺
Mitutoyo Digital Caliper
No.150mm
Made In Japan



KYG0974 三丰带表卡尺
Mitutoyo Dial Caliper
No.150mm
Made In Japan

卡尺 Gauges



KYG0975 大阳牌带表卡尺
DaYang Dial Caliper
NO.150mm



KYG0976 大阳牌带表卡尺
DaYang Dial Caliper
NO.100mm



KYG0977 游标卡尺
Vernier Caliper
No.1:100mm
No.2:150mm



KYG0978 三用珠宝卡规
Digital Caliper
No.0-25mm



KYG0979 数显宝石珍珠卡尺
Digital Gem Pearl Caliper
测量范围(Measuring range):
No.0.01-25mm
响应速度(Response speed):
1500mm/秒
Weight:150g
Size: 35 × 138 × 21mm



KYG0980 数显测厚规
Digital Thickness Gauge
0-20mm/0.01mm



KYG0981 数显测厚规
Digital Thickness Gauge
No.1:Range:0-10*30mm/0.01mm
No.2:Range:0-25*30mm/0.01mm
No.3:Range:0-10*30mm/0.001mm
No.4:Range:0-25*30mm/0.001mm



KYG0982 数显测厚规
Digital Thickness Gauge
No.1:Range:0-10mm/0.5"
Resolution:0.01mm
No.2:Range:0-20mm/1"
Resolution:0.01mm



KYG0983 测厚仪
Diamod Micrometer
No.1:Range:0-10mm
No.2:Range:0-20mm



KYG0984 内卡尺
Degree Gauge
Size:100mm



KYG0985 铜卡尺(双刻)
Brass Caliper
(Double Engraved)



KYG0986 铜卡尺(单刻)
Brass Caliper
(Single Engraved)



锤子 Hammer



KYG0987 4分港制打金锤
Goldsmith Hammer
Length:225mm
Weight:50g



KYG0988 5分港制打金锤
Goldsmith Hammer
Length:225mm
Weight:88g



KYG0989 6分港制打金锤
Goldsmith Hammer
Length:227mm
Weight:135g



KYG0990 7分港制打金锤
Goldsmith Hammer
Length:253mm
Weight:195g




KYG0991 1寸港制打金锤
Goldsmith Hammer
Length:253mm
Weight:293g



KYG0992 白色胶锤
White Plastic Hammer
Length:265mm
Weight:222g



KYG0993 黄色胶锤
Yellow Plastic Hammer
Length:265mm
Weight:222g



KYG0994 德国白色胶锤
White Plastic Hammer
No1: $\phi 22 \times 70$ mm Weight:142g
No2: $\phi 27 \times 85$ mm Weight:216g
Length:265mm
Made in Germany



KYG0995 德国黄色胶锤
Yellow Plastic Hammer
No1: $\phi 22 \times 70$ mm Weight:142g
No2: $\phi 27 \times 85$ mm Weight:216g
Length:265mm
Made in Germany



KYG0996 胶锤
Plastic Hammer
No1: $\phi 25 \times 65$ mm Length:217mm
Weight:167g
No2: $\phi 30 \times 74$ mm Length:252mm
Weight:259g

锤子 Hammer


KYG0997 圆头锤

型号 Model	锤子总长 Total length of hammer	锤头长 Hammerhead length	锤面直径 Hammer face diameter	重量 Weight
小号	253mm	62mm	26.8mm	173g
大号	270mm	70mm	31mm	330g

KYG0998 圆头锤

型号 Model	锤子总长 Total length of hammer	锤头长 Hammerhead length	锤面直径 Hammer face diameter	重量 Weight
小号	267mm	55mm	34mm	243g
中号	268mm	60mm	39mm	352g
中号	270mm	63.5mm	44mm	423g


KYG0999 锤头(201材质)



KYG1000 201不锈钢圆砧台

201 Stainless Steel Round Anvil
大块: 直径 $\phi 195$ mm 厚度Thickness:60mm
重量Weight:142kg


小块: 直径 $\phi 145$ mm 厚度Thickness:60mm
重量Weight:78.5kg




KYG1001
优质塑料迷你双头锤(小)
Weight:45g



KYG1002
优质塑料迷你双头锤(大)
Weight:60g



KYGKYG1003
尼龙锤
Weight:50g



KYG1004
蓝柄羊角锤
Weight:57g




KYG1005方锤
Weight:60g



锯弓/锯条 Saw Bow/Sawblades



KYG1006
黑柄锯弓(固定)
Saw Bow Non-Adjustable
Outlook Size:285 × 100mm




KYG1007
黑柄锯弓(活动)
Saw Bow Adjustable
Outlook Size:80 × 195mm
Made in China



KYG1008
塑料柄锯弓(固定)
Saw Bow Non-Adjustable
Outlook Size:285 × 100mm



KYG1009
塑料柄锯弓(活动)
Saw Bow Adjustable
Outlook Size:285 × 100mm



KYG1010 德国NIQUA牌锯弓
Germany NIQUA Brand Saw Bow
No: 80mm/100mm/150mm/200mm
Made in Germany



KYG1011 红色锯弓
Saw Bow Adjustable
Total length: 330mm,
Total height: 110mm,
Internal height: 75mm,
包装size: 265x235x90mm
Total weight: 1.87kg



KYG1012 黑色锯弓
Saw Bow Adjustable
Total length: 285mm,
Total height: 142mm,
Internal height: 95mm,
Packing size: 310x152x35mm
Total weight: 290g



KYG1013 瑞士Pike锯条
Pike Sawblades
No.2/0 3/0 4/0 5/0
6/0 7/0 8/0
Made in Swiss



KYG1014 瑞士Superpike锯条
Superpike Sawblades
No.2/0 3/0 4/0 5/0
6/0 7/0 8/0
Made in Swiss



KYG1015 蜡锯条
Wax Saw Blade
No.0#/1#/2#/3#
Made in Germany



KYG1016 德国双剑锯条
Double Sword Sawblades
Made in Germany

型号 Model	厚度D (mm)	宽度W (mm)	长度L (mm)	型号 Model	厚度D (mm)	宽度W (mm)	长度L (mm)
0#	0.28	0.58	130	1/0#	0.28	0.65	130
1#	0.30	0.63	130	2/0#	0.26	0.52	130
2#	0.36	0.70	130	3/0#	0.24	0.48	130
3#	0.38	0.74	130	4/0#	0.22	0.44	130
4#	0.39	0.80	130	5/0#	0.20	0.40	130
5#	0.40	0.85	130	6/0#	0.18	0.36	130
6#	0.44	0.94	130	7/0#	0.16	0.34	130
8#	0.50	1.15	130	8/0#	0.15	0.32	130

最粗是8# 最细是8/0#
The Thickest is 8# The Thinnest is 8/0#

钳子 Pliers



KYG1017
麻花钻
Drills Steel
20支/筒
直径Diameter:0.5-1.2mm



KYG1018
上工牌麻花钻
Drills Steel
10支/筒
直径Diameter:0.4-2.0mm



KYG1019
铝合金链夹
Chain Clip



KYG1020 虎牌尖咀钳
Chain Nose Pliers
No1.130mm No2.115mm
Made in Germany



KYG1021 虎牌圆咀钳
Round Nose Pliers
No1.130mm No2.115mm
Made in Germany



KYG1022 虎牌平咀钳
Flat Nose Pliers
No1.130mm No2.115mm
Made in Germany



KYG1023 箭牌尖咀钳
Chain Nose pliers
No1.130mm No2.115mm
Made in Germany



KYG1024 箭牌圆咀钳
Round Nose Pliers
No1.130mm No2.115mm
Made in Germany



KYG1025 箭牌平咀钳
Flat Nose Pliers
No1.130mm No2.115mm
Made in Germany



KYG1026 虎头牌小剪钳
Tiger Pliers
No.110mm



KYG1027 山特斯尖咀钳
SanTus Chain Nose Pliers
No: ST- 502F/130mm
Made in China



KYG1028 山特斯圆咀钳
SanTus Round Nose Pliers
No: ST-5HF/130mm
Made in China



水口剪钳 Sprue Pliers



KYG1029 马头牌剪钳
KEIBA Cutting Nippers
MNC-A05 125mm
Made in Japan



KYG1033 MTC尖咀钳
MTC-Chain Nose Pliers
No. MTC-15PS/115mm
Made in Japan



KYG1030 马头牌剪钳
KEIBA Nippers
PU-266 165mm
Made in Japan



KYG1034 MTC剪钳
MTC-Cutting Nippers
NO.MTC-2D 115mm
Made in Japan



KYG1031 日本马头牌剪钳
KEIBA Side Cutting Nippers
NO.MN-A05 125mm
Made in Japan



KYG1035 MTC剪钳
MTC-Cutting Nippers
MTC-21 125mm
Made in Japan



KYG1032 日本马头牌剪钳
KEIBA Side Cutting Nippers
NO.PL-725 125mm
NO.PL-726 150mm
Made in Japan



KYG1036 MTC剪钳
MTC-Cutting Nippers
MTC-22 150mm
Made in Japan

水口剪钳 Sprue Pliers



KYG1037 金牌蓝柄剪钳
Blue Handle Cutters 7"
Made in UK



KYG1041 8"日本三山牌剪钳(直嘴)
THREE PEAKS 8" Straight Sprue Cutters
NO. GC-200
Made in Japan



KYG1038 金牌蓝柄剪钳
Blue Handle Cutters 8"
Made in UK



KYG1042 8"日本三山牌剪钳(斜嘴)
THREE PEAKS 8" Side Sprue Cutters
NO. GN-200
Made in Japan



KYG1039 日本TTC黄柄剪钳
TTC-Cutting Nippers
NO.PN-150mm
Made in Japan



KYG1043 8"日本三山牌剪钳(平嘴)
THREE PEAKS 8" Straight Sprue Cutters
NO. GN-200J
Made in Japan



KYG1040 日本三山牌剪钳
THREE PEAKS Cutting Nippers
NO.PNP-125mm
NO.PNP-150mm
NO.PNP-190G-S
Made in Japan



KYG1044 日本TOP白柄剪钳
White Handle Cutters
NO.ENI-115
Made in Japan



钳子 Pliers

KYG1045 大号断线钳(田岛)
Large wire cutting pliers (TaJima)

长度Length:1050mm/42"
包装尺寸:2110x210x53mm
Weight:8.5kg



合金材质+高频处理, 刃口硬度高、可剪切硬度更高的材料、使用寿命长
新款式的连臂结构+刀头固定螺栓, 剪切省力, 剪切力大幅度优于标准(美标、日标)
三连臂(外调)是国内主流的刃口缝隙调节方式, 调节方便
Alloy material+high frequency treatment, high cutting edge hardness, material with higher shearing hardness and long service life.
The new style of connecting arm structure+cutter head fixing bolt saves labor in shearing, and the shearing force is greatly superior to the standard (American standard and Japanese standard).
Three-link arm (external adjustment) is the mainstream adjustment method of cutting edge gap in China, which is convenient to adjust.

KYG1046 大号断线钳(史丹利)
Large wire cutting pliers (STANLEY)



规格	总长	柄部长度	剪切范围	刃口宽	重量
36寸	90cm	72cm	12cm	11cm	5.3kg



KYG1047 不锈钢柄胶钳平口
Flat Nose Pliers



KYG1048 不锈钢柄胶钳弯口
Nylon Fyewire Foring Pliers



KYG1049 不锈钢柄胶钳圆平口
Nylon Jaw Round Nose Pliers



KYG1050 不锈钢尖咀钳
Chain Nose Pliers



KYG1051 钨钢嘴剪钳
YG-WA05 Side Cutter
125mm
Weight: 78g



KYG1052 钨钢嘴剪钳
YG-W21 Side Cutter
125mm
Weight: 88g



KYG1053 钨钢嘴剪钳
YG-W22 Side Cutter
150mm
Weight: 125g



KYG1054 田岛钢丝钳
型号: SHP-200 Pliers
尺寸: 8寸/200mm
剪切力
钢丝 $\phi \leq 2.3\text{mm}$
铜丝 $\phi \leq 3.2\text{mm}$



KYG1055 蓝柄铁皮剪钳7"
Blue Handle Cutters 7"
Made in China



KYG1056 蓝柄铁皮剪钳8"
Blue Handle Cutters 8"
Made in China



KYG1057 韩式剪刀
Korean scissors
L:190mm



KYG1058 台湾OPT手持气剪
Taiwan OPT Air Nippers
NO.TS-20-S5


剪刀 Scissors




KYG1059 TSK黑柄剪刀
(TSK2079)
Scissors, Black Colour
Size: $\phi 2.35 \times 42.5\text{mm}$




KYG1060 黑柄剪刀
Black Handle Scissors




KYG1061 最小号绿柄剪刀
Smallest green handle scissors



KYG1062 小号绿柄剪刀
Small Green Handle Scissors



KYG1063 中号绿柄剪刀
Medium Green Handle Scissors



KYG1064 大号绿柄剪刀
Large Green Handle Scissors



KYG1065 冬茹木夹咀
Graver Handle
Size: $\phi 34 \times L78\text{mm}$



KYG1066 双头索咀
HK Double-Ended Pin Vise
Size: $\phi 8 \times L95\text{mm}$



KYG1067 白钢剪刀
Steel Scissors
Length:110mm



KYG1068 不锈钢机剪
Stainless Steel Divider
Size:127mm



KYG1069 铜丝刷
Crimped Brass Brush
With Wooden Hand
NO.6C/8C
Size:250 $\times$ 30mm



KYG1070 白牙刷
White Bristle Brush
Size:65 $\times$ 15mm



KYG1071 油扫
Paint Brush(2"2.5")
Size:50mm/65mm/
75mm/100mm



四方窝砧 Square Dapping Block



KYG1072 TR1012-2四方铜窝砧
Copper Square Dapping Block
Size:25×25×25mm
Weight:110g
Cavity Size:3/4/5/6/7/8/9/10/11/12/13/14mm



KYG1073 TR1012-4四方铜窝砧
Copper Square Dapping Block
Size:38×38×38mm
Weight:300g
Cavity Size:4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/22/25/30mm



KYG1074 TR1014-5四方铜窝砧
Copper Square Dapping Block
Size:50×50×50mm
Weight:66g
Cavity Size:3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/20/22/24/25/26/28/31/35/39mm




KYG1075 TR1012四方铁窝砧
Square Dapping Block
Size:50×50×50mm
Weight:660g
Cavity Size:3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/20/22/24/26/28/31/35/39mm




KYG1076 TR1013四方铁窝砧
Square Dapping Block
Size:63×63×63mm
Weight:1400g
Cavity Size:3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/25/28/35/40/45/50mm



KYG1077 四方铁窝砧
Copper Square Dapping Block
Size:70×70×70mm
Weight:1760g
Cavity Size:4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/20/22/25/30/35/40/45/50mm



KYG1078 特大四面坑铁
Tempered Steel Channel-Extra Large
Size:50×50×150mm
Weight: 2.7kg



KYG1079 高硬度大坑铁
Tempered Steel Channel-Large
Size:38×38×205mm
Weight:1.9kg



KYG1080 高硬度小坑铁
Tempered Steel Channel-Small
Size:32×32×205mm
Weight:1.35kg



KYG1081 Tr1098 18支英国圆片冲压器
Disc Cutter
Cavity Sizes:4、5、6、7、8、9、10、11、12、13、14、15、16、17、18、19、20mm
Weight: 3.6kg



KYG1082 TR1098-1 8支英国圆片冲压器
Disc Cutter
Cavity Sizes:20、25、30、35、40、45、50、55mm
Weight: 15.5kg



KYG1083 TR1098-2 5支圆片冲压器
Disc Cutter with 5 Punches
Dimensions:5 5/8"×5 5/8"×1 7/16"
Cavity Sizes:1"、1 1/4"、1 3/4"、1 1/2"、2"
Weight:4.3kg



KYG1084 TR1098-3 7支圆片冲压器
Disc Cutter Set
Dimensions:2 1/2"×2 1/2"×1"
Cavity Sizes:1/4"、5/16"、3/8"、9/16"、5/8"
Weight:0.9kg

套装窝珠作冲头 Dapping Punches



KYG1085 套装窝珠作(冲头)25支装
Dapping Punches With 25pcs
Weight:12kg
Cavity Size:5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/21/23/25/28/30/32/35/40/45/50mm



KYG1086 方窝作24件套
Dapping Punches With 24pcs
Weight:16kg
Cavity Size:3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/19/21/23/25/28/32/36/40/45/50mm




KYG1087 英国窝铁套装
Dapping Punches With 6pcs
Weight:10.5kg
Cavity Size:50/57/63/70/76/82mm



KYG1088 套装窝珠作(冲头)24支装
Dapping Punches With 24pcs
Weight:5.5kg
Cavity Size:2/3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/23/25/28/32/36mm



KYG1089 英国圆形冲片器
Disc Cutter
Weight:6kg
Cavity Size:4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20mm



KYG1090 便携式执模台
Portable Mold Holder



KYG1091 HH-BO5



KYG1092 HH-BO5N



KYG1093 HH-BO6


产品编码 ITEM NO.	HH-BO5	HH-BO5N	HH-BO6
品名 ITEM NAME	Ring Bending Tools 整形器	Ring Bending Tool I第二代整形器	Jump Ring Maker 绕线机配夹具
尺寸 SIZER	12mm,14mm,16mm,20mm22mm	12mm,14mm,16mm,18mm,20mm 22mm, 60° ,90°	2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/ 8/8.5/9/9.5/10/10.5/11/11.5/12mm
机身尺寸 DIMENSION	145*60*70mm	152*73*49mm	
包装尺寸 SHIPPING DIMENSION	260*165* 95mm	280*250* 120mm	260*165*95mm
包装重量 SHIPPING DIMENSION	2.8KG	3.0KG	2.6KG



KKYG1094 套装冲头(小17支)
Dapping Punching With 17pcs
Small Size:Φ2/2.5/3/3.5/4/4.5/5/5.5/
6/6.5/7/7.5/8/8.5/9/9.5/10mm
Weight:677g



KYG1095 套装冲头(大15支)
Dapping Punching With 15pcs
Big Size:Φ4/5/6/7/8/9/10/11/12/13/14/15/
16/17/18mm
Weight:1149g




KYG1096 四方铁
Steel Bench Anvil
Size1:70×70×30mm/1.1kg
Size2:80×80×30mm/1.5kg
Size3: 100×100×35mm/2.7kg
Size4: 150×150×30mm/5.3kg



微镶/执模台 Micro Setting Table/QC Table



KYG1097



KYG1098



KYG1099



KYG1100



KYG1101



KYG1102



KYG1103



KYG1104 红木台塞
Red Table Wood Stopper
Size: 140×45×25mm



KYG1105


微镶/执模台 Micro Setting Table/QC Table



KYG1106



KYG1107



KYG1108



KYG1109



KYG1110



KYG1111



KYG1112



KYG1113



KYG1114



AB胶水 Araldite Rapid



KYG1115
AA超能胶
Aron Alpha 2g



KYG1116
AA超能胶
Aron Alpha 20g



KYG1117
德国慢干胶水
UHU Plus Glue



KYG1118
德国快干胶水
UHU Quickest Glue



KYG1119
爱牢达保固环氧胶粘剂
Rapid Epoxy Adhesive
爱牢达超强环氧胶粘剂
包装规格: 25g/60g/39g/90g
Super strength Epoxy Adhesive



KYG1120 快干AB胶(透明)
Araldite Rapid
新湃 Rapid Transparent
Weight:33g



KYG1121 慢干AB胶(透明)
Araldite Rapid
新湃 Structural Adhesive
Weight:28g



KYG1122 快干AB胶
爱牢达Araldite
Rapid Transparent
Weight:25g



KYG1123
金饰品清洁液
Gold Jewelry Cleaner
Made in USA
236ml



KYG1124
银饰品清洁液
Silver Jewelry Cleaner
Made in USA
236ml



KYG1125
擦银布
Silver Polishing Cloth
Made in USA
Size:280×355mm



KYG1126
擦金布
Gold Polishing Cloth
Made in USA
Size:280×355mm



KYG1127 擦银布
Silver Polishing Cloth
Size: 175×125mm



KYG1128 擦金布
Gold Polishing Cloth
Size:175×125mm



KYG1129 擦钻石布
Diamond Polishing Cloth
Size:250×250mm



KYG1130 鹿皮布
Deerskin Cloth
Size:320×210mm

洗银水 Silver Cleaner



KYG1131 擦银布
Sliver Cleaning Cloth
Size:82×82mm



KYG1132 擦银布
Sliver Cleaning Cloth
Size:175×175mm



KYG1133 金银洁光剂
Silver and Gold Cleaner
1支40ml
10支/box



KYG1134
佳士杰擦银膏
Silver Polish
200ml



KYG1135
Blitz 擦银膏
Silver Care Polish
236ml
Made in USA



KYG1136
钻石清洁炫彩笔刷
Diamond Cleaning
Colorful Brush
1.5ml



KYG1137 油泥王
Oil Sludge King
Net Weight:275g



KYG1138 绿色印泥
Plasticine
Net Weight:500g



KYG1139 白/蓝丁胶
White/Blue Polybutadiene
Rubber
Net Weight:75g



KYG1140
珠宝首饰专用胶水
Jewelry Adhesive



KYG1141 钢针
Steel Needle
No1:2# Φ1.08×L45.7mm
No2:3# Φ0.86×L42mm
5000pcs/box



KYG1142
套装珠作 No.0#-22#
Bead Tool Set
of 23 pieces



KYG1143 鱼牌吸珠钉
Bead Tool
No.0#-22#
Made in Swiss



KYG1144 吸珠钉
Bead Tool
Made in China

规格号 No.	梯弧形工作面直径 Diameter of ladder arc working face	规格号 No.	梯弧形工作面直径 Diameter of ladder arc working face	规格号 No.	梯弧形工作面直径 Diameter of ladder arc working face
0#	0.25mm	8#	0.65mm	16#	1.05mm
1#	0.30mm	9#	0.70mm	17#	1.10mm
2#	0.35mm	10#	0.75mm	18#	1.15mm
3#	0.40mm	11#	0.80mm	19#	1.20mm
4#	0.45mm	12#	0.85mm	20#	1.25mm
5#	0.50mm	13#	0.90mm	21#	1.30mm
6#	0.55mm	14#	0.95mm	22#	1.35mm



钨钢拉线板 Tungsten Steel Drawplate




KYG1145
六角型(20孔)Hexagonal—20 holes
No.7.10-9.00
Size:208×46×7.5mm



KYG1150
四角型(22孔)Square—22 holes
No.3.10-5.00
Size:208×46×7.5mm



KYG1146
六角型(20孔)Hexagonal—20 holes
No.5.10-7.00
Size:208×46×7.5mm




KYG1151
四角型(30孔)Square—30 holes
No.0.55-3.00
Size:208×46×7.5mm



KYG1147
六角型(20孔)Hexagonal—20 holes
No.3.10-5.00
Size:208×46×7.5mm



KYG1152
半圆型(20孔)Half Round—20 holes
No.5.10-7.00
Size:208×46×7.5mm



KYG1148
六角型(30孔)Hexagonal—30 holes
No.0.55-3.00
Size:208×46×7.5mm



KYG1153
半圆型(20孔)Half Round—20 holes
No.3.10-5.00
Size:208×46×7.5mm



KYG1149
四角型(20孔)Square—20 holes
No.5.10-7.00
Size:208×46×7.5mm



KYG1154
半圆型(30孔)Half Round—30 holes
No.0.55-3.00
Size:208×46×7.5mm

钨钢拉线板 Tungsten Steel Drawplate



KYG1155
巨型(20孔)Egg—20 holes
No.3.10-5.00
Size:208×46×7.5mm



KYG1156
月亮型 Moon
No.1.10-3.00
Size:208×46×7.5mm



KYG1157 高精度圆型拉线板(精品)
圆型(20孔) Round—20 holes
No.6.10-8.00
Size:305×51×9mm



KYG1158 高精度圆型拉线板(精品)
圆型(24孔) Round—24 holes
No.2.30-6.00
Size:308×55.3×12mm
Weight:1600g




KYG1159 高精度圆型拉线板(精品)
圆型(51孔) Round—51 holes
No.0.26-2.80
Size:268×55×8mm
Weight:960g



KYG1160 3排圆型拉线板
圆型(39孔) Round—39 holes
No.0.26-2.80
Size:208×45×8mm
Weight:570g



KYG1161 3排圆型拉线板(精品)
圆型(36孔) Round—36 holes
No.0.26-2.20
Size:205×46×7mm
Weight:510g



KYG1162 4排圆型拉线板
圆型(52孔) Round—52 holes
No.0.26-4.10
Size:208×55.6×7.2mm
Weight:590g



KYG1163 钨钢/钻石拉线眼
Drawplate eyes
No.0.2-10mm

多种规格，可按客户订做。
Available In Various Specifications, Can Be Designed At Your Request.




天花板钨钢拉线板 Tungsten Steel Drawplate



正面
Frontage

- **KYG1164**
圆型(10孔) Round-10 holes
No.8.20-10.00
Size:265×76×12mm
Weight:1790g



背面
Back



正面
Frontage

- **KYG1165**
圆型(10孔) Round-10 holes
No.6.20-8.00
Size:265×70×12mm
Weight:1650g



背面
Back



正面
Frontage

- **KYG1166**
圆型(10孔) Round-10 holes
No.4.20-6.00
Size:265×66×12mm
Weight:1550g



背面
Back




正面
Frontage

- **KYG1167**
圆型(10孔) Round-10 holes
No.2.30-4.00
Size:265×66×12mm
Weight:1550g



背面
Back

玛瑙刀/锉刀 Agate Burnisher/Needle Files



KYG1168 光身玛瑙刀
Agate Burnisher without Handle-knife shape
Size:8/9/10/11/12/13/14/16cm



KYG1169 剑形钢柄玛瑙
Agate Burnisher with-Steel
Handle Sword Shape
Size:217mm



KYG1170 刀形钢柄玛瑙
Agate Burnisher with-Steel
Handle Knife Shape
Size:217mm



KYG1171 剑形竹柄玛瑙
Agate Burnisher with-Bamboo
Handle Sword Shape
Size:217mm



KYG1172 刀形竹柄玛瑙
Agate Burnisher with-Bamboo
Handle Knife Shape
Size:205mm



KYG1173 剑形铜柄玛瑙刀
Agate Burnisher with Brass Handle
Size:200mm



△ **KYG1174 三角锉**
Triangle Files No:140mm/200mm



⊖ **KYG1175 半圆锉**
Halfround Files No:140mm/200mm



△ **KYG1176 竹叶锉**
Barrette Files No:140mm/200mm



□ **KYG1177 平锉**
Hand Files No:140mm/200mm



⊖ **KYG1178 5寸大滑锉**
Precision Files 5" No:125mm



⊖ **KYG1179 双头蜡锉**
Double-Ended Wax Files No:200mm



⊖ **KYG1180 红柄卜锉**
Red Handle Halfround Files No:210mm




△ **KYG1181 红柄三角锉**
Red Handle Triangle Files No:210mm



KYG1182 套装锉刀(10支装)
Set File
Size:140mm/160mm/180mm



瑞士锉刀
Swiss Needle Files



LA2401-140-	2/3/4	140	4.8 × 1.1
LA2401-200-	2/3/4	200	6.5 × 1.3



KYG1183 LA2401
平锉
Hand Needle Files



LA2402-140-	2/3/4	140 35	5.1 × 1.5
LA2402-200-	2/3/4	200 48	6.3 × 2.0



KYG1184 LA2402
半圆锉
Halfround Needle Files



LA2405-140-	2/3/4	140	5.0 × 1.4
LA2405-200-	2/3/4	200	6.4 × 1.8



KYG1185 LA2405
刀形锉
Knife Needle Files



LA2407-140-	2/3/4	140	A=3.5
LA2407-200-	2/3/4	200	A=4.4



KYG1186 LA2407
三角锉
Triangle Needle Files



LA2408-140-	2/3/4	140	A=2.2
LA2408-200-	2/3/4	200	A=2.8



KYG1187 LA2408
四方锉
Square Needle Files



LA2410-140-	2/3/4	140	A=2.8
LA2410-200-	2/3/4	200	A=3.5



KYG1188 LA2410
圆锉
Round Needle Files



LA2411-140-	2/3/4	140	4.8 × 1.1
LA2411-200-	2/3/4	200	6.5 × 1.3



KYG1189 LA2411
竹叶锉
Barrette Needle Files

瑞士锉刀 Swiss Needle Files



LH9602-00	00	215mm
-----------	----	-------



KYG1190 LH9602-00
瑞士半圆粗锉
Half Round File
Made in Swiss



LH9607-0	0	215mm
----------	---	-------



KYG1191 LH9607-0
瑞士三角粗锉
Triangle Files
Made in Swiss



LP1540-8-	00	8/200
-----------	----	-------



KYG1192 LP1540
瑞士双头蜡锉
Double-Ended
Made in Swiss



LP1560-5-	3/4	5/125	15.5 × 3.5
-----------	-----	-------	------------



KYG1193 LP1560
瑞士大滑卜锉
Halfround Precision Files
Made in Swiss



LP1163-8-	2	8/200	21.3 × 4.8
-----------	---	-------	------------



KYG1194 LP1563
平锉
Flat File
Made in Swiss



Hiroshima Files	0	8.5/215
--------------------	---	---------



KYG1195 LP1543
红柄三角锉
Red Handle Triangle Files
Made in Japan



Hiroshima Files	0	8.5/215
--------------------	---	---------



KYG1196 LP1545
红柄卜锉
Red Handle Halfround Files
Made in Japan



车针锣咀 Steel Burs



1 3 5 6 38 36 203 256A 411T 256 411 253W 446 253 414 HH

KYG1197 车针锣咀 Steel Burs

型号 Model	规格 Specifications
波针Fig1 Round F1	003/004/005/006/007/008/009/010/011/012/013/014/015/016/017/018/019/020/ 021/022/023/024/025/026/027/028/029/030/031/035/040/050/060/070/080
轮针Fig3 Wheel F3	006/007/008/009/010/012/014/016/018/021/023/025
伞针Fig5 Pointed F5	009/010/012/014/016/018/021/023/025/027/029/031
桃针Fig6 Bud F6	009/010/012/014/016/018/021/023/025/027/029/031
斜牙针Fig38 Cone F38	005/006/007/008/009/010/011/012/013/014/015/016/017/018/019/020/ 021/023/025
直牙针Fig36 Cylinder F36	006/007/008/009/010/012/014/016/018/021/023/025/027
钻针Fig203 Twist Drill F203	005/006/007/008/009/010/011/012/013/014/015/016/017/018/019/020/ 021/023
开口吸珠Fig256A Concave F256A	007/008/009/010/011/012/013/014/015/016/017/018/021/023
闭口吸珠Fig256 Concave Cutter F256	008/009/010/011/012/013/014/015/016/017/018/021/023/025/027/029
薄飞碟Fig253W Bearing Cutter 253W	009/010/011/012/013/014/015/016/017/018/019/020/021/023/025
厚飞碟Fig253 Bearing Cutter 253	009/010/011/012/013/014/015/016/017/018/019/020/021/023/025/027
超薄飞碟HH Bearing Cutter HH	009/010/011/012/013/014/015/016/017/018/019/020/021/023/025/027



KYG1198 大钢压
Steel Burnisher-Large
Size: $\phi 6 \times (40+140)$ mm



KYG1199 中钢压
Steel Burnisher-Medium
Size: $\phi 5 \times (40+140)$ mm



KYG1200 小钢压
Steel Burnisher-Small
Size: $\phi 4 \times (40+140)$ mm



KYG1201 最小钢压
Steel Burnisher-Small
Size: $\phi 3.2 \times (24+140)$ mm



KYG1202 扁钢压
Steel Burnisher-Small
Size: $\phi 3.2 \times 180$ mm(扁)



KYG1203 钨钢三角刀
Tungsten Steel Triangular Knife
Size: $\phi 3.2 \times 180$ mm

钨钢针锣咀 Tungsten Steel Burs



KYG1204 钨钢波针
Tungsten Steel Round
Size:005/006/007/008/009
010/011/012/013/014/015/016
017/018/019/020/021/022/023

KYG1205 钨钢波针
Tungsten Steel Round
Size:005/006/007/008/009
010/011/012/013/014/015/016
017/018/019/020/021/022/023

KYG1206 钨钢开口吸珠针
Tungsten Steel Concave 411T
Size:008/009/010/011
012/013/014



KYG1207 钨钢斜牙针
Tungsten Steel Cone
Size:006/007/008/009/010/012

KYG1208 钨钢轮针
Tungsten Steel Wheel
Size:006/007/008/009/010/012

KYG1209 钨钢钻针
Tungsten Steel Twist Drill
Size:005/006/007/008/009



KYG1210 套装金钢砂磨头
Diamond Burs
Box Size:70 × 145 × 15.5mm
30Pcs/Box
柄径(Handle Diameter): 2.35mm
总长: 45mm

KYG1211 20P尖形金钢砂针
Diamond Burs
Box Size:70 × 145 × 15.5mm
30pcs/box
柄径(Handle Diameter): 2.35mm
总长: 45mm



KYG1212 套装金钢砂磨头
Diamond Burs
Box Size:61.5 × 145 × 20mm
30Pcs/Box
柄径(Handle Diameter): 2.35mm
总长(Cabinet Minister): 45mm


KYG1213 套装金钢砂磨头
Diamond Burs
Box Size:61.5 × 145 × 20mm
30Pcs/Box
柄径(Handle Diameter): 2.35mm
总长(Cabinet Minister): 45mm



钨钢旋转锉 Tungsten Carbide Rotary Files



KYG1214 钨钢旋转锉
Tungsten Carbide Rotary Files
Size: ϕ 2.35/3/4/5/6mm/刃长L13mm/柄径 ϕ 2.35mm/总长L50mm



KYG1215 钨钢锉(套装)
Tungsten Carbide Rotary Files
锉头Size ϕ : 2.35mm
柄径 ϕ : 2.35mm 长度L: 50mm



KYG1216 钨钢锉(套装)
Tungsten Carbide Rotary Files
锉头Size ϕ : 6mm
柄径 ϕ : 2.35mm 长度L: 50mm



KYG1217 高速钢锯片(白钢)
Saw Disc
根据尺寸订制



KYG1218 高速钢锯片(黑色)
Black Saw Disc
根据尺寸订制



KYG1219 钴钢锯片(金色)
Golden Saw Disc
外径 ϕ : 16-110mm
内径 ϕ : 5-27mm
厚度H: 0.2-6.0mm



KYG1220 钨钢锯片
Tungsten Steel Saw Disc
外径 ϕ : 16-110mm
内径 ϕ : 5-27mm
厚度H: 0.2-6.0mm



KYG1221 日本双面胶纸
Double Sided Adhesive
Made in Japan

规格 Specifications	单位 Unit	每筒数量 Quantity	每箱数量 Quantity
10mm×15m	卷(Roll)	25	138卷(Roll)
15mm×15m	卷(Roll)	17	96卷(Roll)
25mm×15m	卷(Roll)	10	60卷(Roll)
50mm×15m	卷(Roll)	5	30卷(Roll)



KYG1222 美纹纸胶带
Masking tape
1.0/1.5/2.0/2.5/3.0mm

硼砂、粉类 Borax Powder/Flux Powder



KYG1223 抛光粉
Polishing Powder(910)
-Mix With
Weight:50lbs/box
No1.1lbs/bag
No2.50lbs/Cartron
包装尺寸Size:36x36x25cm
总重量Weight:23.4kg



KYG1227 抛光粉(3A)
Polishing Powder
Weight:454g/box
No1.1lbs/box
No2.50lbs/Cartron
包装尺寸Size:33x56x35cm
总重量Weight:27.3kg



KYG1224 防锈粉(750)
Anti-Rust Powder(750)
No1.1lbs/bag
No2.50lbs/Cartron
包装尺寸Size:33x33x25cm
总重量Weight: 23.4kg




KYG1228 盒装硼酸粉
Box of Boric Acid Powder
Weight:10g/box



KYG1225 生硼砂
Borax Powder-Rough
Granules,For Melting Gold
No1.500g/bag
No2.50kg/Cartron



KYG1229 白矾
Potash Alum
No1.500g/bag
No2.50kg/Cartron



KYG1226 硼酸粉
Boric Acid Powder
No1.500g/bag
No2.25kg/Cartron



KYG1230 熟硼砂
Fine Borax Powder
No1.460g/bag
No2.50bag/Cartron




KYG1231 焊钢粉
Flux Powder
Made in China
Weight:250g



KYG1232 英国焊钢粉
Flux Powder
Made in UK
Weight:250g



KYG1233 铜焊粉
Brass Soldering Powder
Weight:1kg




KYG1234 银焊粉(5%低含量)
Silver Soldering Powder
Weight:1kg



KYG1235 金刚石锯片
Diamond Saw Blade
Size: ϕ 150/200/250/300/
350/400mm



KYG1236 金钢砂磨盘
Gem Millstone
400#600# 800# 1000#
1200# 1500# 2000#
 ϕ 151mm H1mm




KYG1237 尼龙轮
Nylon Wheel
No1: 6"(150mm)
No2: 8"(200mm)



KYG1238 PVA海棉砂轮
Abrasive Rubber Wheel
120#/180#/240#/320#400#
 ϕ 150x20mm/200x20mm



打磨布轮 Polishing Buffs




KYG1239 黄布轮 Yellow Buffs No:8"×50
KYG1240 黄布轮 Yellow Buffs No:7"×50
KYG1241 黄布轮 Yellow Buffs No:6"×50
KYG1242 黄布轮 Yellow Buffs No:5"×50
KYG1243 黄布轮 Yellow Buffs No:4"×50



KYG1244 白布轮 White Buffs No:8"×50
KYG1245 白布轮 White Buffs No:7"×50
KYG1246 白布轮 White Buffs No:6"×50
KYG1247 白布轮 White Buffs No:5"×50
KYG1248 白布轮 White Buffs No:4"×50



KYG1249 紫色布轮 Purple Buffs No:6"×60
KYG1250 红色布轮 Red Buffs No:6"×60
KYG1251 蓝色布轮 Blue Buffs No:6"×60
KYG1252 飞碟黄布轮 Yellow Muslin Buffs No:6"/4"
KYG1253 飞碟黄布轮 White Muslin Buffs No:6"/4"



KYG1254 5"大戒指绒棒
5"Felt Ring Buff-Large
Size:145.3mm

KYG1255 4"戒指绒棒
4"Felt Ring Buff
Size:135mm

KYG1256 3"戒指绒棒
3"Felt Ring Buff
Size:112mm

KYG1257 小3"戒指绒棒
3"Felt Ring Buff
Size:112mm

绒碟 Split Lap



KYG1258 6寸软飞碟/Soft φ6"/153mm,厚度13mm
KYG1259 6寸中硬飞碟/Medium φ6"/153mm,厚度13mm
KYG1260 6寸硬飞碟/Hard φ6"/153mm,厚度13mm
KYG1261 6寸特硬飞碟/Rock Hard φ6"/153mm,厚度13mm



KYG1262 6寸超特硬飞碟/Flint Hard φ6"/153mm,厚度13mm
KYG1263 4寸飞碟 软/中硬/硬/特硬/超特硬
Soft/Medium/Hard/Rock Hard/
Flint Hard
φ4"/102mm,厚度15mm
KYG1264 4寸/6寸绒饼 软/中硬/硬/特硬/超特硬
Soft/Medium/Hard/Rock Hard/
Flint Hard
No1:φ4"/103mm,厚度17.8mm
No2:φ6"/150mm,厚度17.8mm
KYG1265 美国6寸飞碟 软/中硬/硬/特硬/超特硬
Soft/Medium/Hard/Rock Hard/
Flint Hard
φ6"/154mm,厚度13.8mm
Made in USA



KYG1266 羊毛磨头
Mounted Felt Point
12支/包



锥形
Cone

磨头(Grinding head):
φ3/4/5/6/8/10/12mm
柄径(Handle diameter): φ2.35mm
总长(Total length): 46mm



柱形
Pillar

磨头(Grinding head):
φ3/4/5/6/8/10/12mm
柄径(Handle diameter): φ2.35mm
总长(Total length): 43mm



KYG1267 勇士牌砂纸(干湿两用)
Waterproof Abrasive Paper
Model:220#/240#/280#/320#/400#/600#/800#
1000#/1200#/1500#/2000#/2500#/3000#
Size:230×280mm(50Pcs/bag)
Made in Germany



KYG1268 太阳牌干砂纸
Sunmtcht Abrasive Paper
Model:180#/240#/320#/400#/600#/800#
Size:230×280mm(100Pcs/bag)
Made in Korea



KYG1269 砂纸轮
Mounted Felt Point
Model:240#320#400#600#800#/
1000#/1500#/2000#/2500#/3000#/
5000#



4C毛刷轮 Brush Wheel



KYG1270 红色胶芯毛刷
Red Plastic Hub Bristle Brush
4C: No1: ϕ 65mm No2: ϕ 78mm



KYG1271 橙色胶芯毛刷
Orange Plastic Hub Bristle Brush
4C: No1: ϕ 65mm No2: ϕ 78mm



KYG1272 蓝色胶芯黑猪毛毛刷
Blue Plastic Hub Bristle Brush
4C: No1: ϕ 65mm No2: ϕ 78mm



KYG1273 绿色胶芯黑猪毛毛刷
Green Plastic Hub Bristle Brush
4C: No1: ϕ 65mm No2: ϕ 78mm



KYG1274 白羊毛毛刷
White Wool Brush
3C: ϕ 72mm
4C: ϕ 78mm



KYG1275 黑猪毛毛刷
Blue Plastic Hub Bristle Brush
6C/8C: ϕ 78mm



KYG1276 马尾毛毛刷
Horse Hair Brush
8C: ϕ 78mm



KYG1277 花羊毛毛刷
Flower Wool Brush
8C: ϕ 78mm



KYG1278 百洁布飞翼轮
Flap Wheel
厚度(Thickness): 50mm/25mm
直径(Diameter): ϕ 300/250/200/150/
125/100mm



KYG1279 麻轮
Flax Wheel
Size: 6"/150mm/ 7" 180mm
8"/200mm/10"/250mm



KYG1280 6"分页白布轮
White Buff
6" $\times$ 50片



KYG1281 铜丝轮
Brass Wire Brushes
4C: ϕ 100mm



KYG1282 4C铜丝轮
Brass Wire Brushes
直径(Diameter): ϕ 80mm
厚度(Thickness): 16mm

2C毛刷轮 Brush Wheel



KYG1283 进口彩2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1284 进口2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1285 2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1286 油木2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1287 彩2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1288 黑字大2C毛刷
Wood Hub Bristle Brush
2C: ϕ 67mm(ϕ 47mm)



KYG1289 彩1C毛刷
Wood Hub Bristle Brush
1C: ϕ 67mm(ϕ 47mm)



KYG1290 黑字1C毛刷
Wood Hub Bristle Brush
1C: ϕ 67mm(ϕ 47mm)



KYG1291 4C毛刷
Steel Hub Bristle Brush
4C: ϕ 68mm/78mm(ϕ 40mm)



KYG1292 4C毛刷
Steel Hub Bristle Brush
4C: ϕ 72mm(ϕ 38mm)



KYG1293 2C夹布白猪毛
2C Plastic Hub Brush With Cloth
2C: ϕ 80mm(ϕ 23.5mm)




KYG1294 4C毛刷(白猪毛)
Steel Hub Bristle Brush
4C: ϕ 72mm(ϕ 38mm)



KYG1295 2C毛刷
Steel Hub Bristle Brush
2C: ϕ 54mm



KYG1296 2C胶芯黑猪毛毛刷
Plastic Hub Bristle Brush
2C: ϕ 54mm(ϕ 27mm)



KYG1297 2C胶芯棕色毛刷
Plastic Hub Bristle Brush
2C: ϕ 54mm(ϕ 27mm)



KYG1298 2C黑猪毛毛刷
White Plastic Hub Bristle Brush
2C: ϕ 54mm(ϕ 27mm)



毛刷轮 Brush Wheel



KYG1299
铜芯马尾毛毛刷
Horse Brushes Steel Center
2C ϕ 48mm(ϕ 25mm)



KYG1300
铁芯黑猪毛毛刷
Black Brushes Steel Center
2C ϕ 48mm(ϕ 25mm)



KYG1301
铁芯灰白毛毛刷
Grey Brushes Steel Center
2C ϕ 48mm(ϕ 25mm)



KYG1302
铁芯白羊毛毛刷
White Brushes Steel Center
2C ϕ 48mm(ϕ 25mm)



KYG1303
铁芯米白布轮
Cotton Polishing
Bristle Brushes
2C ϕ 48mm(ϕ 25mm)



KYG1304
铁芯纯绵线轮
Cotton Bristle
Brush steel hub
2C ϕ 48mm(ϕ 25mm)



KYG1305
白色胶芯毛刷
White Plastic Hub
Bristle Brushes
2C ϕ 66mm(ϕ 34.5mm)



KYG1306
尼龙轮
Nylon wheel
 ϕ 48mm



KYG1307
铁芯纯绵线毛刷
Cotton Bristle Brush
Wood hub
4C ϕ 80mm(ϕ 43mm) H39mm



KYG1308
铁芯纯绵线毛刷
Cotton Bristle Brush
Wood hub
4C ϕ 70mm(ϕ 32mm) H35mm



KYG1309
铁芯纯绵线毛刷
Cotton Bristle Brush
Wood hub
4C ϕ 53mm(ϕ 29mm) H29mm



KYG1310
手镯内绒棒
Felt Bracelet Buff



KYG1311
子弹头羊毛轮
Cone Felt
Size: ϕ 15 $\times$ 26mm



KYG1312
羊毛轮片
Size: ϕ 25 $\times$ H5mm



KYG1313
雪白布轮片
White Cloth Brush
Size: ϕ 25 $\times$ H4mm



KYG1314
浅色混合毛片
White Gray Bristle Brush
No1: 19mm
No2: 22mm



KYG1315
深色混合毛片
Dark Gray Bristle Brush
No1: 19mm
No2: 22mm

小毛扫 Bristle Brush



KYG1316
白猪毛片
White Bristle Brush
No1: 19mm
No2: 22mm



KYG1317
黑猪毛片
Black Bristle Brush
No1: 19mm
No2: 22mm



KYG1318
马尾毛片
Horse Bristle Brush
No1: 19mm
No2: 22mm



KYG1319
马鬃毛片
Brown Bristle Brush
No1: 19mm
No2: 22mm



KYG1320
白羊毛片
White Bristle Brush
No1: 19mm
No2: 22mm



KYG1321
钢丝扫
Steel Bristle
End Brusher
Size: 5mm



KYG1322
铜丝扫
Brass Bristle
End Brusher
Size: 5mm



KYG1323
钢丝碗扫
Steel Wire
Cup Brush
Size: 11mm



KYG1324
铜丝碗扫
Brass Wire
Cup Brush
Size: 11mm



KYG1325
棕直扫
Brown Bristle
Size: 5mm



KYG1326
白直扫
White Bristle
Size: 5mm



KYG1327
黑直扫
Black Bristle
Size: 5mm



KYG1328
黑毛碗扫
Cup Brush
Black Bristle
Size: 11mm



KYG1329
棕毛碗扫
Cup Brush
Brown Bristle
Size: 11mm



KYG1330
白猪毛扫轮
White Bristle Brush
No1: 19mm
No2: 22mm



KYG1331
黑猪毛扫轮
Black Bristle Brush
No1: 19mm
No2: 22mm



KYG1332
马尾毛扫轮
Horse Bristle Brush
No1: 19mm
No2: 22mm



KYG1333
马鬃毛扫轮
Brown Bristle Brush
No1: 19mm
No2: 22mm



KYG1334
深灰毛扫轮
Gray Bristle Brush
No1: 19mm
No2: 22mm



KYG1335
白灰毛扫轮
Gray Bristle Brush
No1: 19mm
No2: 22mm



KYG1336
白羊毛扫轮
White Bristle Brush
No1: 19mm
No2: 22mm



KYG1337
短柄白羊毛
White Bristle Brush
Size: ϕ 12mm
总长: 24mm



KYG1338
短柄花羊毛
Gray Bristle Brush
Size: ϕ 12mm
总长: 24mm



KYG1339
白羊毛
White Bristle Brush
Size: ϕ 10mm
总长: 43mm



KYG1340
花羊毛
Gray Bristle Brush
Size: ϕ 10mm
总长: 43mm



KYG1341
钢丝轮
Steel wire Brush
Size: ϕ 22mm/19mm
总长: 41mm




KYG1342
铜丝轮
Brass wire Brush
Size: ϕ 22mm/19mm
总长: 41mm



打磨轮 Mounted Brushes



有柄硅胶胶轮 Silicone Points





抛光硅胶磨头


Polished Silica Gel Grinding Head

玉雕/牙科/首饰/细抛

Jade carving/Dentistry/Jewelry/Fine polishing

专业源自专注

Profession comes from concentration.




80# 120# 150# 180# 220# 600# 800# 1000# 2000#




KYG1372 抛光硅胶磨头 Size: $\Phi 10 \times H25\text{mm}$
Silicone Polishers

80# 120# 150# 180# 220# 600# 800#




KYG1373 抛光硅胶磨头 Size: $\Phi 5.7 \times H16\text{mm}$
Silicone Polishers

80# 120# 150# 180# 220# 600# 800# 1000# 2000#




KYG1374 抛光硅胶磨头 Size: $\Phi 10 \times H20\text{mm}$
Silicone Polishers

80# 150# 220# 800# 180# 600# 800# 1000# 2000#




KYG1375 抛光硅胶磨头 Size: $\Phi 8.2 \times H18\text{mm}$
Silicone Polishers

80# 120# 220# 150# 180# 600# 800# 1000# 2000#




KYG1376 抛光硅胶磨头 Size: $\Phi 6 \times H16\text{mm}$
Silicone Polishers

80# 120# 150# 180# 220# 600# 800#




KYG1377 抛光硅胶磨头 Size: $\Phi 4.6 \times H12\text{mm}$
Silicone Polishers

80# 120# 150# 180# 220# 600# 800#



KYG1378 抛光硅胶磨头 Size: $\Phi 8 \times H20\text{mm}$
Silicone Polishers

80# 120# 150# 180# 220# 600# 800#



KYG1379 抛光硅胶磨头 Size: $\Phi 10 \times H17.5\text{mm}$
Silicone Polishers




橡胶结合剂抛光磨片

Rubber Polishers

用于合金金属抛光与精细抛光

Used for alloy metal polishing and fine polishing.



硅胶结合剂抛光磨片

Silicone Polishers

用于贵金属、树脂假SIVE牙、烤瓷冠抛光及精细抛光

Used for polishing precious metals, resin false four teeth and porcelain crowns and SIVE polishing.

KYG1380 黑色

粒度Grit: 特粗Extra-Coarse
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
RF 006 1	RF 007 1	RF 011 1	RF 008 1	RF 009 1	RF 012 1	RF 001 1	RF 002 1
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1381 红色

粒度Grit: 粗Coarse
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
RF 006 2	RF 007 2	RF 011 2	RF 008 2	RF 009 2	RF 012 2	RF 001 2	RF 002 2
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1382 绿色

粒度Grit: 中粗Mid-Coarse
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
RF 006 3	RF 007 3	RF 011 3	RF 008 3	RF 009 3	RF 012 3	RF 001 3	RF 002 3
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1383 灰色

粒度Grit: 细-Fine
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
RF 006 4	RF 007 4	RF 011 4	RF 008 4	RF 009 4	RF 012 4	RF 001 4	RF 002 4
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1384 灰色

粒度Grit: 240#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
SH 006 2	SH 007 2	SH 011 2	SH 008 2	SH 009 2	SH 012 2	SH 001 2	SH 002 2
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1385 粉红色

粒度Grit: 320#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
SH 006 3	SH 007 3	SH 011 3	SH 008 3	SH 009 3	SH 012 3	SH 001 3	SH 002 3
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1386 浅绿色

粒度Grit: 800#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
SH 006 4	SH 007 4	SH 011 4	SH 008 4	SH 009 4	SH 012 4	SH 001 4	SH 002 4
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1387 黑色

粒度Grit: 180#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M:
规格SizeΦ × L(mm):

							
SG 006 2	SG 007 2	SG 011 2	SG 008 2	SG 009 2	SG 012 2	SG 001 2	SG 002 2
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20



硅胶结合剂抛光磨片 Silicone Polishers

KYG1388 红色

粒度Grit: 400#
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

							
SG 006 3	SG 007 3	SG 011 3	SG 008 3	SG 009 3	SG 012 3	SG 001 3	SG 002 3
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1389 绿色

粒度Grit: 1000#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

							
SG 006 4	SG 007 4	SG 011 4	SG 008 4	SG 009 4	SG 012 4	SG 001 4	SG 002 4
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20

KYG1390 蓝色

粒度Grit: 2000#
包装Packing(pcs): 100
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

							
SG 006 5	SG 007 5	SG 011 5	SG 008 5	SG 009 5	SG 012 5	SG 001 5	SG 002 5
16 × 1	16 × 2	16 × 2	22 × 1	22 × 3	22 × 3.5	6 × 23	7 × 20



KYG1391
砂纸夹针
Mandrel For
Polishing Paper



KYG1392
砂纸夹针
Mandrel For
Polishing Paper



KYG1393
砂纸夹针
Mandrel For
Polishing Paper



KYG1394
砂纸夹针
Mandrel For
Polishing Paper



KYG1395
砂纸夹针
Mandrel For
Polishing Paper



KYG1396
胶条夹针
Occlusal Mandrel
Φ3mm



KYG1397
胶条夹针
Occlusal Mandrel
Φ2mm



KYG1398
砂纸夹针
Mandrel For
Polishing Paper



KYG1399
砂纸夹针
Mandrel For
Polishing Paper



KYG1400
砂纸夹针
Mandrel For
Polishing Paper

硅胶结合剂抛光磨头 Silicone Polishers

Special for precious metals wokpiece.

Material:silicon rubber mixing with normal abrasive.

Usage:For finishing and polishing precious dental workpiece,such as finishing, smoothing and polishing golden teeth and goleninner crown.

Caution:Please use the products in allowed RPM.OR it may Take the products damaged!

KYG1401 黑色

粒度Grit: 粗Coarse 180#
包装Packing(pcs): 12
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

							
SG201 2	SG 202 2	SG 211 2	SG 212 2	SG 213 2	SG 216 2	SG 221 2	SG 222 2
3 × 7	5 × 12	3 × 7	4 × 12	6 × 16	4 × 12	9 × 8.5	18 × 3

KYG1402 黑色

粒度Grit: 粗Coarse 180#
包装Packing(pcs): 12
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

						
Sg231 2	SG 235 2	SG 232 2	SG 234 2	SG 233 2	SG 241 2	SG 242 2
12 × 1	8 × 1	12 × 2	15 × 2	12 × 4	12 × 2	15 × 2

KYG1403 红色

粒度Grit: 中粗Mid-Coarse 400#
包装Packing(pcs): 12
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

							
SG201 3	SG 202 3	SG 211 3	SG 212 3	SG 213 3	SG 216 3	SG 221 3	SG 222 3
3 × 7	5 × 12	3 × 7	4 × 12	6 × 16	4 × 12	9 × 8.5	18 × 3

KYG1404 红色

粒度Grit: 中粗Mid-Coarse 400#
包装Packing(pcs): 12
订货编号Order No.:
推荐转速Recommended R.P.M.:
规格SizeΦ × L(mm):

						
SG231 3	SG 235 3	SG 232 3	SG 234 3	SG 233 3	SG 241 3	SG 242 3
12 × 1	8 × 1	12 × 2	15 × 2	12 × 4	12 × 2	15 × 2



硅胶结合剂抛光磨头 Silicone Polishers

Silicone Polishers

Special for resin base.

Material:silicon rubber mixing with normal abrasive.

Usage:For smoothing and inital polishing porcelain resin teeth.

Caution:Please use the products in allowed RPM.OR it may Take the products damaged!

KYG1405 红色

粒度Grit: 特粗Extra Coarse

包装Packing(pcs): 12

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

							
SK 212 1	SK 213 1	SK 214 1	SK 202 1	SK 217 1	SK 403 1	SK 416 1	SK 401 1
4 × 12	6 × 16	10 × 20	10 × 24	10 × 17	13 × 20	14 × 17	15 × 17

KYG1406 灰色

粒度Grit: 粗 Coarse

包装Packing(pcs): 12

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

							
SK 212 2	SK 213 2	SK 214 2	SK 202 2	SK 217 2	SK 403 2	SK 416 2	SK 401 2
4 × 12	6 × 16	10 × 20	10 × 24	10 × 17	13 × 20	14 × 17	15 × 17

KYG1407 绿色

粒度Grit: 中粗Mid-Coarse

包装Packing(pcs): 12

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

							
SK 212 3	SK 213 3	SK 214 3	SK 202 3	SK 217 3	SK 403 3	SK 416 3	SK 401 3
4 × 12	6 × 16	10 × 20	10 × 24	10 × 17	13 × 20	14 × 17	15 × 17

KYG1408 淡绿色

粒度Grit: 极细Extra fine

包装Packing(pcs): 12

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

							
SK 212 5	SK 213 5	SK 214 5	SK 202 5	SK 217 5	SK 403 5	SK 416 5	SK 401 5
4 × 12	6 × 16	10 × 20	10 × 24	10 × 17	13 × 20	14 × 17	15 × 17

RLD 橡胶金刚石抛光器 RLD Rubber Diamond Polisher

RLD 橡胶金刚石抛光器

用于氧化锆/瓷牙等高亮泽抛光(口外用)

注意:请在推荐的转速范围内使用本产品, 使用时佩戴防护产品!

RLD Rubber Diamond Polisher

Usage:For dental clinic grinding porcelain and composite.

Caution:Please use the products in allowed RPM.or it may take the products damaged!

KYG1409

柄shank:HP 2.35mm

包装Packing(pcs):1


订货编号Order NO.:

粒度Grit: 特粗 Extra Coarse

推荐转速Recommended R.P.M.:

尺寸Size(mm) :

ISO NO.: 802...

				
RLD105 EC	RLD105 C	RLD105 M	RLD105 F	RLD105 EF
特粗 Extra Coarse	粗 Coarse	中粗 Mid- Coarse	细 Fine	极细 Extra Fine
20000/min	20000/min	15000/min	15000/min	10000/min
26*3	26*3	26*3	26*3	26*3
900 307 544 260	900 307 524 260	900 307 514 260	900 307 504 260	900 307 494 260

KYG1410

粒度Grit:

包装Packing(pcs): 1

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

				
RLD101 EC	RLD101 C	RLD101M	RLD101 F	RLD101 EF
特粗	粗	中粗	细	极细
15,000-25,000/min	15,000-25,000/min	15,000-25,000/min	10,000-20,000/min	10,000-20,000/min
22 × 3mm	22 × 3mm	22 × 3mm	22 × 3mm	22 × 3mm

KYG1411

粒度Grit:

包装Packing(pcs): 1

订货编号Order No.:

推荐转速Recommended R.P.M.:

规格SizeΦ × L(mm):

				
RLD103 ES	RLD103 C	RLD103M	RLD103 F	RLD103 EF
特粗	粗	中粗	细	极细
15,000-25,000/min	15,000-25,000/min	15,000-25,000/min	10,000-20,000/min	10,000-20,000/min
26 × 2mm	26 × 2mm	26 × 2mm	26 × 2mm	26 × 2mm



Φ14×1.6mm
中粗
RD3383

Φ14×1.6mm
中粗
RD3384

Φ14×1.6mm
极细
RD3388

KYG1412 多功能旋风轮抛光轮 Polishing Points

适用于氧化锆、烤瓷、合金及复合材料的高亮抛光



4372-72
Φ2*21mm

4373-73
Φ3*24mm

KYG1413 EVE红色硅胶胶条(700#) EVE Polishing Points




陶瓷结合剂磨头 Mounted Sanding Polisher

KYG1414


柄径：φ 2.35mm、φ 3.0mm、φ 6.0mm
颜色：红色、蓝色、白色、绿色



φ 2.35/3.0




Order no	SA308	SA410	SA512	SA613	SA816	SA1016	SA1216	SJ308	SJ411	SJ512	SJ613
φ D	3	4	5	6	8	10	12	3	4	5	6
T	8	10	12	13	16	16	16	8	11	12	13



Order no	SJ816	SJ1016	SJ1216	SP410	SP512	SP615	SP818	SP1018	ST310	ST411	ST512
φ D	8	10	12	4	5	6	8	10	3	4	5
T	16	16	16	10	12	15	18	18	10	11	12




Order no	ST615	ST818	ST1018	SD3	SD4	SD5	SD6	SD8	SD10	SD12	SA625	SA825
φ D	6	8	10	3	4	5	6	8	10	12	6	8
T	15	18	18	-	-	-	-	-	-	-	25	25




Order no	SA1025	SA1225	SJ625	SJ825	SJ1025	SJ1225	SE13	SE16	SE20	SE22	SE25
φ D	10	12	6	8	10	12	13	16	20	22	25
T	25	25	25	25	25	25	2/3	2/3	2/3/4/5	3/4/5	3/4/5

φ 6.0



Order no	SA625	SA825	SA1025	SA1225	SA1625	SA2025	SA2525	SA3225	SJ625	SJ825	SJ1025
φ D	6	8	10	12	16	20	25	32	6	8	10
T	25	25	25	25	25	25	25	25	25	25	25



Order no	SJ1225	SJ1632	SJ2038	SJ2540	SD16	SD20	SD25	SE30	SE40
φ D	12	16	20	25	16	20	25	30	38
T	25	32	38	40	-	-	-	6/8/10	10

擦银棒(指甲锉) Silver Polishing Stick

SunShine



A1



B2



C3



D4



E5




F6



G7

KYG1415 磨银板(指甲锉)
Silver Polishing Stick

编号 No.	产品尺寸 Size	每包数量 Quantity	每件数量 Quantity	砂度 Sand degree
A1	178*29*12mm	10/包	1000	100/180
B2	178*29*5mm	25/包	2000	100/180
C3	178*19*8mm	15/包	1500	600/3000
D4	178*19*12mm	10/包	1000	100/180
E5	178*19*5mm	25/包	2000	100/180
F6	90*37*27mm	60/包	1000	180/400/800/3000
G7	95*25*35mm	10/包	1000	100/180



KYG1416 螺旋碟
Radial Bristle Disc
φ 19mm/ φ 22mm/ φ 25mm



KYG1417 油石
Oilstone
No.1 4"/50 × 100 × 12mm
No.2 5"/50 × 125 × 12mm
No.3 6"/50 × 150 × 12mm



打磨蜡 Polishing Compound



KYG1418 日本蓝蜡
Blue Compound For Platinum
D-24
重量Weight:467g
Made in Japan



KYG1419 日本蓝蜡
Blue Compound For Platinum
401N
重量Weight:505g
Made in Japan



KYG1420 日本超光黄蜡
Yellow Compound For Platinum
J-5000/J-7000
重量Weight:153g
Made in Japan




KYG1421 日本超光青苹果蜡
Apple Colour Compound
重量Weight:153g
Made in Japan




KYG1422 AUG青蜡
AUG Green Compound
重量Weight:865g




KYG1423 AUG白蜡
AUG White Compound
重量Weight:854.5g



KYG1424 镜面PME青蜡
PME Green Compound
重量Weight:840g



KYG1425 PME白蜡
PME White Compound
重量Weight:866g



KYG1426 PME紫蜡
PME Purple Compound
重量Weight:830g



KYG1427 小白蜡
W33 White Compound
重量Weight:350g



KYG1428 蓝蜡
D-36 Blue Compound
重量Weight:478g



KYG1429 青蜡
BBB Green Compound
重量Weight:907g



KYG1430 美国白金大灰蜡
Grey Compound For Platinum
重量Weight:968g
Made in U.S.A



KYG1431 英国红蜡
Canning Red Rouge
重量Weight:452g
Made in UK



KYG1432 小条方形抛光蜡
Dialux Rouge
盒装(蓝蜡/红蜡/绿蜡/白蜡)
Blue.Red.Green.White
包装尺寸:34×95×30mm

法国抛光蜡 Polishing Solutions

KYG1433 法国抛光蜡

Colour	Grit	Surface	Operation	TO Be Used Upon
 红色	6.5 μ	Any kink of metal	Preparation (when a strong cut is necessary)	Felts/cotton buff for polishing MAJ/MB/TB
 绿色	3 μ	Any kink of metal	Preparation (medium cut for small defaults)	Felts/cotton buff for polishing MB/TB
 灰色	1 μ	Platinum	Preparation	Felts/cotton buff for polishing TPB/STV
 白色	1 μ	Non ferrous (medium cut for small def)	Fine polishing	Cotton buff for polishing TPB/STV
 蓝色	0.3 μ	Steel/Stainless Silver/grey&white- gold/Platinum	Fine polishing /Finishing	Cotton buff for polishing TPB/STV/MOC2
 黄色	0.5 μ	Any kind of Gold Steel/Stainless	Finishing	Cotton buff for polishing LAG/STV/MOC2
 橙色	0.1 μ	Precious and fragile metals /Laquers	Extremely good brightness	Cotton buff for polishing LAG/STV/MOC2

Size in mm:roller 30 & long 80 NW/roll in grms:110

Each reference of the LUXOR line will enable you to:

- ◆Decrease the consumption of polishing paste
- ◆Save a lot of time
- ◆Obtain very clean pieces
- ◆Keep your work stations clean



LUXBOX(7rolls)



KYG1434 明氏蜡
Menzerna Polishing Compound
重量Weight:1250g
Made in Germany
GW16黄蜡/16H黄蜡/P195黄蜡/
P175黄蜡/P126紫蜡/P191蓝蜡/
P204粉红蜡/B4F棕色蜡/AP14青蜡/
/439T绿蜡/495P白蜡




KYG1435 德国名仕牌M5小白蜡
(镜面抛光)
Weight: 500g




KYG1436 德国名仕牌P229小黄蜡
(镜面抛光)
Weight:500g




雕刻蜡 Carving Wax




KYG1437 戒指蜡(绿色/蓝色)
Ferris File-A-Wax
Wax Ring Tubes(Green/Blue)



KYG1438 片装刻模蜡
Ferris File-A-Wax
Slices(Green/Blue)
Weight:454g/box




KYG1439 块装刻模蜡
Ferris File-A-Wax
Block(Green/Blue)
Weight:454g/box




KYG1440 手镯蜡
Matt Wax Bracelet
Wax Blanks(Green)




KYG1441 圆形手镯蜡
Round Bracelet Wax
Big Size: $\phi 83 \times 120\text{mm}$
Weight:590g
Small Size: $\phi 76 \times 120\text{mm}$
Weight:495g




KYG1442 椭圆形手镯蜡
Oval Bracelet Wax
Size: $\phi 70 \times \phi 80 \times 120\text{mm}$
Weight:496g



KYG1443 圆形手镯蜡
Round Bracelet Wax
Big Size: $\phi 83 \times 120\text{mm}$
Weight:590g
Small Size: $\phi 76 \times 120\text{mm}$
Weight:495g



KYG1444 椭圆形手镯蜡
Oval Bracelet Wax
Size: $\phi 70 \times \phi 80 \times 120\text{mm}$
Weight:490g



KYG1445 蜡片
Wax Silces
规格:69×90mm
厚度:0.8/1.0/1.2/1.5/2.0/2.5/3.0/3.5
4.0/4.5/5.0/6.0/7.0/8.0/9.0/10/12(mm)



KYG1446 蜡片
Wax Silces
规格:90×150mm
厚度:0.8/1.0/1.2/1.5/2.0/2.5/3.0/3.5
4.0/4.5/5.0/6.0/7.0/8.0/9.0/10/12(mm)



KYG1447 蜜蜡
Kerr Utility Wax Sheets
Contents: Sheets, Red
Net Weight:246g
Gross weight:283g/box

雕蜡刀 Carving Knife



KYG1448 蜡锉(套装)
Wax Needle File Set
No1:205mm/Large
No2:150mm/Small
Made In Swiss



KYG1449 蜡雕/木雕/核雕专用
Special For Wax Carving/Wood Carving/Nuclear Carving
柄直径:2.35mm/3.0mm




KYG1450 掏底刀
Sctape Knife
总长L:145mm 柄径 ϕ :8mm



KYG1451 雕刻刀
Carving Knife
总长L:145mm 柄径 ϕ :8mm



KYG1452 雕刻刀
Carving Knife Set
总长L:176mm 柄径 ϕ :5.3mm



KYG1453 雕蜡刀
Carving Knife



KYG1454 微型焊蜡笔
Minitype Wax Pen
Size:165mm



KYG1455 微型焊蜡笔
Minitype Wax Pen
Size:132mm



水焊机 Oxyhydrogen Water Welding Machine



KYG1456 氢氧水焊机205TL
Oxyhydrogen Water Welding Machine
电源: AC220V 50/60H/800W
产气量: >200L/hr
工作压力: 0.10-0.15Mpa
电解液槽容量: 4200 ML
水消耗量: 0.06L/hr
Size:530*300* 540mm
Weight:17kg

KYG1457 氢氧水焊机305TL
Oxyhydrogen Water Welding Machine
电源: AC220V 50/60H/1200W
产气量: >300L/hr
工作压力: 0.10-0.15Mpa
电解液槽容量: 6300 ML
水消耗量: 0.09L/hr
Size:650*300* 540mm
Weight:22kg

KYG1458 氢氧水焊机405TL
Oxyhydrogen Water Welding Machine
电源: AC220V 50/60H/1600W
产气量: >400L/hr
工作压力: 0.10-0.15Mpa
电解液槽容量: 8400 ML
水消耗量: 0.12L/hr
Size:760*300* 540mm
Weight:26kg

KYG1459 氢氧水焊机605TL
Oxyhydrogen Water Welding Machine
电源: AC220V 50/60H/2400W
产气量: >600L/hr
工作压力: 0.10-0.15Mpa
电解液槽容量: 12400 ML
水消耗量: 0.18L/hr
Size:1020*300* 540mm
Weight:46kg


KYG1460
新款环保水焊机
Water Welding Machine



型号 Model	输入功率 Input Power	电解缸 Electrolytic Cylinder	总容量 Gross Capacity	毛重 Rough Weight	包装尺寸(cm) Packing Size
KKD400	400W	单缸体 Single Cylinder Block	1500ml	27.5kg	45x32x43
KKD800	800W	双缸体 Double Cylinder Block	3000ml	36kg	53x32x43
KKD1600	1600W	三缸体 Double Cylinder Block	4500ml	50kg	57x35x49
KKD2500	2500W	四缸体 Four Cylinder Block	6000ml	65kg	63x57x57



KYG1461
电解粉
Electrolytic Powder



KYG1462 水焊机焊枪(焊接)
Water Welding Torch



KYG1463
水焊机火枪(焊接)
Water Welding Torch



KYG1464
水焊机火枪(熔化)
Water Welding Torch

焊接工具 Welding Tools



KYG1465 单管大油壶
(TSK1010/TSK1011)
Large Brass Kettle
Single Orifice
双管大油壶
Large Brass Kettle
Double Orifice
Size: 110×200mm



KYG1466 单管小油壶
(TSK1012/TSK1013)
Small Brass Kettle
Single Orifice
双管小油壶
Small Brass Kettle
Double Orifice
Size: 85×165mm




KYG1469 套装真皮风球
(TSK3012)
Set of Goldsmith Tools



KYG1467 小风球
(TSK3001)
Small Pedal Bellows
Size:378×210×190mm



KYG1468 大风球
(TSK3002)
Large Pedal Bellows
Size:340×255×240mm



KYG1470 风球
Wooden Air Bellow
Weight:2.23kg



KYG1471 加大单管火枪
(TSK1002)
Single Pipe,Brass, Extra Large
Size: φ 25mm 98×350mm



KYG1472 加大双管火枪
(TSK1001)
Double Pipe,Brass, Extra Large
Size: φ 25mm 98×350mm



KYG1475 B级2分小胶管
(TSK9034)
B Grade Rubber Tube
Tube-small Hole, φ 6/ φ 10. 5mm
KYG1476 B级2.5分大胶管
(TSK9035)
B Grade Rubber Tube
Tube-big Hole, φ 8/ φ 12.5mm



KYG1473 白双管火枪
(TSK1005)
Double Pipe,Brass, Chrome Plated,Small
Size: φ 16mm 58×268mm



KYG1474 白单管火枪
(TSK1006)
Single Pipe,Brass, Chrome Plated,Small
Size: φ 16mm 58×268mm



焊接工具 Welding Tools



KYG1477
小号铁油壶
Small Iron Kettle



KYG1478
大号铁油壶
Large Iron Kettle



KYG1479 大号调压油壶
Large Pressure Kettle



KYG1480 特大号调压油壶
Extra Large Pressure Kettle

KYG1481 氢氧火枪
Melting Torch



型号 Model	H01-20焊炬	G01-300焊炬
切割厚度 (mm) Cutting Thickness	12-20	1.8-3.0
氧气压力 (Mpa) Oxygen Working Pressure	0.6-0.8	0.5-1.0
乙炔压力 (Mpa) Acetylene Working Pressure	0.001-0.1	0.001-0.1
装箱数 Packing Number	15	20
净重 (Kg) Net Weight	0.72	0.93
体积 (Cm³) Volume	62x32.5x24.7	66.1x12.5x60



KYG1482 KKD套装真皮风球
Set of Goldsmith Tools
包装size: 24x12.5x38.5cm
Weight: 3kg




KYG1483 2L全铜焊枪
All-copper Torch
长度26cm 接内径4mm
外径8mm皮管



KYG1484 焊枪
Torch
长度54cm
型号: 大武士H01-20
切割厚度0-100mm




KYG185 火刀王
Torch
长度60cm
切割厚度100-300mm




KYG1486 焊枪
Torch
长度73cm 接内径50mm
外径8mm皮管

KYG1487 单/双喉吹
Double throat blowing
单管火吹A
Single tube fire blowing A
双管火吹B
Double-tube fire blowing B



KYG1488 单/双喉吹
Double throat blowing
单管火吹A
Single tube fire blowing A
双管火吹B
Double-tube fire blowing B



KYG1489 点火器
Electronic Torch Mate
Size: 70 x 50 x 70mm
Weight: 220g

焊接工具 Welding Tools



KYG1490
多方位点火器
Automatic Torch Lighter
Size: 80 x 70 x 70mm
Weight: 340g



KYG1491 3-5型熔焊机
Welding Machine-3Modulations
20W/220V/2.2kg
Size: 180 x 220 x 125mm



KYG1492 3-6型熔焊机
Welding Machine-4Modulations
30W/220V/3.5kg
Size: 180 x 240 x 140mm



KYG1493 5-8型熔焊机
Welding Machine-5Modulations
40W/220V/4.5kg
Size: 180 x 265 x 160mm



KYG1494 空气压缩机式熔焊机
Welding Machine With Air Compressor
185W/220V/27.5kg
Size: 315 x 155 x 350mm
排气量 (Air displacement): 120L/min



KYG1495 空气压缩机
Air Compressor
No1: 300W/220V
Size: 307 x 156 x 189mm
排气量 (Air displacement) L: 250L/min
No2: 380W/220V
Size: 310 x 155 x 189mm
排气量 (Air displacement) L: 280L/min



KYG1496 美国氧气枪
US Little Torch Kit
Size: 150 x 220 x 60mm
Made in U.S.A



KYG1497
氢氧火枪
Little Torch Kit



KYG1498 焊枪底座
Welding Gun Base
Base size: 70mm in diameter
Thickness: 25mm
The total height is: 104mm
Total weight: 790g




KYG1499 3000S
液体打火机
Micro Torch
Size: 160mm
Weight: 261g



KYG1500 GB-2001
液体打火机
Micro Torch
Size: 140mm
Weight: 311g



KYG1501 5000S
液体打火机
Micro Torch
Size: 190mm
Weight: 387.5g




KYG1502 无影胶水
Shadowless Glue
用灯照射
Illuminate with a lamp
Weight: 37.5g



KYG1503 无影胶水
Shadowless Glue
不用灯照射
No lamp irradiation
Weight: 21.4g




KYG1504
解胶剂
Dispersator
Weight: 44.8g



KYG1505 LED UV灯
LED UV Lamp
Weight: 1.3kg




熔金坩 Ceramic Bowl



KYG1506 进口熔金碗(黏土石英陶瓷碗)
Ceramic Bowl

	直径(mm) A	高度(mm) B	重量(g) Weight	每箱数量(个) Quantity Per Box	每箱重量(kg) Weight
3两	φ68	H23.5	54		
5两	φ78	H32.5	80		
10两	φ88	H34.5	97		
15两	φ97	H38	140		
20两	φ103	H39	155		
30两	φ120	H51	271		
50两	φ140	H52	330		


KYG1507 纯石英熔金碗
Ceramic Bowl



	直径(mm) A	高度(mm) B	重量(g) Weight	每箱数量(个) Quantity Per Box	每箱重量(kg) Weight
2两	φ56.5	H19	30.6	600	20
3两	φ68	H25	54	400	19
5两	φ83	H34	90	210	18
10两	φ92	H39	148.4	130	18
15两	φ99	H40	177.0	120	18
20两	φ106.7	H42	167	100	18
30两	φ123.5	H51	271	60	17
50两	φ140	H57	303	50	16
100两	φ169	H62	526	30	17
200两	φ215	H84	940	14	15

纸箱包装统一尺寸：长450*宽350*高380mm
Carton Packing Size: L450* W 350* H 380mm.


KYG1508 普通熔金碗(黏土石英陶瓷碗)
Ceramic Bowl



	直径(mm) A	高度(mm) B	重量(g) Weight	每箱数量(个) Quantity Per Box
5两	φ68	H26.8	53.7	540
10两	φ87	H36.6	117.8	280
15两	φ92	H39.3	145	230
20两	φ103	H47.8	178	180
30两	φ123	H51	275.6	100
50两	φ138	H55.4	400	78
100两	φ168	H61.2	537	50

纸箱包装统一尺寸：L445xW305xH400mm
Carton Packing Size: L445xW305xH400mm

石墨坩 Graphite Crucible




KYG1509
石英坩(外套)
Ceramic Shield



产品名称 Description	尺寸Size(mm)					重量(g) Weight	每箱数量(个) Quantity Per Box	每箱重量(kgs) Weight
	φ1	φ2	φ3	H1	H2			
1kg	69	49.3	58	88	77	183.3	75	20
2kg	81	59.8	70	110	103.8	283.9	50	20
2.5kg	80	59	69.3	126	118	300.7	40	16
3kg	97.4	78	94.4	104.4	98	370	33	16
4kg	101	79.7	88	135.1	125.5	429	25	16
5kg	118.4	91	101.6	138	125.6	623.7	18	3
5.5kg	119	94.7	107.5	154	145	734	16	13
6kg	128.3	104	117.5	181	171	941.6	11	13
8kg	145	114.6	135	185	171	1679	10	16

纸箱包装统一尺寸：长450*宽350*高420mm
Carton packing Size: L 450* W 350* H420mm.



KYG1510
石墨坩(五星材质)
Graphite Crucible



产品名称 Description	尺寸Size(mm)				重量(g) Weight
	φ1	φ2	φ3	H	
1kg	58	35	48	88	162
2kg	65	43	58	110	276
2.5kg	65	43	58	127	290
3kg	85	59	76	105	411
4kg	85	59	76	137	555
5kg	100	64	89	137	670
5.5kg	106	70	92	156	920
6kg	115	78	100	185	1160
8kg	120	86	110	185	1400

KYG1511
VC400/VC600石墨铸造坩埚及棒
Graphite casting crucible and stopper for



产品名称 Description	尺寸 Size(mm)	重量(g) Weight
VC400石墨铸造坩埚 Graphite casting crucible	φ68xH120 Hole OD: 8 Hole OD: 2	502g
VC400石墨铸造坩埚塞棒 Graphite stopper	φ12xH175	36g
VC600石墨铸造坩埚 Graphite casting crucible	φ78xH120 Hole OD: 8 Hole OD: 2	586g
VC600石墨铸造坩埚塞棒 Graphite stopper	φ12xH180	37g

KYG1512
VC500石墨铸造坩埚及棒
Graphite casting crucible and stopper



产品名称 Description	尺寸 Size(mm)	重量(g) Weight
VC500石墨铸造坩埚 Graphite casting crucible	φ78xH120 Hole OD: 8	364g
VC500石墨铸造坩埚塞棒 Graphite stopper	φ19.5xH175 Hole OD: 5	80g



石墨坩 Graphite Crucible



K3

KYG1513
K3石墨铸造坩埚及棒
Graphite casting crucible and stopper

产品名称 Description	外径 ϕ (mm)	高H(mm)	重量(g) Weight
K3石墨铸造坩埚 Graphite casting crucible	65	73	210g
K3石墨铸造坩埚塞棒 Graphite stopper	21.5	133	35g



K5

KYG1514
K5石墨铸造坩埚及棒
Graphite casting crucible and stopper

产品名称 Description	外径 ϕ (mm)	高H(mm)	重量(g) Weight
K5石墨铸造坩埚 Graphite casting crucible	70	89	220g
K5石墨铸造坩埚塞棒 Graphite stopper	21	135	35g



KT17

KYG1515
KT17石墨铸造坩埚及棒
Graphite casting crucible and stopper

产品名称 Description	外径 ϕ (mm)	高H(mm)	重量(g) Weight
KT17石墨铸造坩埚 Graphite casting crucible	70	128	270g
KT17石墨铸造坩埚塞棒 Graphite stopper	22.5	152	40g



KT18

KYG1516
KT18石墨铸造坩埚及棒
Graphite casting crucible and stopper

产品名称 Description	外径 ϕ (mm)	高H(mm)	重量(g) Weight
KT18石墨铸造坩埚 Graphite casting crucible	70	128	215g
KT18石墨铸造坩埚塞棒 Graphite stopper	16	145.5	40g

石墨坩 Graphite Crucible




VPC063

VPC066

KYG1517
VPC063/VPC066石墨铸造坩埚及棒
Graphite casting crucible and stopper

产品名称 Description	外径 ϕ (mm)	高H(mm)	重量(g) Weight
VPC063石墨铸造坩埚 Graphite casting crucible	74	106	500g
VPC063石墨铸造坩埚塞棒 Graphite stopper	13.5	163	45g
VPC066石墨铸造坩埚 Graphite casting crucible	74	136	455g
VPC066石墨铸造坩埚塞棒 Graphite stopper	13.5	163	45



KYG1518 2kg倒模机熔金坩
Graphite Casting Crucible & Stopper
外 ϕ 76x内 ϕ 55xH122mm

KYG1519 4kg倒模机熔金坩
Graphite Casting Crucible & Stopper
外 ϕ 90x内 ϕ 76xH150mm

KYG1520 黄金倒模坩
Graphite Crucible CG-40
外套外 ϕ 51.3x内 ϕ 33外下 ϕ 42.6xH106mm
石墨外 ϕ 40.8x内 ϕ 33外下 ϕ 32xH96mm



KYG1521 3kg石墨坩
3kg Graphite Crucible
外 ϕ 75x内 ϕ 50x外下 ϕ 60xH170mm




KYG1522 2kg石墨坩
2kg Graphite Crucible
外 ϕ 75x内 ϕ 40x外下 ϕ 56xH160mm




KYG1523 1kg石墨坩
1kg Graphite Crucible
外 ϕ 65x内 ϕ 30x外下 ϕ 50xH125mm



KYG1524 K2倒模机熔金坩埚外皮
Ceramic Shield
外 ϕ 101x内 ϕ 71.6xH135mm 下外 ϕ 83



KYG1525 倒模机熔金坩埚外皮
Ceramic Shield
外 ϕ 89x内 ϕ 77.7xH120mm



KYG1526 石英坩
Ceramic Melting Crucible
Size:96x87x43.8mm




油槽 Steel Trough Mould




KYG1527 高纯石墨油槽

型号 Model	容量(ml)		外尺寸(mm)			内尺寸(mm)		
	金子	银子	L1	W1	H1	L2	W2	H2
100g	100g	50g	55	40	20	35	20	10
200g	200g	100g	70	45	20	50	25	10
250g	250g	130g	68	50	26	47	25	16
300g	300g	150g	71	57	20	50	37	10
400g	400g	200g	75	67	20	53	47	10
500g	500g	250g	70	67	26	50	47	16
1kg	1000g	500g	136	42	32	115	22	22
2kg	2000g	1000g	160	48	38	140	28	28
3kg	3000g	1500g	176	52	42	155	32	32




KYG1528 5kg石墨槽

容量量：约5500g
容银量：约3050g
外尺寸(mm)：300*85*45
内尺寸(mm)：160*60*30
产品重量：约900g




KYG1529 3kg石墨槽

容量量：约3400g
容银量：约1900g
外尺寸(mm)：270*55*45
内尺寸(mm)：155*35*35
产品重量：约610g



KYG1530 1kg石墨槽

容量量：约1300g
容银量：约720g
外尺寸(mm)：215*50*30
内尺寸(mm)：105*35*20
产品重量：约340g




KYG1531 0.5kg石墨槽

容量量：约680g
容银量：约380g
外尺寸(mm)：175*45*30
内尺寸(mm)：65*30*20
产品重量：约260g

KYG1532 10孔石墨槽

用于铸造 银金铜铝玻璃等

孔位 长度 宽度 深度 重量
10孔 100mm 100mm 21mm 275.5g




注：以上数据为手工测量以实物为准！

KYG1533 11孔石墨槽

用于铸造 银金铜铝玻璃等

孔位 长度 宽度 深度 重量
11孔 100mm 100mm 21mm 287.5g



注：以上数据为手工测量以实物为准！

KYG1534 14孔石墨槽

用于铸造 银金铜铝玻璃等

孔位 长度 宽度 深度 重量
14孔 100mm 100mm 21mm 322.5g




注：以上数据为手工测量以实物为准！

KYG1535 15孔石墨槽

用于铸造 银金铜铝玻璃等

孔位 长度 宽度 深度 重量
15孔 100mm 100mm 21mm 282.5g
圆孔尺寸为12-26mm 从小到大的左右 深度均为10mm



注：以上数据为手工测量以实物为准！

石英白金坩 Ceramic Shiled




KYG1536
小块蜂窝焊瓦
Honeycomb welding pad
Size: 98x138x13mm
Weight: 112g


KYG1537
大块蜂窝焊瓦
Honeycomb welding pad
Size: 143x200x13mm
Weight: 278g




KYG1538 圆形蜂窝焊瓦
Honeycomb welding pad
Size: ϕ 150mm*13mm
Weight: 161g



KYG1539
石英四脚焊瓦
Sintering Refractory Tile--Small
Size: 120x155x21mm



KYG1540
陶土四脚焊瓦
Sintering Refractory Tile--Small
Size: 110x146x20.5mm



KYG1541
优质陶土六脚焊瓦
Sintering Refractory Tile--Large
Size: 110x285x21mm



KYG1542
250C石英铸造坩埚
Ceramic Casting Crucible
Size: 150x200x13mm




KYG1543
4KG石英熔金杯
Ceramic Melting Crucible
外 ϕ 89x内 ϕ 64xH150mm




KYG1544
2KG石英熔金杯
Ceramic Melting Crucible
外 ϕ 86x内 ϕ 60x120mm




KYG1545
1KG石英熔金杯
Ceramic Melting Crucible
外 ϕ 59x内 ϕ 47x98mm



KYG1546 石英熔金坩
Ceramic Melting Crucible



KYG1547 石英熔金坩
Ceramic Melting Crucible



KYG1548 石英熔金坩
Ceramic Melting Crucible




KYG1549 石英熔金坩
Ceramic Melting Crucible



铸造铜粒 Casting Copper



KYG1550
环保银焊支(30%40%60%)
Sliver Stick Solders
Size:Φ0.4/0.5/0.7/1.0/1.2/1.5mm
长度:300mm




KYG1551
纯银珠
Fine Silver Grains no.99.99



KYG1552 银焊片
Platinum Solder Sheet
高温H812℃
中温M754℃
低温E718℃



KYG1553
白铜(含镍量18%)
White Brass



KYG1554
无镍青铜(含铜量72%)
Yellow Brass




KYG1555
99.99%纯紫铜粒
Red Copper


KYG1556
铸造铜 Brass(Yellow,Red, White)

型号 Alloy no	类别 Karat	Composition(%)	颜色 Color	特点及用法 Advantage	硬度 Hardness
M975	红铜 Red bronze	98	红色 Red	高流动性, 适合工艺品铸造 High Fluidity Suitable for handicraft casting	90HV
M932	青铜 Bronze	95	红黄色 Red Yellow	高密度, 适合实心件铸造 High Fluidity Suitable for large and thick products	120HV
GT700	70黄铜 70Brass	70	金黄色 Yellow	普通黄铜, 综合性能好, 高性价比 Brass,Good performance,High cost performance	90HV
75软	75软铜 75 S-Brass	75	青黄色 Yellow	柔软, 大光面铸造 Soft,Suitable for large surfaces products	70HV
GT750	75硬铜 75 H-Brass	75	黄色 Yellow	高光泽, 高流动性, 铸造性能优异 High Shining,High Fluidity,Good casting	130HV
K5	80特硬铜 80VH-Brass	80	黄色 Yellow	高硬度, 适合实心件铸造 High Hardness, Suitable for thick products	160HV
GT850	85中性铜 Cupronickel	85	黄色 Yellow	高光泽, 高流动性, 铸造性能优异 High Shining,High Fluidity,Good casting	120HV
A2	白铜 Cupronickel	NI18%	白色 White	通用白铜, 综合性能好, 高性价比 Versatile,Good performance,High cost performance	110HV

贺利氏补口 HERAEUS Alloy



KYG1557
7334 18K深红/玫瑰红
Red/Rose Alloy




KYG1558
H-176A 18K黄补口
(倒模)
Yellow Alloy




KYG1559
H-177R 18K黄补口
(冲片/压片)
Yellow Alloy



KYG1560
S560中温配焊补口
(18K白)



KYG1561
H-141B 14K/18K白补口
(手造/拉线/倒模)
White Alloy



KYG1562
S520低温配焊补口
(14K/18K黄)



KYG1563
S57 银补口
顶级抗氧化
Silver Alloy



KYG1564
H-449 银补口
Silver Alloy



KYG1565
H-330A 银补口
Silver Alloy



KYG1566 银焊线
Laser Silver Welding Wire
Size: φ0.4mm Weight: 1kg



KYG1567 纯锌丝
Pure Zinc Wire



KYG1568 银焊粉
Silver Solder Powder
20%/30%/40%/60%/75%



装首饰盘 Jewelry Tray



KYG1569
大号塑料盘 (四方形)
外尺寸: 270x270x52mm
内尺寸: 260x260x48mm
Weight: 275.5g.



KYG1570
中号塑料盘 (四方形)
外尺寸: 270x270x35mm
内尺寸: 260x260x31mm
Weight: 197.5g.



KYG1571
小号塑料盘 (四方形)
外尺寸: 275x275x20mm
内尺寸: 260x260x14.9mm
Weight: 212g



KYG1572
四方形高发泡胶绵垫
外尺寸: 259x259x13.5mm
内格尺寸: 21x21mm/100格



KYG1573
四方形高发泡胶绵垫
外尺寸: 259x259x13mm
内格尺寸: 27x21mm/80格



KYG1574
四方形高发泡胶绵垫
外尺寸: 259x259x12.5mm.
内格尺寸: 20x20mm/100格



KYG1575
四方形高发泡胶绵垫
外尺寸: 259x259x14mm
内格尺寸: 26x26mm/64格



KYG1576
四方形高发泡胶绵垫
外尺寸: 259x259x14mm
内格尺寸: 44x44mm/25格



KYG1577
四方形高发泡胶绵垫
外尺寸: 259x259x17.5mm
内格尺寸: 57x57mm/16格



KYG1578
四方形高发泡胶绵垫
外尺寸: 259x259x16.5mm
内格尺寸: 75x75mm/9格



KYG1579
圆形高发泡胶绵垫
外尺寸: 259x259x17.3mm
内直径: 75mm/9格



KYG1580
四方形高发泡胶绵垫
外尺寸: 259x259x10mm
内格尺寸: 20x12mm/100格



KYG1581
四方形高发泡胶绵垫
外尺寸: 259x259x14mm
内格尺寸: 25x19mm/80格



KYG1582
四方形高发泡胶绵垫
外尺寸: 259x259x14mm
内格尺寸: 35x19mm/60格



KYG1583
四方形高发泡胶绵垫
外尺寸: 259x259x15mm
内格尺寸: 44x20mm/50格



KYG1584
四方形高发泡胶绵垫
外尺寸: 259x259x14.5mm
内格尺寸: 44x26mm/40格



KYG1585
四方形高发泡胶绵垫
外尺寸: 259x259x16mm
内格尺寸: 43x35mm/30格



KYG1586
四方形高发泡胶绵垫
外尺寸: 259x259x14mm
内格尺寸: 76x19mm/30格



KYG1587
四方形高发泡胶绵垫
外尺寸: 259x259x16.5mm
内格尺寸: 118x19mm/20格



KYG1588
四方形高发泡胶绵垫
外尺寸: 259x259x17mm
内格尺寸: 116x25mm/16格


装首饰盘 Jewelry Tray



KYG1589
四方形高发泡胶绵垫
外尺寸: 259x259x17mm
内格尺寸: 240x29mm/7格



KYG1590
四方形高发泡胶绵垫
外尺寸: 259x259x15.5mm
内格尺寸: 240x20mm/10格



KYG1591
四方形高密度海绵插垫
外尺寸: 259x259x16mm
100格



KYG1592
塑料盘(长方形)
W220xL323xH38mm
weight: 304g



KYG1593
长方形高发泡胶绵垫
外尺寸: 220x323x11mm
内格尺寸: 16x26mm/100格



KYG1594
长方形高发泡胶绵垫
外尺寸: 220x323x14mm
内格尺寸: 30x30mm/54格



KYG1595
长方形高发泡胶绵垫
外尺寸: 220x323x16mm
内格尺寸: 39x27mm/50格



KYG1596
长方形高发泡胶绵垫
外尺寸: 220x323x12mm
内格尺寸: 38x36mm/40格



KYG1597
长方形高发泡胶绵垫
外尺寸: 220x323x16mm
内格尺寸: 63x56mm/15格



KYG1598
长方形高发泡胶绵垫
外尺寸: 220x323x15mm
内格尺寸: 100x26mm/20格



KYG1599
长方形高发泡胶绵垫
外尺寸: 220x323x19mm
内格尺寸: 200x24mm/10格



KYG1600
长方形高发泡胶绵垫
外尺寸: 220x323x15mm
内格尺寸: 204x14mm/15格




KYG1601
长方形高发泡胶绵垫
外尺寸: 220x323x15mm
内格尺寸: 200x22mm/10格



KYG1602
长方形塑料盘
外尺寸: 380x280x37.6mm
内格尺寸: 350x250x34.6mm
Weight: 248g



KYG1603
插戒指首饰盒 (纸板盒)
外尺寸: 305x195x38mm
内格尺寸: 297x187x32mm
Weight: 177g



扫一扫添加好友



扫一扫查看整本书